Once-in-a-Lifetime Procedure Codes

Page updated: July 2025

The following is a list of various procedures the Department of Health Care Services (DHCS) considers to be once-in-a-lifetime. (For a full definition of these codes, please refer to the Physician's Current Procedural Terminology [CPT®] code book published by the American Medical Association).

Note: Claims submitted for any of these procedures a second time for the same recipient must include a full explanation and medical justification to avoid being denied.

Denied claims may be submitted for reconsideration through the normal claim inquiry process. (See the CIF Overview section in the Part 1 manual and the CIF Completion section in this manual for instructions).

For a complete list of Proprietary Laboratory Analyses (PLA) procedure codes with a frequency limit of once in a lifetime, refer to the *Proprietary Laboratory Analyses (PLA)* (prop lab) section in this manual.

Once-in-a-Lifetime HCPCS Procedure Codes

| HCPCS Code | Description |
|------------|---|
| J1412 | Injection, valoctocogene roxaparvovec-rvox, per ml, containing nominal 2 x 10^13 vector genomes |
| J1413 | Injection, delandistrogene moxeparvovec-rokl, per therapeutic dose |
| J1414 | Injection, fidanacogene elaparvovec-dzkt, per therapeutic dose |
| ‹‹J3391 | Injection, atidarsagene autotemcel, per treatment>> |
| J3392 | Injection, exagamglogene autotemcel, per treatment |
| J3393 | Injection, betibeglogene autotemcel, per treatment |
| J3394 | Injection, lovotibeglogene autotemcel, per treatment |
| J3399 | Injection, onasemnogene abeparvovec-xioi |

Page updated: July 2025

| HCPCS Code | Description |
|------------|--|
| Q2053 | Brexucabtagene autoleucel, up to 200 million autologous anti-cd19 car positive viable t cells, including leukapheresis and dose preparation procedures, per therapeutic dose |
| Q2054 | Lisocabtagene maraleucel, up to 110 million autologous anti-cd19 car-positive viable t cells, including leukapheresis and dose preparation procedures, per therapeutic dose |
| Q2055 | Idecabtagene vicleucel, up to 510 million autologous b-cell maturation antigen [bcma] directed car-positive t cells, including leukapheresis and dose preparation procedures, per therapeutic dose |
| Q2057 | Injection, Afamitresgene autoleucel, including leukapheresis and dose preparation procedures, per therapeutic dose |
| ‹‹Q2058 | Obecabtagene autoleucel, 10 up to 400 million CD19 CAR-positive viable T cells, including leukapheresis and dose preparation procedures, per infusion>> |
| S3620 | Newborn metabolic screening panel |

Once-in-a-Lifetime CPT Procedure Codes

| CPT Code | Description |
|----------|--|
| 15920 | Removal of tail bone ulcer |
| 15922 | Removal of tail bone ulcer |
| 27080 | Coccygectomy, primary |
| 30160 | Removal of nose |
| 31360 | Removal of larynx |
| 31365 | Removal of larynx |
| 31390 | Removal of larynx & pharynx |
| 31395 | Reconstruct larynx & pharynx |
| 31420 | Epiglottidectomy |
| 31560 | Laryngoscopy with arytenoidectomy |
| 31561 | Laryngoscopy with arytenoidectomy; with operating microscope |
| 32440 | Pneumonectomy, total |
| 38100 | Removal of spleen, total |
| 38102 | Removal of spleen, total |
| 38571 | Laparoscopy |
| 38572 | Laparoscopy |
| 38780 | Retroperitoneal transabdominal lymphadenectomy, extensive |
| 41010 | Incision of lingual frenum (frenotomy) |
| 41140 | Removal of tongue |
| 41145 | Tongue removal; neck surgery |
| 41150 | Tongue, mouth, jaw surgery |
| 41153 | Tongue, mouth, neck surgery |
| 41155 | Tongue, jaw, & neck surgery |
| 42140 | Excision of uvula |
| 42820 | Tonsillectomy and adenoidectomy; under age 12 |
| 42821 | Tonsillectomy and adenoidectomy; age 12 or over |

| CPT Code | Description |
|----------|---|
| 42825 | Tonsillectomy, primary or secondary; under age 12 |
| 42826 | Tonsillectomy, primary or secondary; age 12 or over |
| 42830 | Adenoidectomy, primary; under age 12 |
| 42831 | Adenoidectomy, primary; age 12 or over |
| 42835 | Adenoidectomy, secondary; under age 12 |
| 42836 | Adenoidectomy, secondary; age 12 or over |
| 43107 | Esophagectomy |
| 43108 | Esophagectomy |
| 43112 | Esophagectomy |
| 43113 | Esophagectomy |
| 43620 | Removal of stomach |
| 43621 | Removal of stomach |
| 43622 | Removal of stomach |
| 44150 | Removal of colon |
| 44151 | Removal of colon/ileostomy |
| 44155 | Removal of colon |
| 44156 | Removal of colon/ileostomy |
| 44157 | Colectomy with ileoanal anastomosis |
| 44158 | Colectomy with ileoanal anastomosis |
| 44800 | Excision of bowel pouch |
| 44950 | Appendectomy |
| 44955 | Appendectomy |
| 44960 | Appendectomy |
| 45110 | Removal of rectum |
| 45112 | Removal of rectum |

| CPT Code | Description |
|----------|---|
| 45120 | Removal of rectum |
| 45121 | Proctectomy, complete; with subtotal or total colectomy |
| 45126 | Pelvic extenteration |
| 45395 | Removal of rectum |
| 45397 | Removal of rectum |
| 47125 | Partial removal of liver |
| 47130 | Partial removal of liver |
| 47600 | Removal of gallbladder |
| 47605 | Removal of gallbladder |
| 47610 | Removal of gallbladder |
| 47612 | Removal of gallbladder |
| 47620 | Removal of gallbladder |
| 48155 | Removal of pancreas |
| 48160 | Pancreas removal, transplant |
| 51500 | Removal of bladder cyst |
| 51570 | Removal of bladder |
| 51575 | Removal of bladder & nodes |
| 51580 | Remove bladder; revise tract |
| 51585 | Removal of bladder & nodes |
| 51590 | Remove bladder; revise tract |

| CPT Code | Description |
|----------|---|
| 51595 | Remove bladder; revise tract |
| 51596 | Cystectomy, complete |
| 51597 | Removal of pelvic structures |
| 51925 | Hysterectomy/bladder repair |
| 52601 | Transurethral prostatectomy (TURP) |
| 53210 | Removal of urethra |
| 53215 | Removal of urethra |
| 54125 | Removal of penis |
| 54130 | Remove penis & nodes |
| 54135 | Remove penis & nodes |
| 54161 | Circumcision, older than 28 days of age |
| 54164 | Frenulotomy of penis |
| 54861 | Removal of epididymes |
| 55810 | Extensive prostate surgery |
| 55812 | Extensive prostate surgery |
| 55815 | Extensive prostate surgery |
| 55840 | Extensive prostate surgery |
| 55842 | Extensive prostate surgery |
| 55845 | Extensive prostate surgery |
| 55866 | Laparascopy, radical |
| 56625 | Removal of vulva |

| CPT Code | Description |
|----------|--|
| 56633 | Vulvectomy, radical, complete |
| 56634 | Vulvectomy, radical, complete |
| 56637 | Vulvectomy, radical, complete |
| 56640 | Vulvectomy, radical, complete, with lymphadenectomy |
| 57110 | Remove vaginal wall, complete |
| 57120 | Colpocleisis, Le Fort type |
| 57130 | Excision of vaginal septum |
| 57530 | Removal of cervix |
| 57540 | Removal of cervical stump, abdominal approach |
| 57545 | Removal of cervical stump, repair pelvis |
| 57550 | Removal of residual cervical stump, vaginal approach |
| 57555 | Remove cervix, repair vagina |
| 57556 | Remove cervix, with repair of enterocele |
| 58150 | Total abdominal hysterectomy |
| 58152 | Total abdominal hysterectomy |
| 58180 | Partial abdominal hysterectomy |
| 58200 | Extensive abdominal hysterectomy |
| 58210 | Extensive abdominal hysterectomy |
| 58240 | Removal of pelvis contents |
| 58260 | Vaginal hysterectomy |

| CPT Code | Description |
|----------|--|
| 58262 | Vaginal hysterectomy |
| 58263 | Vaginal hysterectomy |
| 58267 | Vaginal hysterectomy with urinary repair |
| 58270 | Hysterectomy & enterocele repair |
| 58275 | Hysterectomy, revise vagina |
| 58280 | Hysterectomy, revise vagina |
| 58285 | Extensive hysterectomy |
| 58290 | Vaginal hysterectomy, complex |
| 58291 | Vaginal hysterectomy, including tube(s) and/or ovary(s), complex |
| 58292 | Vaginal hysterectomy, including tube(s) and/or ovary(s) and enterocele, complex |
| 58294 | Vaginal hysterectomy, with enterocele, complex |
| 58541 | Laparoscopy, surgical, supracervical hysterectomy, for uterus 250 g or less |
| 58542 | Laparoscopy, surgical, supracervical hysterectomy, for uterus 250 g or less; with removal of tube(s) and/or ovary(s) |
| 58543 | Laparoscopy, surgical, supracervical hysterectomy, for uterus greater than 250 g |
| 58544 | Laparoscopy, surgical, supracervical hysterectomy, for uterus greater than 250 g; with removal of tube(s) and/or ovary(s) |
| 58548 | Laparoscopy, surgical, with radical hysterectomy, with bilateral total pelvic lymphadenectomy and para-aortic lymph node sampling (biopsy), with removal of tube(s) and ovary(s), if performed |

| CPT Code | Description |
|----------|--|
| 58550 | Laparoscopy surgical, with vaginal hysterectomy |
| 58552 | Laparoscopy surgical, with vaginal hysterectomy, including tube(s) and/or ovary(s) |
| 58553 | Laparoscopy surgical, with vaginal hysterectomy, for uterus greater than 250 grams |
| 58554 | Laparoscopy surgical, with vaginal hysterectomy, for uterus greater than 250 grams; with removal of tube(s) and/or ovary(s) |
| 58570 | Laparoscopy, surgical, with total hysterectomy, for uterus 250 g or less |
| 58571 | Laparoscopy, surgical, with total hysterectomy, for uterus 250 g or less with removal of tube(s) and/or ovary(s) |
| 58572 | Laparoscopy, surgical, with total hysterectomy, for uterus greater than 250 g |
| 58573 | Laparoscopy, surgical, with total hysterectomy, for uterus greater than 250 g with removal of tube(s) and/or ovary(s |
| 58575 | Laparoscopy, surgical; total hysterectomy for resection of malignancy (tumor debulking), with omentectomy including salpingo-oophorectomy, unilateral or bilateral, when performed |
| 58950 | Resection (initial) of ovarian, tubal or primary peritoneal malignancy with bilateral salpingo-oophorectomy and omentectomy |
| 58951 | Resection of ovarian, tubal or primary peritoneal malignancy with bilateral salpingo-oophorectomy and omentectomy; with total abdominal hysterectomy, pelvic and limited para-aortic lymphadenectomy |
| 58952 | Resection of ovarian, tubal or primary peritoneal malignancy with bilateral salpingo-oophorectomy and omentectomy; with radical dissection for debulking (ie, radical excision or destruction, intra-abdominal or retroperitoneal tumors |

| CPT Code | Description |
|---------------------|---|
| 58954 | Bilateral salpingo-oophorectomy with omentectomy, total abdominal hysterectomy and hysterectomy and radical dissection for debulking; with pelvic lymphadenectomy and limited para-aortic lymphadenectomy |
| 58956 | Bilateral salpingo-oophorectomy with total omentectomy, total abdominal hysterectomy for malignancy |
| 59525 | Subtotal or total hysterectomy after cesarean delivery |
| 60240 | Removal of thyroid |
| 60270 | Removal of thyroid |
| 60271 | Removal of thyroid |
| 62292 | Injection into intervertebral disc lesion |
| 81105 thru 81408 | For molecular pathology codes, refer to the <i>Pathology: Molecular Pathology</i> section in the appropriate Part 2 provider manual. |
| 81413 | Cardiac ion channelopathies; genomic sequence analysis panel, must include sequencing of at least 10 genes, including ANK2, CASQ2, CAV3, KCNE1, KCNE2, KCNH2, KCNJ2, KCNQ1, RYR2, and SCN5A |
| 81414 | Cardiac ion channelopathies; duplication/deletion gene analysis panel, must include analysis of at least 2 genes, including KCNH2 and KCNQ1 |
| 81432 | Hereditary breast cancer-related disorders (eg, hereditary breast cancer, hereditary ovarian cancer, hereditary endometrial cancer); genomic sequence analysis panel, must include sequencing of at least 10 genes, always including BRCA1, BRCA2, CDH1, MLH1, MSH2, MSH6, PALB2, PTEN, STK11, and TP53 |
| 81434 | Hereditary retinal disorders (e.g., retinitis pigmentosa, Leber congenital amaurosis, cone-rod dystrophy), genomic sequence analysis panel, must include sequencing of at least 15 genes, including ABCA4, CNGA1, CRB1, EYS, PDE6A, PDE6B, PRPF31, PRPH2, RDH12, RHO, RP1, RP2, RPE65, RPGR and USH2A |
| 81435 | Hereditary colon cancer disorders; genomic sequence analysis panel, must include sequencing of at least 10 genes, including APC, BMPR1A, CDH1, MLH1, MSH2, MSH6, MUTYH, PTEN, SMAD4, and STK11 |

| CPT Code | Description |
|----------|---|
| 81439 | Inherited cardiomyopathy genomic sequence analysis panel, must include sequencing of at least 5 genes, including DSG2, MYBPC3, MYH7, PKP2, and TTN |
| 81445 | Targeted genomic sequence analysis panel, solid organ neoplasm, DNA analysis, 5 to 50 genes |
| 81448 | Hereditary peripheral neuropathies, genomic sequence analysis panel, must include sequencing of at least 5 peripheral neuropathy-related genes |
| 81455 | Targeted genomic sequence analysis panel, solid organ or hematolymphoid neoplasm, DNA analysis, and RNA analysis when performed, 51 or greater genes, interrogation for sequence variants and copy number variants or rearrangements, if performed |
| 81518 | Oncology (breast), mRNA, gene expression profiling by real-time RT-PCR of 11 genes, utilizing formalin-fixed paraffin-embedded tissue, algorithms reported as percentage risk for metastatic recurrence and likelihood of benefit from extended endocrine therapy |
| 81519 | Oncology (breast), mRNA, gene expression profiling by real-time RT-PCR of 21 genes, utilizing formalin-fixed paraffin embedded tissue, algorithm reported as recurrence score |
| 81520 | Oncology (breast), mRNA gene expression profiling by hybrid capture of 58 genes, utilizing formalin-fixed paraffin-embedded tissue, algorithm reported as a recurrence risk score |
| 81521 | Oncology (breast), mRNA microarray gene expression profiling of 70 content genes and 465 housekeeping genes, utilizing fresh frozen or formalin-fixed paraffin-embedded tissue, algorithm reported as index related to risk of distant metastasis |
| 81522 | Oncology (breast), mRNA, gene expression profiling by RT-PCR of 12 genes, utilizing formalin-fixed paraffin-embedded tissue, algorithm reported as recurrence risk score |

| CPT Code | Description |
|----------|--|
| 81541 | Oncology (prostate), mRNA gene expression profiling by real-time RT-PCR of 46 genes (31 content and 15 housekeeping), utilizing formalin-fixed paraffin-embedded tissue, algorithm reported as a disease-specific mortality risk score |
| 81542 | Oncology (prostate), mRNA, microarray gene expression profiling of 22 content genes, utilizing formalin-fixed paraffin-embedded tissue, algorithm reported as metastasis risk score |
| 81552 | Oncology (uveal melanoma), mRNA, gene expression profiling by real- time RT-PCR of 15 genes, utilizing fine needle aspirate or formalin-fixed paraffin-embedded tissue, algorithm reported as risk of metastasis |
| 81457 | Solid organ neoplasm, genomic sequence analysis panel, interrogation for sequence variants; DNA analysis, microsatellite instability |
| 81458 | Solid organ neoplasm, genomic sequence analysis panel, interrogation for sequence variants; DNA analysis, copy number variants and microsatellite instability |
| 81459 | Solid organ neoplasm, genomic sequence analysis panel, interrogation for sequence variants; DNA analysis or combined DNA and RNA analysis, copy number variants, microsatellite instability, tumor mutation burden, and rearrangements |
| 81462 | Solid organ neoplasm, genomic sequence analysis panel, cell-free nucleic acid (eg, plasma), interrogation for sequence variants; DNA analysis or combined DNA and RNA analysis, copy number variants and rearrangements |
| 82233 | Beta-amyloid; 1-40 (Abeta 40) |
| 82234 | Beta-amyloid; 1-42 (Abeta 42) |
| 84393 | Tau, phosphorylated (eg, pTau 181, pTau 217), each |
| 84394 | Tau, total (tTau) |
| 87902 | Genotype, hepatitis C |
| 90736 | Zoster (shingles) vaccine (HZV), live, for subcutaneous injection |
| 90989 | Dialysis training, completed course |

Legend

Symbols used in the document above are explained in the following table.

| Symbol | Description |
|-----------------|---|
| ((| This is a change mark symbol. It is used to indicate where on the page the most recent change begins. |
| >> | This is a change mark symbol. It is used to indicate where on the page the most recent change ends. |