



Home	Bill Information	California Law	Publications	Other Resources	My Subscriptions	My Favorites
------	------------------	----------------	--------------	-----------------	------------------	--------------

AB-355 Water pollution: enforcement. (2017-2018)

SHARE THIS:  

Date Published: 10/06/2017 09:00 PM

Assembly Bill No. 355

CHAPTER 524

An act to amend Section 25299 of, and to add Section 25299.05 to, the Health and Safety Code, and to amend Sections 13385 and 13399.27 of the Water Code, relating to water pollution.

[Approved by Governor October 06, 2017. Filed with Secretary of State October 06, 2017.]

LEGISLATIVE COUNSEL'S DIGEST

AB 355, Chu. Water pollution: enforcement.

Under the Porter-Cologne Water Quality Control Act, the State Water Resources Control Board (state board) and the California regional water quality control boards (regional boards) are the principal state agencies with primary authority over water quality matters. The act authorizes a regional board to investigate the quality of state waters, and grants to a regional board certain authority in connection with those investigative functions. The act authorizes a regional board to administratively impose civil liability in connection with violations of certain water quality provisions, and authorizes the executive officer of a regional board to issue a complaint to any person on whom administrative civil liability may be imposed pursuant to the act.

The state act, with certain exceptions, imposes a mandatory minimum penalty of \$3,000 for serious violations, as defined, and for exceeding certain effluent limitations, failing to file a required report, or filing that report incomplete, if those violations occur 4 or more times in any period of 6 consecutive months. Existing law permits the state board or regional board, in lieu of assessing all or a portion of the mandatory minimum penalties against a publicly owned treatment works serving a small community, as defined, to elect to require the publicly owned treatment works to spend an equivalent amount towards completion of a compliance project proposed by the publicly owned treatment works if the state board or regional board makes certain findings. Existing law, for these purposes, defines "a publicly owned treatment works serving a small community" as a publicly owned treatment works serving a population of 10,000 persons or fewer or a rural county, with a financial hardship, as specified.

This bill, for purposes of the exception, would instead define "publicly owned treatment works serving a small community" as a publicly owned treatment works serving a population of 20,000 persons or fewer or a rural county, with a financial hardship.

Existing law requires the state board to continuously report and update information on its Internet Web site, but at a minimum annually on or before January 1, regarding its enforcement activities.

This bill would instead require the state board to continuously report and update information on its Internet Web site and to annually report on its enforcement activities on or before December 31.

Existing law provides for the regulation of underground storage tanks by the state board. Existing law imposes a civil or criminal penalty, as specified, for violations of specified provisions relating to underground storage tank systems, and requires that civil penalties or criminal fines be deposited into the State Water Pollution Cleanup and Abatement Account, to be available upon

appropriation by the Legislature, for purposes of activities relating to water pollution or the cleaning up of waste or abating its effects on waters of the state.

This bill would allow the state board to impose civil liability administratively for those violations pursuant to the administrative liability provisions of the Porter-Cologne Water Quality Control Act, to be deposited in the State Water Pollution Cleanup and Abatement Account. The bill would require the executive director of the state board to consult with the appropriate local agency before issuing a complaint.

Vote: majority Appropriation: no Fiscal Committee: yes Local Program: no

THE PEOPLE OF THE STATE OF CALIFORNIA DO ENACT AS FOLLOWS:

SECTION 1. Section 25299 of the Health and Safety Code is amended to read:

25299. (a) An operator of an underground tank system is liable for a civil penalty of not less than five hundred dollars (\$500) or more than five thousand dollars (\$5,000) for each underground storage tank, for each day of violation, for any of the following violations:

- (1) Operating an underground tank system that has not been issued a permit, in violation of this chapter.
- (2) Violation of an applicable requirement of the permit issued for the operation of the underground tank system.
- (3) Failure to maintain records, as required by this chapter.
- (4) Failure to report an unauthorized release, as required by Sections 25294 and 25295.
- (5) Failure to properly close an underground tank system, as required by Section 25298.
- (6) Violation of an applicable requirement of this chapter or a regulation adopted by the board pursuant to Section 25299.3.
- (7) Failure to permit inspection or to perform a monitoring, testing, or reporting required pursuant to Section 25288 or 25289.
- (8) Making a false statement, representation, or certification in an application, record, report, or other document submitted or required to be maintained pursuant to this chapter.
- (9) Tampering with or otherwise disabling automatic leak detection devices or alarms.

(b) An owner of an underground tank system is liable for a civil penalty of not less than five hundred dollars (\$500) or more than five thousand dollars (\$5,000) per day for each underground storage tank, for each day of violation, for any of the following violations:

- (1) Failure to obtain a permit as specified by this chapter.
- (2) Failure to repair or upgrade an underground tank system in accordance with this chapter.
- (3) Abandonment or improper closure of an underground tank system subject to this chapter.
- (4) Violation of an applicable requirement of the permit issued for operation of the underground tank system.
- (5) Violation of an applicable requirement of this chapter or a regulation adopted by the board pursuant to Section 25299.3.
- (6) Failure to permit inspection or to perform a monitoring, testing, or reporting required pursuant to Section 25288 or 25289.
- (7) Making a false statement, representation, or certification in an application, record, report, or other document submitted or required to be maintained pursuant to this chapter.

(c) A person who intentionally fails to notify the board, the regional board, or the local agency when required to do so by this chapter or who submits false information in a permit application, amendment, or renewal, pursuant to Section 25286, is liable for a civil penalty of not more than five thousand dollars (\$5,000) for each underground storage tank for which notification is not given or false information is submitted.

(d) (1) A person who violates a corrective action requirement established by, or issued pursuant to, Section 25296.10 is liable for a civil penalty of not more than ten thousand dollars (\$10,000) for each underground storage tank for each day of violation.

- (2) A civil penalty under this subdivision may be imposed in a civil action under this chapter, or may be administratively imposed by the board or a regional board pursuant to Article 2.5 (commencing with Section 13323) of Chapter 5 of Division 7 of the Water Code.

(e) A person who violates Section 25292.3 is liable for a civil penalty of not more than five thousand dollars (\$5,000) for each underground storage tank for each day of violation.

(f) (1) A person who falsifies any monitoring records required by this chapter, or knowingly fails to report an unauthorized release, shall, upon conviction, be punished by a fine of not less than five thousand dollars (\$5,000) or more than ten thousand dollars (\$10,000), by imprisonment in the county jail for not to exceed one year, or by both that fine and imprisonment.

(2) A person who intentionally disables or tampers with an automatic leak detection system in a manner that would prevent the automatic leak detection system from detecting a leak or alerting the owner or operator of the leak, shall, upon conviction, be punished by a fine of not less than five thousand dollars (\$5,000) or more than ten thousand dollars (\$10,000), by imprisonment in the county jail for not more than one year, or by both the fine and imprisonment.

(g) In determining both the civil and criminal penalties imposed pursuant to this section, the board, a regional board, or the court, as the case may be, shall consider all relevant circumstances, including, but not limited to, the extent of harm or potential harm caused by the violation, the nature of the violation and the period of time over which it occurred, the frequency of past violations, and the corrective action, if any, taken by the person who holds the permit.

(h) (1) A civil penalty or criminal fine imposed pursuant to this section for a separate violation shall be separate from, and in addition to, any other civil penalty or criminal fine imposed pursuant to this section or any other provision of law, except that no civil penalty shall be recovered under subdivision (d) for violations for which a civil penalty is recovered pursuant to Section 13268 or 13350 of the Water Code. The penalty or fine shall be paid to the unified program agency, the participating agency, or the state, whichever is represented by the office of the city attorney, district attorney, or Attorney General bringing the action.

(2) Any penalties or fines paid to a unified program agency or a participating agency pursuant to paragraph (1) shall be deposited into a special account and shall be expended only to fund the activities of the unified program agency or participating agency in enforcing the unified program, as specified in subdivision (c) of Section 25404, within the jurisdiction of that agency pursuant to the unified program specified in Chapter 6.11 (commencing with Section 25404).

(3) All penalties or fines collected by the board or a regional board pursuant to this section or Section 25299.05 or collected on behalf of the board or a regional board by the Attorney General for these purposes shall be deposited in the State Water Pollution Cleanup and Abatement Account in the State Water Quality Control Fund, and are available for expenditure by the board, upon appropriation, pursuant to Section 13441 of the Water Code.

(i) Paragraph (9) of subdivision (a) does not prohibit the owner or operator of an underground storage tank, or his or her designee, from maintaining, repairing, or replacing automatic leak detection devices or alarms associated with that tank.

SEC. 2. Section 25299.05 is added to the Health and Safety Code, to read:

25299.05. Notwithstanding Sections 25299.02 and 25299.03, the board may impose civil liability administratively for a violation described in subdivision (a), (b), (c), (e), or (f) of Section 25299 pursuant to Article 2.5 (commencing with Section 13323) of Chapter 5 of Division 7 of the Water Code. The executive director of the board shall consult with the appropriate local agency or agencies before issuing a complaint pursuant to Section 13323.

SEC. 3. Section 13385 of the Water Code is amended to read:

13385. (a) A person who violates any of the following shall be liable civilly in accordance with this section:

(1) Section 13375 or 13376.

(2) A waste discharge requirement or dredged or fill material permit issued pursuant to this chapter or any water quality certification issued pursuant to Section 13160.

(3) A requirement established pursuant to Section 13383.

(4) An order or prohibition issued pursuant to Section 13243 or Article 1 (commencing with Section 13300) of Chapter 5, if the activity subject to the order or prohibition is subject to regulation under this chapter.

(5) A requirement of Section 301, 302, 306, 307, 308, 318, 401, or 405 of the federal Clean Water Act (33 U.S.C. Sec. 1311, 1312, 1316, 1317, 1318, 1341, or 1345), as amended.

(6) A requirement imposed in a pretreatment program approved pursuant to waste discharge requirements issued under Section 13377 or approved pursuant to a permit issued by the administrator.

(b) (1) Civil liability may be imposed by the superior court in an amount not to exceed the sum of both of the following:

(A) Twenty-five thousand dollars (\$25,000) for each day in which the violation occurs.

(B) Where there is a discharge, any portion of which is not susceptible to cleanup or is not cleaned up, and the volume discharged but not cleaned up exceeds 1,000 gallons, an additional liability not to exceed twenty-five dollars (\$25) multiplied by the number of gallons by which the volume discharged but not cleaned up exceeds 1,000 gallons.

(2) The Attorney General, upon request of a regional board or the state board, shall petition the superior court to impose the liability.

(c) Civil liability may be imposed administratively by the state board or a regional board pursuant to Article 2.5 (commencing with Section 13323) of Chapter 5 in an amount not to exceed the sum of both of the following:

(1) Ten thousand dollars (\$10,000) for each day in which the violation occurs.

(2) Where there is a discharge, any portion of which is not susceptible to cleanup or is not cleaned up, and the volume discharged but not cleaned up exceeds 1,000 gallons, an additional liability not to exceed ten dollars (\$10) multiplied by the number of gallons by which the volume discharged but not cleaned up exceeds 1,000 gallons.

(d) For purposes of subdivisions (b) and (c), "discharge" includes any discharge to navigable waters of the United States, any introduction of pollutants into a publicly owned treatment works, or any use or disposal of sewage sludge.

(e) In determining the amount of any liability imposed under this section, the regional board, the state board, or the superior court, as the case may be, shall take into account the nature, circumstances, extent, and gravity of the violation or violations, whether the discharge is susceptible to cleanup or abatement, the degree of toxicity of the discharge, and, with respect to the violator, the ability to pay, the effect on its ability to continue its business, any voluntary cleanup efforts undertaken, any prior history of violations, the degree of culpability, economic benefit or savings, if any, resulting from the violation, and other matters that justice may require. At a minimum, liability shall be assessed at a level that recovers the economic benefits, if any, derived from the acts that constitute the violation.

(f) (1) Except as provided in paragraph (2), for the purposes of this section, a single operational upset that leads to simultaneous violations of more than one pollutant parameter shall be treated as a single violation.

(2) (A) For the purposes of subdivisions (h) and (i), a single operational upset in a wastewater treatment unit that treats wastewater using a biological treatment process shall be treated as a single violation, even if the operational upset results in violations of more than one effluent limitation and the violations continue for a period of more than one day, if all of the following apply:

(i) The discharger demonstrates all of the following:

(I) The upset was not caused by wastewater treatment operator error and was not due to discharger negligence.

(II) But for the operational upset of the biological treatment process, the violations would not have occurred nor would they have continued for more than one day.

(III) The discharger carried out all reasonable and immediately feasible actions to reduce noncompliance with the applicable effluent limitations.

(ii) The discharger is implementing an approved pretreatment program, if so required by federal or state law.

(B) Subparagraph (A) only applies to violations that occur during a period for which the regional board has determined that violations are unavoidable, but in no case may that period exceed 30 days.

(g) Remedies under this section are in addition to, and do not supersede or limit, any other remedies, civil or criminal, except that no liability shall be recoverable under Section 13261, 13265, 13268, or 13350 for violations for which liability is recovered under this section.

(h) (1) Notwithstanding any other provision of this division, and except as provided in subdivisions (j), (k), and (l), a mandatory minimum penalty of three thousand dollars (\$3,000) shall be assessed for each serious violation.

(2) For the purposes of this section, a "serious violation" means any waste discharge that violates the effluent limitations contained in the applicable waste discharge requirements for a Group II pollutant, as specified in Appendix A to Section 123.45 of Title 40 of the Code of Federal Regulations, by 20 percent or more or for a Group I pollutant, as specified in Appendix A to Section 123.45 of Title 40 of the Code of Federal Regulations, by 40 percent or more.

(i) (1) Notwithstanding any other provision of this division, and except as provided in subdivisions (j), (k), and (l), a mandatory minimum penalty of three thousand dollars (\$3,000) shall be assessed for each violation whenever the person does any of the following four or more times in any period of six consecutive months, except that the requirement to assess the mandatory minimum penalty shall not be applicable to the first three violations:

(A) Violates a waste discharge requirement effluent limitation.

(B) Fails to file a report pursuant to Section 13260.

(C) Files an incomplete report pursuant to Section 13260.

(D) Violates a toxicity effluent limitation contained in the applicable waste discharge requirements where the waste discharge requirements do not contain pollutant-specific effluent limitations for toxic pollutants.

(2) For the purposes of this section, a "period of six consecutive months" means the period commencing on the date that one of the violations described in this subdivision occurs and ending 180 days after that date.

(j) Subdivisions (h) and (i) do not apply to any of the following:

(1) A violation caused by one or any combination of the following:

(A) An act of war.

(B) An unanticipated, grave natural disaster or other natural phenomenon of an exceptional, inevitable, and irresistible character, the effects of which could not have been prevented or avoided by the exercise of due care or foresight.

(C) An intentional act of a third party, the effects of which could not have been prevented or avoided by the exercise of due care or foresight.

(D) (i) The operation of a new or reconstructed wastewater treatment unit during a defined period of adjusting or testing, not to exceed 90 days for a wastewater treatment unit that relies on a biological treatment process and not to exceed 30 days for any other wastewater treatment unit, if all of the following requirements are met:

(I) The discharger has submitted to the regional board, at least 30 days in advance of the operation, an operations plan that describes the actions the discharger will take during the period of adjusting and testing, including steps to prevent violations and identifies the shortest reasonable time required for the period of adjusting and testing, not to exceed 90 days for a wastewater treatment unit that relies on a biological treatment process and not to exceed 30 days for any other wastewater treatment unit.

(II) The regional board has not objected in writing to the operations plan.

(III) The discharger demonstrates that the violations resulted from the operation of the new or reconstructed wastewater treatment unit and that the violations could not have reasonably been avoided.

(IV) The discharger demonstrates compliance with the operations plan.

(V) In the case of a reconstructed wastewater treatment unit, the unit relies on a biological treatment process that is required to be out of operation for at least 14 days in order to perform the reconstruction, or the unit is required to be out of operation for at least 14 days and, at the time of the reconstruction, the cost of reconstructing the unit exceeds 50 percent of the cost of replacing the wastewater treatment unit.

(ii) For the purposes of this section, "wastewater treatment unit" means a component of a wastewater treatment plant that performs a designated treatment function.

(2) (A) Except as provided in subparagraph (B), a violation of an effluent limitation where the waste discharge is in compliance with either a cease and desist order issued pursuant to Section 13301 or a time schedule order issued pursuant to Section 13300, if all of the following requirements are met:

(i) The cease and desist order or time schedule order is issued after January 1, 1995, but not later than July 1, 2000, specifies the actions that the discharger is required to take in order to correct the violations that would otherwise be subject to subdivisions (h) and (i), and the date by which compliance is required to be achieved and, if the final date by which compliance is required to be achieved is later than one year from the effective date of the cease and desist order or time schedule order, specifies the interim requirements by which progress towards compliance will be measured and the date by which the discharger will be in compliance with each interim requirement.

(ii) The discharger has prepared and is implementing in a timely and proper manner, or is required by the regional board to prepare and implement, a pollution prevention plan that meets the requirements of Section 13263.3.

(iii) The discharger demonstrates that it has carried out all reasonable and immediately feasible actions to reduce noncompliance with the waste discharge requirements applicable to the waste discharge and the executive officer of the regional board concurs with the demonstration.

(B) Subdivisions (h) and (i) shall become applicable to a waste discharge on the date the waste discharge requirements applicable to the waste discharge are revised and reissued pursuant to Section 13380, unless the regional board does all of the following on or before that date:

(i) Modifies the requirements of the cease and desist order or time schedule order as may be necessary to make it fully consistent with the reissued waste discharge requirements.

(ii) Establishes in the modified cease and desist order or time schedule order a date by which full compliance with the reissued waste discharge requirements shall be achieved. For the purposes of this subdivision, the regional board may not establish this date later than five years from the date the waste discharge requirements were required to be reviewed pursuant to Section 13380. If the reissued waste discharge requirements do not add new effluent limitations or do not include effluent limitations that are more stringent than those in the original waste discharge requirements, the date shall be the same as the final date for compliance in the original cease and desist order or time schedule order or five years from the date that the waste discharge requirements were required to be reviewed pursuant to Section 13380, whichever is earlier.

(iii) Determines that the pollution prevention plan required by clause (ii) of subparagraph (A) is in compliance with the requirements of Section 13263.3 and that the discharger is implementing the pollution prevention plan in a timely and proper manner.

(3) A violation of an effluent limitation where the waste discharge is in compliance with either a cease and desist order issued pursuant to Section 13301 or a time schedule order issued pursuant to Section 13300 or 13308, if all of the following requirements are met:

(A) The cease and desist order or time schedule order is issued on or after July 1, 2000, and specifies the actions that the discharger is required to take in order to correct the violations that would otherwise be subject to subdivisions (h) and (i).

(B) The regional board finds that, for one of the following reasons, the discharger is not able to consistently comply with one or more of the effluent limitations established in the waste discharge requirements applicable to the waste discharge:

(i) The effluent limitation is a new, more stringent, or modified regulatory requirement that has become applicable to the waste discharge after the effective date of the waste discharge requirements and after July 1, 2000, new or modified control measures are necessary in order to comply with the effluent limitation, and the new or modified control measures cannot be designed, installed, and put into operation within 30 calendar days.

(ii) New methods for detecting or measuring a pollutant in the waste discharge demonstrate that new or modified control measures are necessary in order to comply with the effluent limitation and the new or modified control measures cannot be designed, installed, and put into operation within 30 calendar days.

(iii) Unanticipated changes in the quality of the municipal or industrial water supply available to the discharger are the cause of unavoidable changes in the composition of the waste discharge, the changes in the composition of the waste discharge are the cause of the inability to comply with the effluent limitation, no alternative water supply is reasonably available to the discharger, and new or modified measures to control the composition of the waste discharge cannot be designed, installed, and put into operation within 30 calendar days.

(iv) The discharger is a publicly owned treatment works located in Orange County that is unable to meet effluent limitations for biological oxygen demand, suspended solids, or both, because the publicly owned treatment works meets all of the following criteria:

(I) Was previously operating under modified secondary treatment requirements pursuant to Section 301(h) of the Clean Water Act (33 U.S.C. Sec. 1311(h)).

(II) Did vote on July 17, 2002, not to apply for a renewal of the modified secondary treatment requirements.

(III) Is in the process of upgrading its treatment facilities to meet the secondary treatment standards required by Section 301(b)(1)(B) of the Clean Water Act (33 U.S.C. Sec. 1311(b)(1)(B)).

(C) (i) The regional board establishes a time schedule for bringing the waste discharge into compliance with the effluent limitation that is as short as possible, taking into account the technological, operational, and economic factors that affect the design, development, and implementation of the control measures that are necessary to comply with the effluent limitation. Except as provided in clause (ii), for the purposes of this subdivision, the time schedule shall not exceed five years in length.

(ii) (I) For purposes of the upgrade described in subclause (III) of clause (iv) of subparagraph (B), the time schedule shall not exceed 10 years in length.

(II) Following a public hearing, and upon a showing that the discharger is making diligent progress toward bringing the waste discharge into compliance with the effluent limitation, the regional board may extend the time schedule for an additional period not exceeding five years in length, if the discharger demonstrates that the additional time is necessary to comply with the effluent limitation. This subclause does not apply to a time schedule described in subclause (I).

(iii) If the time schedule exceeds one year from the effective date of the order, the schedule shall include interim requirements and the dates for their achievement. The interim requirements shall include both of the following:

(I) Effluent limitations for the pollutant or pollutants of concern.

(II) Actions and milestones leading to compliance with the effluent limitation.

(D) The discharger has prepared and is implementing in a timely and proper manner, or is required by the regional board to prepare and implement, a pollution prevention plan pursuant to Section 13263.3.

(k) (1) In lieu of assessing all or a portion of the mandatory minimum penalties pursuant to subdivisions (h) and (i) against a publicly owned treatment works serving a small community, the state board or the regional board may elect to require the publicly owned treatment works to spend an equivalent amount towards the completion of a compliance project proposed by the publicly owned treatment works, if the state board or the regional board finds all of the following:

(A) The compliance project is designed to correct the violations within five years.

(B) The compliance project is in accordance with the enforcement policy of the state board, excluding any provision in the policy that is inconsistent with this section.

(C) The publicly owned treatment works has prepared a financing plan to complete the compliance project.

(2) For the purposes of this subdivision, "a publicly owned treatment works serving a small community" means a publicly owned treatment works serving a population of 20,000 persons or fewer or a rural county, with a financial hardship as determined by the state board after considering such factors as median income of the residents, rate of unemployment, or low population density in the service area of the publicly owned treatment works.

(l) (1) In lieu of assessing penalties pursuant to subdivision (h) or (i), the state board or the regional board, with the concurrence of the discharger, may direct a portion of the penalty amount to be expended on a supplemental environmental project in accordance with the enforcement policy of the state board. If the penalty amount exceeds fifteen thousand dollars (\$15,000), the portion of the penalty amount that may be directed to be expended on a supplemental environmental project may not exceed fifteen thousand dollars (\$15,000) plus 50 percent of the penalty amount that exceeds fifteen thousand dollars (\$15,000).

(2) For the purposes of this section, a "supplemental environmental project" means an environmentally beneficial project that a person agrees to undertake, with the approval of the regional board, that would not be undertaken in the absence of an enforcement action under this section.

(3) This subdivision applies to the imposition of penalties pursuant to subdivision (h) or (i) on or after January 1, 2003, without regard to the date on which the violation occurs.

(m) The Attorney General, upon request of a regional board or the state board, shall petition the appropriate court to collect any liability or penalty imposed pursuant to this section. Any person who fails to pay on a timely basis any liability or penalty imposed under this section shall be required to pay, in addition to that liability or penalty, interest, attorney's fees, costs for collection proceedings, and a quarterly nonpayment penalty for each quarter during which the failure to pay persists. The nonpayment penalty shall be in an amount equal to 20 percent of the aggregate amount of the person's penalty and nonpayment penalties that are unpaid as of the beginning of the quarter.

(n) (1) Subject to paragraph (2), funds collected pursuant to this section shall be deposited in the State Water Pollution Cleanup and Abatement Account.

(2) (A) Notwithstanding any other provision of law, moneys collected for a violation of a water quality certification in accordance with paragraph (2) of subdivision (a) or for a violation of Section 401 of the federal Clean Water Act (33 U.S.C. Sec. 1341) in accordance with paragraph (5) of subdivision (a) shall be deposited in the Waste Discharge Permit Fund and separately accounted for in that fund.

(B) The funds described in subparagraph (A) shall be expended by the state board, upon appropriation by the Legislature, to assist regional boards, and other public agencies with authority to clean up waste or abate the effects of the waste, in cleaning up or abating the effects of the waste on waters of the state or for the purposes authorized in Section 13443.

(o) The state board shall continuously report and update information on its Internet Web site. The state board shall report annually on or before December 31 regarding its enforcement activities. The information shall include all of the following:

(1) A compilation of the number of violations of waste discharge requirements in the previous calendar year, including stormwater enforcement violations.

(2) A record of the formal and informal compliance and enforcement actions taken for each violation, including stormwater enforcement actions.

(3) An analysis of the effectiveness of current enforcement policies, including mandatory minimum penalties.

(p) The amendments made to subdivisions (f), (h), (i), and (j) during the second year of the 2001–02 Regular Session apply only to violations that occur on or after January 1, 2003.

SEC. 4. Section 13399.27 of the Water Code is amended to read:

13399.27. On or before December 31, the state board, after any necessary investigation, shall annually prepare, and make available to the public, a report that includes both of the following for the previous calendar year:

(a) A list of those persons that were notified of their duty to comply with applicable general storm water NPDES permits pursuant to Section 13399.30 and a description of the responses received to those notifications, including the filing of notices of intent to obtain coverage or notices of nonapplicability, returned mail and no response, appeals of filing or permitting requirements pursuant to this chapter, site inspections, enforcement actions taken, and penalties assessed therefor.

(b) A list of those dischargers identified pursuant to Section 13399.31 that, during the previous calendar year, failed to submit an annual report or construction certification required by a regional board, and any penalties assessed therefor.