



References

CATHETER-ASSOCIATED URINARY TRACT INFECTIONS (CAUTI) PREVENTION GUIDEL
PAGE 12 of 12 | [ALL PAGES](#) ↓

Guideline for Prevention of Catheter-Associated Urinary Tract Infections (2009)

WHAT TO KNOW

Below are references for Guideline for Prevention of Catheter-Associated Urinary Tract Infections (2009).

ON THIS PAGE

References

References

1. Wong ES. Guideline for prevention of catheter-associated urinary tract infections. *Am J Infect Control*. 1983;11(1):28-36.
2. Lo E, Nicolle L, Classen D, et al. Strategies to prevent catheter-associated urinary tract infections in acute care hospitals. *Infect Control Hosp Epidemiol*. 2008;29:S41-S50.
3. Stephan F, Sax H, Wachsmuth M, Hoffmeyer P, Clergue F, Pittet D. Reduction of urinary tract infection and antibiotic use after surgery: A controlled, prospective, before-after intervention study. *Clin Infect Dis*. 2006;42(11):1544-1551.
4. Dolin SJ, Cashman JN. Tolerability of acute postoperative pain management: Nausea, vomiting, sedation, pruritis, and urinary retention. evidence from published data. *Br J Anaesth*. 2005;95(5):584-591.
5. Hidron AI, Edwards JR, Patel J, et al. NHSN annual update: Antimicrobial-resistant pathogens associated with healthcare-associated infections: Annual summary of data reported to the national healthcare safety network at the centers for disease control and prevention, 2006-2007. *Infect Control Hosp Epidemiol*. 2008;29(11):996-1011.
6. Saint S. Clinical and economic consequences of nosocomial catheter-related bacteriuria. *Am J Infect Control*. 2000;28(1):68-75.
7. Platt R, Polk BF, Murdock B, Rosner B. Mortality associated with nosocomial urinary-tract infection. *N Engl J Med*. 1982;307(11):637-642.
8. Givens CD, Wenzel RP. Catheter-associated urinary tract infections in surgical patients: A controlled study on the excess morbidity and costs. *J Urol*. 1980;124(5):646-648.
9. Tambyah PA, Knasinski V, Maki DG. The direct costs of nosocomial catheter-associated urinary tract infection in the era of managed care. *Infect Control Hosp Epidemiol*. 2002;23(1):27-31.
10. Schaberg DR, Weinstein RA, Stamm WE. Epidemics of nosocomial urinary tract infection caused by multiply resistant gram-negative bacilli: Epidemiology and control. *J Infect Dis*. 1976;133(3):363-366.
11. Yoon HJ, Choi JY, Park YS, et al. Outbreaks of *serratia marcescens* bacteriuria in a neurosurgical intensive care unit of a tertiary care teaching hospital: A clinical, epidemiologic, and laboratory perspective. *Am J Infect Control*. 2005;33(10):595-601.
12. Warren JW. Catheter-associated urinary tract infections. *Int J Antimicrob Agents*. 2001;17(4):299-303.
13. Weinstein JW, Mazon D, Pantelick E, Reagan-Cirincione P, Dembry LM, Hierholzer WJ, Jr. A decade of prevalence surveys in a tertiary-care center: Trends in nosocomial infection rates, device utilization, and patient acuity. *Infect Control Hosp Epidemiol*. 1999;20(8):543-548.
14. Munasinghe RL, Yazdani H, Siddique M, Hafeez W. Appropriateness of use of indwelling urinary catheters in patients admitted to the medical service. *Infect Control Hosp Epidemiol*. 2001;22(10):647-649.

15. Jain P, Parada JP, David A, Smith LG. Overuse of the indwelling urinary tract catheter in hospitalized medical patients. *Arch Intern Med*. 1995;155(13):1425-1429.
16. Saint S, Wiese J, Amory JK, et al. Are physicians aware of which of their patients have indwelling urinary catheters? *Am J Med*. 2000;109(6):476-480.
17. Edwards JR, Peterson KD, Andrus ML, et al. National healthcare safety network (NHSN) report, data summary for 2006, issued june 2007. *Am J Infect Control*. 2007;35(5):290-301.
18. Rogers MA, Mody L, Kaufman SR, Fries BE, McMahon LF,Jr, Saint S. Use of urinary collection devices in skilled nursing facilities in five states. *J Am Geriatr Soc*. 2008;56(5):854-861.
19. Klevens RM, Edwards JR, Richards CL,Jr, et al. Estimating health care-associated infections and deaths in U.S. hospitals, 2002. *Public Health Rep*. 2007;122(2):160-166.
20. Weinstein MP, Towns ML, Quartey SM, et al. The clinical significance of positive blood cultures in the 1990s: A prospective comprehensive evaluation of the microbiology, epidemiology, and outcome of bacteremia and fungemia in adults. *Clin Infect Dis*. 1997;24(4):584-602.
21. Muder RR, Brennen C, Wagener MM, Goetz AM. Bacteremia in a long-term-care facility: A five-year prospective study of 163 consecutive episodes. *Clin Infect Dis*. 1992;14(3):647-654.
22. Umscheid C, Mitchell M, Agarwal R, Williams K, Brennan P. Mortality from reasonably-preventable hospital acquired infections. included in written testimony by the society of healthcare epidemiology of america for the committee on oversight and government reform hearing on healthcare-associated infections: A preventable epidemic, chaired by henry A. waxman, april 16, 2008, washington, DC. [congressional testimony]. .
23. Kunin CM, McCormack RC. Prevention of catheter-induced urinary-tract infections by sterile closed drainage. *N Engl J Med*. 1966;274(21):1155-1161.
24. Tambyah PA, Halvorson KT, Maki DG. A prospective study of pathogenesis of catheter-associated urinary tract infections. *Mayo Clin Proc*. 1999;74(2):131-136.
25. Garibaldi RA, Mooney BR, Epstein BJ, Britt MR. An evaluation of daily bacteriologic monitoring to identify preventable episodes of catheter-associated urinary tract infection. *Infect Control*. 1982;3(6):466-470.
26. Saint S, Lipsky BA, Goold SD. Indwelling urinary catheters: A one-point restraint? *Ann Intern Med*. 2002;137(2):125-127.
27. Warren JW, Tenney JH, Hoopes JM, Muncie HL, Anthony WC. A prospective microbiologic study of bacteriuria in patients with chronic indwelling urethral catheters. *J Infect Dis*. 1982;146(6):719-723.
28. Saint S, Chenoweth CE. Biofilms and catheter-associated urinary tract infections. *Infect Dis Clin North Am*. 2003;17(2):411-432.
29. Kallen AJ, Hidron AI, Edwards JR, Patel J, Srinivasan A. Antibiotic resistance among important gram-negative pathogens causing healthcare-associated infections reported to the national healthcare safety network, 2006-2007 [abstract 376] in: Program and abstracts of the 18th annual scientific meeting of the society for healthcare epidemiology of america, orlando, FL, apr 5-8, 2008. .
30. Horan TC, Gaynes RP. Surveillance of nosocomial infections. In: Mayhall CG, ed. *Hospital Epidemiology and Infection Control*. 3rd ed. Philadelphia: Lippincott Williams & Wilkins; 2004:1659-1702.
31. Tambyah PA, Maki DG. Catheter-associated urinary tract infection is rarely symptomatic: A prospective study of 1,497 catheterized patients. *Arch Intern Med*. 2000;160(5):678-682.
32. Atkins D, Best D, Briss PA, et al. Grading quality of evidence and strength of recommendations. *BMJ*. 2004;328(7454):1490.
33. Guyatt GH, Oxman AD, Kunz R, et al. Going from evidence to recommendations. *BMJ*. 2008;336(7652):1049-1051.
34. Guyatt GH, Oxman AD, Kunz R, et al. What is "quality of evidence" and why is it important to clinicians? *BMJ*. 2008;336(7651):995-998.
35. Pratt RJ, Pellowe CM, Wilson JA, et al. epic2: National evidence-based guidelines for preventing healthcare-associated infections in NHS hospitals in england. *J Hosp Infect*. 2007;65(Suppl 1):S1-64.
36. Pellowe CM, Pratt RJ, Harper P, et al. Evidence-based guidelines for preventing healthcare-associated infections in primary and community care in england. *J Hosp Infect*. 2003;55(Suppl 2):S2-127.

37. Phipps S, Lim YN, McClinton S, Barry C, Rane A, N'Dow J. Short term urinary catheter policies following urogenital surgery in adults. *Cochrane Database Syst Rev*. 2006(2):CD004374.
38. Tang KK, Wong CK, Lo SF, Ng TK. Is it necessary to catheterise the bladder routinely before gynaecological laparoscopic surgery? *Aust N Z J Obstet Gynaecol*. 2005;45(5):380-383.
39. Iorio R, Healy WL, Patch DA, Appleby D. The role of bladder catheterization in total knee arthroplasty. *Clin Orthop*. 2000(380):80-84.
40. Liu SK, Rassai H, Krasner C, Braun J, Matolo NM. Urinary catheter in laparoscopic cholecystectomy: Is it necessary? *Surg Laparosc Endosc Percutan Tech*. 1999;9(3):184-186.
41. Normelli H, Aaro S, Hedlund R, Svensson O, Stromberg L. Urethral catheterization in spinal surgery: A randomized prospective study. *Eur Spine J*. 1993;2(3):132-135.
42. Carpinello VL, Cendron M, Altman HG, Malloy TR, Booth R. Treatment of urinary complications after total joint replacement in elderly females. *Urology*. 1988;32(3):186-188.
43. Akhtar MS, Beere DM, Wright JT, MacRae KD. Is bladder catheterization really necessary before laparoscopy? *Br J Obstet Gynaecol*. 1985;92(11):1176-1178.
44. Chaudhuri P, Vengadasalam D. Urinary tract infection following abdominal delivery—second thought on indwelling catheter. *Singapore Med J*. 1983;24(4):224-226.
45. McMurdo ME, Davey PG, Elder MA, Miller RM, Old DC, Malek M. A cost-effectiveness study of the management of intractable urinary incontinence by urinary catheterisation or incontinence pads. *J Epidemiol Community Health*. 1992;46(3):222-226.
46. Geraniotis E, Koff SA, Enrile B. The prophylactic use of clean intermittent catheterization in the treatment of infants and young children with myelomeningocele and neurogenic bladder dysfunction. *J Urol*. 1988;139(1):85-86.
47. Kumar P, Mannan K, Chowdhury AM, Kong KC, Pati J. Urinary retention and the role of indwelling catheterization following total knee arthroplasty. *Int Braz J Urol*. 2006;32(1):31-34.
48. Miskry T, Cumbis A, Apostolidis P, Eleftheriou M, Magos A. Do not catheterize the bladder at operative laparoscopy. *Gynaecol Endosc*. 2001;10(1):29-32.
49. Barnes JS. Is it better to avoid urethral catheterization at hysterectomy and caesarean section? *Aust N Z J Obstet Gynaecol*. 1998;38(3):315-316.
50. Ouslander JG, Greengold B, Chen S. External catheter use and urinary tract infections among incontinent male nursing home patients. *J Am Geriatr Soc*. 1987;35(12):1063-1070.
51. Rannikko S, Kyllastinen M, Granqvist B. Comparison of long-term indwelling catheters and bed-pads in the treatment of urinary incontinence in elderly patients. *J Infect*. 1986;12(3):221-227.
52. Nordqvist P, Ekelund P, Edouard L, Svensson ML, Brandberg A, Seeberg S. Catheter-free geriatric care. routines and consequences for clinical infection, care and economy. *J Hosp Infect*. 1984;5(3):298-304.
53. Egilmez T, Aridogan IA, Yachia D, Hassin D. Comparison of nitinol urethral stent infections with indwelling catheter-associated urinary-tract infections. *J Endourol*. 2006;20(4):272-277.
54. Ruz ED, Garcia Leoni E, Herruzo Cabrera R. Epidemiology and risk factors for urinary tract infection in patients with spinal cord injury. *J Urol*. 2000;164(4):1285-1289.
55. Donovan WH, Stolov WC, Clowers DE, et al. Bacteriuria during intermittent catheterization following spinal cord injury. *Arch Phys Med Rehabil*. 1978;59(8):351-357.
56. Larsen LD, Chamberlin DA, Khonsari F, Ahlering TE. Retrospective analysis of urologic complications in male patients with spinal cord injury managed with and without indwelling urinary catheters. *Urology*. 1997;50(3):418-422.
57. Kochakarn W, Ratana-Olarn K, Lertsithichai P, Roongreungsilp U. Follow-up of long-term treatment with clean intermittent catheterization for neurogenic bladder in children. *Asian J*. 2004;27(2):134-136.

58. Ehrlich O, Brem AS. A prospective comparison of urinary tract infections in patients treated with either clean intermittent catheterization or urinary diversion. *Pediatrics*. 1982;70(5):665-669.
59. Darouiche RO, Smith JA, Jr., Hanna H, et al. Efficacy of antimicrobial-impregnated bladder catheters in reducing catheter-associated bacteriuria: A prospective, randomized, multicenter clinical trial. *Urology*. 1999;54(6):976-981.
60. Stricker PD, Grant AB. Relative value of antibiotics and catheter care in the prevention of urinary tract infection after transurethral prostatic resection. *Br J Urol*. 1988;61(6):494-497.
61. Rogers RG, Kammerer-Doak D, Olsen A, et al. A randomized, double-blind, placebo-controlled comparison of the effect of nitrofurantoin monohydrate macrocrystals on the development of urinary tract infections after surgery for pelvic organ prolapse and/or stress urinary incontinence with suprapubic catheterization. *Obstet Gynecol*. 2004;191(1):182-187.
62. Baan AH, Vermeulen H, van der Meulen, J., Bossuyt P, Olszyna D, Gouma DJ. The effect of suprapubic catheterization versus transurethral catheterization after abdominal surgery on urinary tract infection: A randomized controlled trial. *Dig Surg*. 2003;20(4):290-295.
63. Carapeti EA, Andrews SM, Bentley PG. Randomised study of sterile versus non-sterile urethral catheterisation.[erratum appears in ann R coll surg engl 1996 may;78(3 pt 1):167]. *Ann R Coll Surg Engl*. 1996;78(1):59-60.
64. Huth TS, Burke JP, Larsen RA, Classen DC, Stevens LE. Clinical trial of junction seals for the prevention of urinary catheter-associated bacteriuria. *Arch Intern Med*. 1992;152(4):807-812.
65. Huth TS, Burke JP, Larsen RA, Classen DC, Stevens LE. Randomized trial of meatal care with silver sulfadiazine cream for the prevention of catheter-associated bacteriuria. *J Infect Dis*. 1992;165(1):14-18.
66. Schneeberger PM, Vreede RW, Bogdanowicz JF, van Dijk, W. C. A randomized study on the effect of bladder irrigation with povidone-iodine before removal of an indwelling catheter. *J Hosp Infect*. 1992;21(3):223-229.
67. Burke JP, Jacobson JA, Garibaldi RA, Conti MT, Alling DW. Evaluation of daily meatal care with poly-antibiotic ointment in prevention of urinary catheter-associated bacteriuria. *J Urol*. 1983;129(2):331-334.
68. Classen DC, Larsen RA, Burke JP, Alling DW, Stevens LE. Daily meatal care for prevention of catheter-associated bacteriuria: Results using frequent applications of polyantibiotic cream. *Infect Control Hosp Epidemiol*. 1991;12(3):157-162.
69. Warren JW, Platt R, Thomas RJ, Rosner B, Kass EH. Antibiotic irrigation and catheter-associated urinary-tract infections. *N Engl J Med*. 1978;299(11):570-573.
70. Seki N, Masuda K, Kinukawa N, Senoh K, Naito S. Risk factors for febrile urinary tract infection in children with myelodysplasia treated by clean intermittent catheterization. *Int J Urol*. 2004;11(11):973-977.
71. Kelleher RE, Meeropol E, Parks D. Factors influencing the development of symptomatic bacteriuria in children on clean intermittent catheterization. *J Urol Nurs*. 1996;15(2):1256-1265.
72. Waites KB, Canupp KC, DeVivo MJ. Epidemiology and risk factors for urinary tract infection following spinal cord injury. *Arch Phys Med Rehabil*. 1993;74(7):691-695.
73. Anderson RU. Non-sterile intermittent catheterization with antibiotic prophylaxis in the acute spinal cord injured male patient. *J Urol*. 1980;124(3):392-394.
74. Van Der Kooi, T. I. I., De Boer, A. S., Mannien J, et al. Incidence and risk factors of device-associated infections and associated mortality at the intensive care in the dutch surveillance system. *Intensive Care Med*. 2007;33(2):271-278.
75. Bochicchio GV, Joshi M, Shih D, Bochicchio K, Tracy K, Scalea TM. Reclassification of urinary tract infections in critically ill trauma patients: A time-dependent analysis. *Surg Infect*. 2003;4(4):379-385.
76. Leone M, Albanese J, Garnier F, et al. Risk factors of nosocomial catheter-associated urinary tract infection in a polyvalent intensive care unit. *Intensive Care Med*. 2003;29(7):1077-1080.
77. Tissot E, Limat S, Cornette C, Capellier G. Risk factors for catheter-associated bacteriuria in a medical intensive care unit. *Eur J Clin Microbiol Infect Dis*. 2001;20(4):260-262.
78. Colau A, Lucet JC, Rufat P, Botto H, Benoit G, Jardin A. Incidence and risk factors of bacteriuria after transurethral resection of the prostate. *Eur Urol*. 2001;39(3):272-276.

79. Ouslander JG, Greengold B, Chen S. Complications of chronic indwelling urinary catheters among male nursing home patients: A prospective study. *J Urol*. 1987;138(5):1191-1195.
80. Hazelett SE, Tsai M, Gareri M, Allen K. The association between indwelling urinary catheter use in the elderly and urinary tract infection in acute care. *BMC geriatr*. 2006;6:15.
81. Saint S, Kaufman SR, Rogers MAM, Bakers PD, Boyko EJ, Lipsky BA. Risk factors for nosocomial urinary tract-related bacteremia: A case-control study. *Am J Infect Control*. 2006;34(7):401-407.
82. Srinivasan A, Karchmer T, Richards A, Song X, Perl TM. A prospective trial of a novel, silicone-based, silver-coated foley catheter for the prevention of nosocomial urinary tract infections. *Infect Control Hosp Epidemiol*. 2006;27(1):38-43.
83. Cardosi RJ, Cardosi RP, Grendys EC,Jr., Fiorica JV, Hoffman MS. Infectious urinary tract morbidity with prolonged bladder catheterization after radical hysterectomy... includes discussion. *Obstet Gynecol*. 2003;189(2):380-384.
84. Johansson I, Athlin E, Frykholm L, Bolinder H, Larsson G. Intermittent versus indwelling catheters for older patients with hip fractures. *J Clin Nurs*. 2002;11(5):651-656.
85. Hustinx WN, Mintjes-de Groot, Verkooyen RP, Verbrugh HA. Impact of concurrent antimicrobial therapy on catheter-associated urinary tract infection.[see comment]. *J Hosp Infect*. 1991;18(1):45-56.
86. Johnson JR, Roberts PL, Olsen RJ, Moyer KA, Stamm WE. Prevention of catheter-associated urinary tract infection with a silver oxide-coated urinary catheter: Clinical and microbiologic correlates. *J Infect Dis*. 1990;162(5):1145-1150.
87. Lima NL, Guerrant RL, Kaiser DL, Germanson T, Farr BM. A retrospective cohort study of nosocomial diarrhea as a risk factor for nosocomial infection. *J Infect Dis*. 1990;161(5):948-952.
88. Jacono JJ, Talamelli CL. Nosocomial urinary tract infection in catheterized patients. *Infect Control Can*. 1988;3(1):16-20.
89. Lanara V, Plati C, Paniara O, et al. The prevalence of urinary tract infection in patients related to type of drainage bag. *Scand J Caring Sci*. 1988;2(4):163-170.
90. Holliman R, Seal DV, Archer H, Doman S. Controlled trial of chemical disinfection of urinary drainage bags. reduction in hospital-acquired catheter-associated infection. *Br J Urol*. 1987;60(5):419-422.
91. Mulhall AB, Chapman RG, Crow RA. Bacteriuria during indwelling urethral catheterization. *J Hosp Infect*. 1988;11(3):253-262.
92. Pien FD, Landers JQ,Jr. Indwelling urinary catheter infections in small community hospital. role of urinary drainage bag. *Urology*. 1983;22(3):255-258.
93. Shapiro M, Simchen E, Izraeli S, Sacks TG. A multivariate analysis of risk factors for acquiring bacteriuria in patients with indwelling urinary catheters for longer than 24 hours. *Infect Control*. 1984;5(11):525-532.
94. Platt R, Polk BF, Murdock B, Rosner B. Risk factors for nosocomial urinary tract infection. *Am J Epidemiol*. 1986;124(6):977-985.
95. Burke JP, Larsen RA, Stevens LE. Nosocomial bacteriuria: Estimating the potential for prevention by closed sterile urinary drainage. *Infect Control*. 1986;7(2):96-99.
96. Saramma PP. Catheter-associated urinary tract infection: A follow-up study in prevention. *Nurs J India*. 1987;78(10):257-259.
97. Islam AK, Chapman J. Closed catheter drainage and urinary infection—a comparison of two methods of catheter drainage. *Br J Urol*. 1977;49(3):215-220.
98. Hartstein AI, Garber SB, Ward TT, Jones SR, Morthland VH. Nosocomial urinary tract infection: A prospective evaluation of 108 catheterized patients. *Infect Control*. 1981;2(5):380-386.
99. Garibaldi RA, Burke JP, Britt MR, Miller MA, Smith CB. Meatal colonization and catheter-associated bacteriuria. *N Engl J Med*. 1980;303(6):316-318.
100. 1Garibaldi RA, Burke JP, Dickman ML, Smith CB. Factors predisposing to bacteriuria during indwelling urethral catheterization. *N Engl J Med*. 1974;291(5):215-219.
101. Hirsh DD, Fainstein V, Musher DM. Do condom catheter collecting systems cause urinary tract infection? *JAMA*. 1979;242(4):340-341.

- L02. White MC, Ragland KE. Urinary catheter-related infections among home care patients. *J Wound Ostomy Continence Nurs.* 1995;22(6):286-290.
- L03. Wilde MH, Carrigan MJ. A chart audit of factors related to urine flow and urinary tract infection. *J Adv Nurs.* 2003;43(3):254-262.
- L04. Niel-Weise BS, van den Broek, P. J. Urinary catheter policies for short-term bladder drainage in adults. *Cochrane Libr.* 2006;4.
- L05. Shekelle PG, Morton SC, Clark KA, Pathak M, Vickrey BG. Systematic review of risk factors for urinary tract infection in adults with spinal cord dysfunction. *J Spinal Cord Med.* 1999;22(4):258-272.
- L06. Vickrey BG, Shekelle P, Morton S, Clark K, Pathak M, Kamberg C. Prevention and management of urinary tract infections in paralyzed persons. *Evid Rep Technol Assess.* 1999(6):1-3.
- L07. Branagan GW, Moran BJ. Published evidence favors the use of suprapubic catheters in pelvic colorectal surgery. *Dis Colon Rectum.* 2002;45(8):1104-1108.
- L08. McPhail MJ, Abu-Hilal M, Johnson CD. A meta-analysis comparing suprapubic and transurethral catheterization for bladder drainage after abdominal surgery. *Br J Surg.* 2006;93(9):1038-1044.
- L09. Saint S, Kaufman SR, Rogers MA, Baker PD, Ossenkop K, Lipsky BA. Condom versus indwelling urinary catheters: A randomized trial. *J Am Geriatr Soc.* 2006;54(7):1055-1061.
- L10. Michelson JD, Lotke PA, Steinberg ME. Urinary-bladder management after total joint-replacement surgery. *N Engl J Med.* 1988;319(6):321-326.
- L11. Tang MW, Kwok TC, Hui E, Woo J. Intermittent versus indwelling urinary catheterization in older female patients. *Maturitas.* 2006;53(3):274-281.
- L12. Turi MH, Hanif S, Fasih Q, Shaikh MA. Proportion of complications in patients practicing clean intermittent self-catheterization (CISC) vs indwelling catheter. *J Pak Med Assoc.* 2006;56(9):401-404.
- L13. Tangtrakul S, Taechaiya S, Suthutvoravut S, Linasmita V. Post-cesarean section urinary tract infection: A comparison between intermittent and indwelling catheterization. *J Med Assoc Thai.* 1994;77(5):244-248.
- L14. Skelly JM, Guyatt GH, Kalbfleisch R, Singer J, Winter L. Management of urinary retention after surgical repair of hip fracture. *Can Med Assoc J.* 1992;146(7):1185-1189.
- L15. Jannelli ML, Wu JM, Plunkett LW, Williams KS, Visco AG. A randomized controlled trial of clean intermittent self-catheterization versus suprapubic catheterization after urogynecologic surgery. *Am J Obstet Gynecol.* 2007;197(1).
- L16. Roberts K, Naik R. Catheterization options following radical surgery for cervical cancer. *Br J Nurs.* 2006;15(19):1038-1044.
- L17. Duffy LM, Cleary J, Ahern S, et al. Clean intermittent catheterization: Safe, cost-effective bladder management for male residents of VA nursing homes. *J Am Geriatr Soc.* 1995;43(8):865-870.
- L18. Moore KN, Burt J, Voaklander DC. Intermittent catheterization in the rehabilitation setting: A comparison of clean and sterile technique. *Clin Rehabil.* 2006;20(6):461-468.
- L19. Moore KN, Kelm M, Sinclair O, Cadrain G. Bacteriuria in intermittent catheterization users: The effect of sterile versus clean reused catheters. *Rehabil Nurs.* 1993;18(5):306-309.
- L20. Prieto-Fingerhut T, Banovac K, Lynne CM. A study comparing sterile and nonsterile urethral catheterization in patients with spinal cord injury. *Rehabil Nurs.* 1997;22(6):299-302.
- L21. Schlager TA, Clark M, Anderson S. Effect of a single-use sterile catheter for each void on the frequency of bacteriuria in children with neurogenic bladder on intermittent catheterization for bladder emptying. *Pediatrics.* 2001;108(4):E71.
- L22. Joseph C, Jacobson C, Strausbaugh L, Maxwell M, French M, Colling J. Sterile vs clean urinary catheterization. *J Am Geriatr Soc.* 1991;39(10):1042-1043.
- L23. Saint S, Lipsky BA, Baker PD, McDonald LL, Ossenkop K. Urinary catheters: What type do men and their nurses prefer? *J Am Geriatr Soc.* 1999;47(12):1453-1457.
- L24. Ritter MA, Faris PM, Keating EM. Urinary tract catheterization protocols following total joint arthroplasty. *Orthopedics.* 1989;12(8):1085-1087.

- L25. Oishi CS, Williams VJ, Hanson PB, Schneider JE, Colwell CW,Jr., Walker RH. Perioperative bladder management after primary total hip arthroplasty. *J Arthroplasty*. 1995;10(6):732-736.
- L26. Furuhashi A, Ogawa K, Saito K, Yamaguchi T. Preoperative intermittent catheterization in patients with prostatic hypertrophy. *Clin Ther*. 1988;10 Spec No:47-51.
- L27. Alli MO, Singh B, Moodley J, Shaik AS. Prospective evaluation of combined suprapubic and urethral catheterization to urethral drainage alone for intraperitoneal bladder injuries. *Journal of Trauma-Injury Infection & Critical Care*. 2003;55(6):1152-1154.
- L28. Dunn TS, Figge J, Wolf D. A comparison of outcomes of transurethral versus suprapubic catheterization after burch cystourethropey. *Int Urogynecol J Pelvic Floor Dysfunct*. 2005;16(1):60-2; discussion 62.
- L29. Dinneen MD, Wetter LA, May AR. Urethral strictures and aortic surgery. suprapubic rather than urethral catheters. *Eur J Vasc Surg*. 1990;4(5):535-538.
- L30. Horgan AF, Prasad B, Waldron DJ, O'Sullivan DC. Acute urinary retention. comparison of suprapubic and urethral catheterisation. *Br J Urol*. 1992;70(2):149-151.
- L31. Hofmeister FJ, Martens WE, Strebel RL. Foley catheter or suprapubic tube? *Obstet Gynecol*. 1970;107(5):767-779.
- L32. Van Nagell, JR, Penny RM, Roddick JW. Suprapubic bladder drainage following radical hysterectomy. *Obstet Gynecol*. 1972;113(6):849-850.
- L33. Verbrugh HA, Mintjes-de Groot, Andriesse R, Hamersma K, van Dijk A. Postoperative prophylaxis with norfloxacin in patients requiring bladder catheters. *Eur J Clin Microbiol Infect Dis*. 1988;7(4):490-494.
- L34. Noll F, Russe O, Kling E, Botel U, Schreiter F. Intermittent catheterisation versus percutaneous suprapubic cystostomy in the early management of traumatic spinal cord lesions. *Paraplegia*. 1988;26(1):4-9.
- L35. Weld KJ, Dmochowski RR, Foster HE,Jr. Effect of bladder management on urological complications in spinal cord injured patients. *J Urol*. 2000;163(3):768-772.
- L36. Lloyd LK, Kuhlemeier KV, Fine PR, Stover SL. Initial bladder management in spinal cord injury: Does it make a difference? *J Urol*. 1986;135(3):523-527.
- L37. Schumm K, Lam TB. Types of urethral catheters for management of short-term voiding problems in hospitalised adults.[update of cochrane database syst rev. 2004;(1):CD004013; PMID: 14974052]. *Cochrane Database Syst Rev*. 2008(2):004013.
- L38. Johnson JR, Kuskowski MA, Wilt TJ. Systematic review: Antimicrobial urinary catheters to prevent catheter-associated urinary tract infection in hospitalized patients. *Ann Intern Med*. 2006;144(2):116-126.
- L39. Niel-Weise BS, Arend SM, van den Broek, PJ. Is there evidence for recommending silver-coated urinary catheters in guidelines? *J Hosp Infect*. 2002;52(2):81-87.
- L40. van den Eijkel, E., Griffiths P. Catheter valves for indwelling urinary catheters: A systematic review. *Br J Community Nurs*. 2006;11(3):111-2, 114.
- L41. Crnich CJ, Drinka PJ. Does the composition of urinary catheters influence clinical outcomes and the results of research studies? *Infect Control Hosp Epidemiol*. 2007;28(1):102-103.
- L42. Reiche T, Lisby G, Jorgensen S, Christensen AB, Nordling J. A prospective, controlled, randomized study of the effect of a slow-release silver device on the frequency of urinary tract infection in newly catheterized patients. *BJU Int*. 2000;85(1):54-59.
- L43. chaeffer AJ, Story KO, Johnson SM. Effect of silver oxide/trichloroisocyanuric acid antimicrobial urinary drainage system on catheter-associated bacteriuria. *J Urol*. 1988;139(1):69-73.
- L44. De Ridder, D. J., Everaert K, Fernandez LG, et al. Intermittent catheterisation with hydrophilic-coated catheters (SpeediCath) reduces the risk of clinical urinary tract infection in spinal cord injured patients: A prospective randomised parallel comparative trial. *Eur Urol*. 2005;48(6):991-995.
- L45. Cindolo L, Palmieri EA, Autorino R, Salzano L, Altieri V. Standard versus hydrophilic catheterization in the adjuvant treatment of patients with superficial bladder cancer. *Urol Int*. 2004;73(1):19-22.

- L46. Stensballe J, Looms D, Nielsen PN, Tvede M. Hydrophilic-coated catheters for intermittent catheterisation reduce urethral micro trauma: A prospective, randomised, participant-blinded, crossover study of three different types of catheters. *Eur Urol*. 2005;48(6):978-983.
- L47. Vapnek JM, Maynard FM, Kim J, Vapnek JM, Maynard FM, Kim J. A prospective randomized trial of the LoFric hydrophilic coated catheter versus conventional plastic catheter for clean intermittent catheterization. *J Urol*. 2003;169(3):994-998.
- L48. Monson T, Kunin CM. Evaluation of a polymer-coated indwelling catheter in prevention of infection. *J Urol*. 1974;111(2):220-222.
- L49. Shafik A. The electrified catheter. role in sterilizing urine and decreasing bacteriuria. *World J Urol*. 1993;11(3):183-185.
- L50. Leone M, Garnier F, Antonini F, Bimar MC, Albanese J, Martin C. Comparison of effectiveness of two urinary drainage systems in intensive care unit: A prospective, randomized clinical trial. *Intensive Care Med*. 2003;29(4):551-554.
- L51. Classen DC, Larsen RA, Burke JP, Stevens LE. Prevention of catheter-associated bacteriuria: Clinical trial of methods to block three known pathways of infection. *Am J Infect Control*. 1991;19(3):136-142.
- L52. al-Juburi AZ, Cicmanec J. New apparatus to reduce urinary drainage associated with urinary tract infections. *Urology*. 1989;33(2):97-101.
- L53. DeGroot-Kosolcharoen J, Guse R, Jones JM. Evaluation of a urinary catheter with a preconnected closed drainage bag. *Infect Control Hosp Epidemiol*. 1988;9(2):72-76.
- L54. Klarskov P, Bischoff N, Bremmelgaard A, Hald T. Catheter-associated bacteriuria. A controlled trial with bardex(TM) urinary drainage system. *Acta Obstet Gynecol Scand*. 1986;65(4):295-299.
- L55. Keys TF, Maker MD, Segura JW. Bacteriuria during closed urinary drainage: An evaluation of top-vented versus bag-vented systems. *J Urol*. 1979;122(1):49-51.
- L56. Platt R, Polk BF, Murdock B, Rosner B. Reduction of mortality associated with nosocomial urinary tract infection. *Lancet*. 1983;1(8330):893-897.
- L57. Monson TP, Macalalad FV, Hamman JW, Kunin CM. Evaluation of a vented drainage system in prevention of bacteriuria. *J Urol*. 1977;117(2):216-219.
- L58. Cleland V, Cox F, Berggren H, MacInnis MR. Prevention of bacteriuria in female patients with welling catheters. *Nurs Res*. 1971;20(4):309-318.
- L59. Seymour C. Audit of catheter-associated UTI using silver alloy-coated foley catheters. *Br J Nurs*. 2006;15(11):598-603.
- L60. Gentry H, Cope S. Using silver to reduce catheter-associated urinary tract infections. *Nurs Stand*. 2005;19(50):51-54.
- L61. Madeo M, Davies D, Johnson G, Owen E, Wadsworth P, Martin CR. The impact of using silver alloy urinary catheters in reducing the incidence of urinary tract infections in the critical care setting. *Br J Infect Control*. 2004;5(1):21-24.
- L62. Rupp ME, Fitzgerald T, Marion N, et al. Effect of silver-coated urinary catheters: Efficacy, cost-effectiveness, and antimicrobial resistance. *Am J Infect Control*. 2004;32(8):445-450.
- L63. Lai KK, Fontecchio SA, Lai KK, Fontecchio SA. Use of silver-hydrogel urinary catheters on the incidence of catheter-associated urinary tract infections in hospitalized patients. *Am J Infect Control*. 2002;30(4):221-225.
- L64. Akiyama H, Okamoto S. Prophylaxis of indwelling urethral catheter infection: Clinical experience with a modified foley catheter and drainage system. *J Urol*. 1979;121(1):40-42.
- L65. Bologna RA, Tu LM, Polansky M, Fraimow HD, Gordon DA, Whitmore KE. Hydrogel/silver ion-coated urinary catheter reduces nosocomial urinary tract infection rates in intensive care unit patients: A multicenter study. *Urology*. 1999;54(6):982-987.
- L66. Newton T, Still JM, Law E. A comparison of the effect of early insertion of standard latex and silver-impregnated latex foley catheters on urinary tract infections in burn patients. *Infect Control Hosp Epidemiol*. 2002;23(4):217-218.
- L67. Butler HK, Kunin CM. Evaluation of polymyxin catheter lubricant and impregnated catheters. *J Urol*. 1968;100(4):560-566.
- L68. Mooro H, Kamel M. Prevention of catheter fever by the use of furacin urethral inserts. *J Egypt Med Assoc*. 1966;49(8):550-553.
- L69. Pachler J, Frimodt-Moller C. A comparison of prelubricated hydrophilic and non-hydrophilic polyvinyl chloride catheters for urethral catheterization. *BJU Int*. 1999;83(7):767-769.

- L70. Chen TY, Ponsot Y, Carmel M, Bouffard N, Kennelly MJ, Tu LM. Multi-centre study of intraurethral valve-pump catheter in women with a hypocontractile or acontractile bladder. *Eur Urol*. 2005;48(4):628-633.
- L71. Danchaivijitr S, Chokeloidkaew S, Prutsachativuthi S, Trakulsomboon S. Should the open urinary drainage system be continued? *J Med Assoc Thai*. 1988;71 Suppl 3:14-18.
- L72. Wille JC, Blusse van Oud Alblas, A., Thewessen EA. Nosocomial catheter-associated bacteriuria: A clinical trial comparing two closed urinary drainage systems. *J Hosp Infect*. 1993;25(3):191-198.
- L73. Hardyck C, Petrinovich L. Reducing urinary tract infections in catheterized patients. *Ostomy Wound*. 1998;44(12):36-8, 40, 42-3.
- L74. Montagnino BA, Gonzales ET,Jr., Roth DR. Open catheter drainage after urethral surgery. *J Urol*. 1988;140(5):1250-1252.
- L75. Madeo M, Barr B, Owen E. A study to determine whether the use of a pre-connect urinary catheter system reduces the incidence of nosocomial urinary tract infections. *Br J Infect Control*. 2005;6(4):22-25.
- L76. Leone M, Garnier F, Dubuc M, Bimar MC, Martin C. Prevention of nosocomial urinary tract infection in ICU patients: Comparison of effectiveness of two urinary drainage systems. *Chest*. 2001;120(1):220-224.
- L77. Blenkharn JJ. Prevention of bacteriuria during urinary catheterization of patients in an intensive care unit: Evaluation of the 'ureofix 500' closed drainage system. *J Hosp Infect*. 1985;6(2):187-193.
- L78. Drach GW, Lacy SS, Cox CE, 2nd. Prevention of catheter-induced post-prostatectomy infection. effects of systemic cephaloridine and local irrigation with neomycin-polymyxin through closed-drainage catheter system. *J Urol*. 1971;105(6):840-842.
- L79. Plowman R, Graves N, Esquivel J, Roberts JA. An economic model to assess the cost and benefits of the routine use of silver alloy coated urinary catheters to reduce the risk of urinary tract infections in catheterized patients. *J Hosp Infect*. 2001;48(1):33-42.
- L80. Platt R, Polk BF, Murdock B, Rosner B. Prevention of catheter-associated urinary tract infection: A cost-benefit analysis. *Infect Control Hosp Epidemiol*. 1989;10(2):60-64.
- L81. Saint S, Veenstra DL, Sullivan SD, Chenoweth C, Fendrick AM. The potential clinical and economic benefits of silver alloy urinary catheters in preventing urinary tract infection. *Arch Intern Med*. 2000;160(17):2670-2675.
- L82. Niel-Weise BS, van den Broek, P. J. Antibiotic policies for short-term catheter bladder drainage in adults. *Cochrane Libr*. 2006;4.
- L83. Niel-Weise BS, van den Broek, P. J. Urinary catheter policies for long-term bladder drainage. *Cochrane Libr*. 2006;4.
- L84. Griffiths R, Fernandez R. Strategies for the removal of short-term indwelling urethral catheters in adults. *Cochrane Libr*. 2007(2).
- L85. Esposito S, Noviello S, Leone S, Marvaso A, Drago L, Marchetti F, The LSG. A pilot study on prevention of catheter-related urinary tract infections with fluoroquinolones. *J Chemother*. 2006;18(5):494-501.
- L86. Wazait HD, Patel HR, Van Der Meulen, J. H. P., et al. A pilot randomized double-blind placebo-controlled trial on the use of antibiotics on urinary catheter removal to reduce the rate of urinary tract infection: The pitfalls of ciprofloxacin. *BJU Int*. 2004;94(7):1048-1050.
- L87. Lukkarinen O, Hellstrom P, Leppilahti M, Kontituri M, Tammela T. Antibiotic prophylaxis in patients with urinary retention undergoing transureteral prostatectomy. *Ann Chir Gynaecol*. 1997;86(3):239-242.
- L88. Lukkarinen O, Hellstrom P, Leppilahti M, Kontturi M, Tammela T. Prospective randomized open study between ciprofloxacin and a combination of sulfadiazine and trimethoprim in antibiotic prophylaxis in connection with transurethral prostatectomy. *Scand J Urol Nephrol*. 1996;30(1):33-36.
- L89. Vollaard EJ, Clasener HA, Zambon JV, Joosten HJ, van Griethuysen, AJ. Prevention of catheter-associated gram-negative bacilluria with norfloxacin by selective decontamination of the bowel and high urinary concentration. *J Antimicrob Chemother*. 1989;23(6):915-922.
- L90. Grabe M, Forsgren A, Hellsten S. A short antibiotic course given in conjunction with and after catheter removal consecutive to transurethral prostatic resection. *Scand J Urol Nephrol*. 1984;18(3):193-199.
- L91. Little PJ, Pearson S, Peddie BA, Greenslade NF, Utley WL. Amoxicillin in the prevention of catheter-induced urinary infection. *J Infect Dis*. 1974;129(0):suppl:S241-2.
- L92. Clarke SA, Samuel M, Boddy SA. Are prophylactic antibiotics necessary with clean intermittent catheterization? A randomized controlled trial. *J Pediatr Surg*. 2005;40(3):568-571.

193. Waites KB, Canupp KC, Armstrong S, DeVivo MJ. Effect of cranberry extract on bacteriuria and pyuria in persons with neurogenic bladder secondary to spinal cord injury. *J Spinal Cord Med*. 2004;27(1):35-40.
194. Firestein M, Mendelson G, Gronich D, Granot E, Ben-Israel J, Raz R. Can antibiotic use during routine replacement of long-term urinary catheter prevent bacteriuria? *Infectious Diseases in Clinical Practice*. 2001;10(3):133-135.
195. Schlager TA, Anderson S, Trudell J, Hendley JO. Effect of cranberry juice on bacteriuria in children with neurogenic bladder receiving intermittent catheterization. *J Pediatr*. 1999;135(6):698-702.
196. Schiotz HA, Guttu K. Value of urinary prophylaxis with methenamine in gynecologic surgery. *Acta Obstet Gynecol Scand*. 2002;81(8):743-746.
197. Tyreman NO, Andersson PO, Kroon L, Orstam S. Urinary tract infection after vaginal surgery. effect of prophylactic treatment with methenamine hippurate. *Acta Obstet Gynecol Scand*. 1986;65(7):731-733.
198. Pearman JW, Bailey M, Harper WE, Pearman JW, Bailey M, Harper WE. Comparison of the efficacy of "trisdine" and kanamycin-colistin bladder instillations in reducing bacteriuria during intermittent catheterisation of patients with acute spinal cord trauma. *Br J Urol*. 1988;62(2):140-144.
199. Pearman JW, Bailey M, Riley LP. Bladder instillations of trisdine compared with catheter introducer for reduction of bacteriuria during intermittent catheterisation of patients with acute spinal cord trauma. *Br J Urol*. 1991;67(5):483-490.
200. Adesanya AA, Osegbe DN, Amaku EO. The use of intermittent chlorhexidine bladder irrigation in the prevention of post-prostatectomy infective complications. *Int Urol Nephrol*. 1993;25(4):359-367.
201. Ball AJ, Carr TW, Gillespie WA, Kelly M, Simpson RA, Smith PJ. Bladder irrigation with chlorhexidine for the prevention of urinary infection after transurethral operations: A prospective controlled study.[see comment]. *J Urol*. 1987;138(3):491-494.
202. van den Broek, P. J., Daha TJ, Mouton RP. Bladder irrigation with povidone-iodine in prevention of urinary-tract infections associated with intermittent urethral catheterisation. *Lancet*. 1985;1(8428):563-565.
203. Savage JE, Phillips B, Lifshitz S, et al. Bacteriuria in closed bladder drainage versus continuous irrigation in patients undergoing intracavitary radium for treatment of gynecologic cancer. *Gynecol Oncol*. 1982;13(1):26-30.
204. Kirk D, Dunn M, Bullock DW, Mitchell JP, Hobbs SJ. Hibitane bladder irrigation in the prevention of catheter-associated urinary infection. *Br J Urol*. 1979;51(6):528-531.
205. Chamberlain G, Holt E. Automatic bladder irrigation after vaginal surgery. *Br J Urol*. 1975;47(6):641-643.
206. Clark LW. Neomycin in the prevention of postcatheterization bacteriuria. *Med J Aust*. 1973;1(21):1034-1036.
207. Washington EA. Instillation of 3% hydrogen peroxide or distilled vinegar in urethral catheter drainage bag to decrease catheter-associated bacteriuria. *Biol Res Nurs*. 2001;3(2):78-87.
208. Sweet DE, Goodpasture HC, Holl K, Smart S, Alexander H, Hedari A. Evaluation of H2O2 prophylaxis of bacteriuria in patients with long-term indwelling foley catheters: A randomized controlled study. *Infect Control*. 1985;6(7):263-266.
209. Thompson RL, Haley CE, Searcy MA, et al. Catheter-associated bacteriuria. failure to reduce attack rates using periodic instillations of a disinfectant into urinary drainage systems. *JAMA*. 1984;251(6):747-751.
210. Gillespie WA, Simpson RA, Jones JE, Nashef L, Teasdale C, Speller DC. Does the addition of disinfectant to urine drainage bags prevent infection in catheterised patients? *Lancet*. 1983;1(8332):1037-1039.
211. Maizels M, Schaeffer AJ. Decreased incidence of bacteriuria associated with periodic instillations of hydrogen peroxide into the urethral catheter drainage bag. *J Urol*. 1980;123(6):841-845.
212. Webster J, Hood RH, BurrIDGE CA, Doidge ML, Phillips CM, George N. Water or antiseptic for periurethral cleaning before urinary catheterization: A randomized controlled trial. *Am J Infect Control*. 2001;29(6):389-394.
213. Bardwell TA. Comparing meatal cleansing. *Aust Nurs J*. 1999;7(2):30-31.
214. Sanderson PJ, Weissler S. A comparison of the effect of chlorhexidine antiseptics, soap and antibiotics on bacteriuria, perineal colonization and environmental contamination in spinally injured patients. *J Hosp Infect*. 1990;15(3):235-243.

215. Burke JP, Garibaldi RA, Britt MR, Jacobson JA, Conti M, Alling DW. Prevention of catheter-associated urinary tract infections. efficacy of daily meatal care regimens. *Am J Med.* 1981;70(3):655-658.
216. Ross PW, Smylie HG. A comparison of two regimes of catheterisation in the prophylaxis of urinary tract infection in gynaecological patients. *Br J Urol.* 1966;38(2):194-198.
217. Keerasuntonpong A, Thearawiboon W, Panthawan A, et al. Incidence of urinary tract infections in patients with short-term indwelling urethral catheters: A comparison between a 3-day urinary drainage bag change and no change regimens. *Am J Infect Control.* 2003;31(1):9-12.
218. Dille CA, Kirchhoff KT, Sullivan JJ, Larson E. Increasing the wearing time of vinyl urinary drainage bags by decontamination with bleach. *Arch Phys Med Rehabil.* 1993;74(4):431-437.
219. Priefer BA, Duthie EH, Jr., Gambert SR. Frequency of urinary catheter change and clinical urinary tract infection. study in hospital-based, skilled nursing home. *Urology.* 1982;20(2):141-142.
220. Fera P, Glashan RQ, Bruschini H, Lelis MAS, Baretta MCC, Srougi M. Lubricated urethral catheters with lidocaine versus gentamycin for clean intermittent catheterization. *International Braz J Urol.* 2002;28(1):50-56.
221. Giannantoni A, Di Stasi SM., Scivoletto G, Virgili G, Dolci S, Porena M. Intermittent catheterization with a prelubricated catheter in spinal cord injured patients: A prospective randomized crossover study. *J Urol.* 2001;166(1):130-133.
222. Cohen A. A microbiological comparison of a povidone-iodine lubricating gel and a control as catheter lubricants. *J Hosp Infect.* 1985;6 Suppl A:155-161.
223. Kunin CM, Finkelberg Z. Evaluation of an intraurethral lubricating catheter in prevention of catheter-induced urinary tract infections. *J Urol.* 1971;106(6):928-930.
224. Darouiche RO, Goetz L, Kaldis T, Cerra-Stewart C, AlSharif A, Priebe M. Impact of StatLock securing device on symptomatic catheter-related urinary tract infection: A prospective, randomized, multicenter clinical trial. *Am J Infect Control.* 2006;34(9):555-560.
225. Darouiche RO, Thornby JL, Cerra-Stewart C, Donovan WH, Hull RA. Bacterial interference for prevention of urinary tract infection: A prospective, randomized, placebo-controlled, double-blind pilot trial. *Clinical infectious diseases : an official publication of the Infectious Diseases Society of America.* 2005;41(10):1531-1534.
226. Moore KN. Two methods for cleaning catheters used for intermittent catheterization: Sunlight(TM) liquid detergent and cetrimide 1:30 (savlon(TM)). *Canadian Journal of Rehabilitation.* 1990;4(2):87-92.
227. Alessandri F, Mistrangelo E, Lijoi D, Ferrero S, Ragni N. A prospective, randomized trial comparing immediate versus delayed catheter removal following hysterectomy. *Acta Obstet Gynecol Scand.* 2006;85(6):716-720.
228. Schiotz HA. Comparison of 1 and 3 days' transurethral foley catheterization after vaginal plastic surgery. *International Urogynecology Journal.* 1995;6(3):158-161.
229. Polliack T, Bluvshtein V, Philo O, et al. Clinical and economic consequences of volume- or time-dependent intermittent catheterization in patients with spinal cord lesions and neuropathic bladder (structured abstract). *Spinal Cord.* 2005;43(10):615-619.
230. Anton HA, Chambers K, Clifton J, Tasaka J. Clinical utility of a portable ultrasound device in intermittent catheterization. *Archives of Physical Medicine & Rehabilitation.* 1998;79(2):172-175.
231. Moyad RH, Persky L. Vesical irrigation and urosepsis. *Invest Urol.* 1968;6(1):21-25.
232. Shohet I, Alagam M, Shafir R, Tsur H, Cohen B. Postoperative catheterization and prophylactic antimicrobials in children with hypospadias. *Urology.* 1983;22(4):391-393.
233. Anonymous. Evaluation of aseptic techniques and chlorhexidine on the rate of catheter-associated urinary-tract infection. southampton infection control team. *Lancet.* 1982;1(8263):89-91.
234. Cafferkey MT, Conneely B, Falkiner FR, Gillespie WA, Murphy D. Post-operative urinary infection and septicaemia in urology. *J Hosp Infect.* 1980;1(4):315-320.
235. Salomon J, Denys P, Merle C, et al. Prevention of urinary tract infection in spinal cord-injured patients: Safety and efficacy of a weekly oral cyclic antibiotic (WOCA) programme with a 2 year follow-up – an observational prospective study. *J Antimicrob Chemother.* 2006;57(4):784-

236. Wibell L, Scheynius A, Norrman K. Methenamine-hippurate and bacteriuria in the geriatric patient with a catheter. *Acta Med Scand*. 1980;207(6):469-473.
237. Kostiala AA, Nyren P, Jokinen EJ, Runeberg L. Prospective study on the appearance of antibody-coated bacteria in patients with an indwelling urinary catheter. *Nephron*. 1982;30(3):279-285.
238. Nyren P, Runeberg L, Kostiala AI, Renkonen OV, Roine R. Prophylactic methenamine hippurate or nitrofurantoin in patients with an indwelling urinary catheter. *Ann Clin Res*. 1981;13(1):16-21.
239. Norrman K, Wibell L. Treatment with methenamine hippurate in the patient with a catheter. *J Int Med Res*. 1976;4(2):115-117.
240. Pearman JW. The value of kanamycin-colistin bladder instillations in reducing bacteriuria during intermittent catheterisation of patients with acute spinal cord injury. *Br J Urol*. 1979;51(5):367-374.
241. Cox F, Smith RF, Elliott JP, Quinn EL. Neomycin-polymyxin prophylaxis of urinary-tract infection associated with indwelling catheters. *Antimicrob Agents Chemother*. 1966;6:165-168.
242. Thornton GF, Lytton B, Andriole VT. Bacteriuria during indwelling catheter drainage. effect of constant bladder rinse. *JAMA*. 1966;195(3):179-183.
243. Wongsatanapong W. Prevention of urinary tract infection by instillation of chlorhexidine into urinary drainage bags. *J Med Assoc Thai*. 1988;71 Suppl 3:19-21.
244. Sujka SK, Petrelli NJ, Herrera L. Incidence of urinary tract infections in patients requiring long-term catheterization after abdominoperineal resection for rectal carcinoma: Does betadine(TM) in the foley drainage bag make a difference? *European Journal of Surgical Oncology*. 1987;13(4):341-343.
245. Samuels P, Fisher P. The use of hydrogen peroxide in catheter drainage units. *AUAA J*. 1983;3(3):5-9.
246. Koskeroglu N, Durmaz G, Bahar M, Kural M, Yelken B. The role of meatal disinfection in preventing catheter-related bacteriuria in an intensive care unit: A pilot study in turkey. *J Hosp Infect*. 2004;56(3):236-238.
247. Matsumoto T, Sakumoto M, Takahashi K, Kumazawa J. Prevention of catheter-associated urinary tract infection by meatal disinfection. *Dermatology*. 1997;195 Suppl 2:73-77.
248. Stelling JD, Hale AM. Protocol for changing condom catheters in males with spinal cord injury. *SCI Nurs*. 1996;13(2):28-34.
249. Reid RI, Webster O, Pead PJ, Maskell R. Comparison of urine bag-changing regimens in elderly catheterised patients. *Lancet*. 1982;2(8301):754-756.
250. Kambal C, Chance J, Cope S, Beck J. Catheter-associated UTIs in patients after major gynaecological surgery. *Prof Nurse*. 2004;19(9):515-518.
251. Schiotz HA. Antiseptic catheter gel and urinary tract infection after short-term postoperative catheterization in women. *Arch Gynecol Obstet*. 1996;258(2):97-100.
252. Harrison LH. Comparison of a microbicidal povidone-iodine gel and a placebo gel as catheter lubricants. *J Urol*. 1980;124(3):347-349.
253. Chavigny KH. The use of polymixin B as a urethral lubricant to reduce the post-instrumental incidence of bacteriuria in females. an exploratory study. *Int J Nurs Stud*. 1975;12(1):33-42.
254. Nooyen RL. Prophylaxis of catheter-induced urinary tract infection in obstetric patients. *J Am Osteopath Assoc*. 1966;66(3):324-326.
255. Sims L, Ballard N. A comparison of two methods of catheter cleansing and storage used with clean intermittent catheterization. *Rehabil Nurs Res*. 1993;2(2):87-92.
256. Wald H, Epstein A, Kramer A. Extended use of indwelling urinary catheters in postoperative hip fracture patients. *Med Care*. 2005;43(10):1009-1017.
257. Wyatt TD, Timoney R. The effect of introducing a policy for catheter care on the catheter infection rate in a small hospital. *J Hosp Infect*. 1987;9(3):230-234.

258. Hoy WE, Kissel SM, Freeman RB, Sterling WA, Jr. Altered patterns of posttransplant urinary tract infections associated with perioperative antibiotics and curtailed catheterization. *Am J Kidney Dis*. 1985;6(4):212-216.
259. Pickard WG, Grundy DJ. A comparison of two methods of sterile urethral catheterisation in spinal cord injured adults. *Paraplegia*. 1996;34(1):30-33.
260. Jain M, Miller L, Belt D, King D, Berwick DM. Decline in ICU adverse events, nosocomial infections and cost through a quality improvement initiative focusing on teamwork and culture change. *Qual Saf Health Care*. 2006;15(4):235-239.
261. Reilly L, Sullivan P, Ninni S, Fochesto D, Williams K, Fetherman B. Reducing foley catheter device days in an intensive care unit: Using the evidence to change practice. *AACN Adv Crit Care*. 2006;17(3):272-283.
262. Verdier R, Parer S, Jean-Pierre H, Dujols P, Picot MC. Impact of an infection control program in an intensive care unit in france. *Infect Control Hosp Epidemiol*. 2006;27(1):60-66.
263. Topal J, Conklin S, Camp K, Morris V, Balcezak T, Herbert P. Prevention of nosocomial catheter-associated urinary tract infections through computerized feedback to physicians and a nurse-directed protocol. *Am J Med Qual*. 2005;20(3):121-126.
264. Misset B, Timsit JF, Dumay MF, et al. A continuous quality-improvement program reduces nosocomial infection rates in the ICU. *Intensive Care Med*. 2004;30(3):395-400.
265. Rosenthal VD, Guzman S, Safdar N. Effect of education and performance feedback on rates of catheter-associated urinary tract infection in intensive care units in argentina. *Infect Control Hosp Epidemiol*. 2004;25(1):47-50.
266. Berg DE, Hershow RC, Ramirez CA, Weinstein RA. Control of nosocomial infections in an intensive care unit in guatemala city. *Clin Infect Dis*. 1995;21(3):588-593.
267. Cools HJ, van der Meer JW. Infection control in a skilled nursing facility: A 6-year survey. *J Hosp Infect*. 1988;12(2):117-124.
268. Saint S, Kaufman SR, Thompson M, Rogers MA, Chenoweth CE. A reminder reduces urinary catheterization in hospitalized patients. *Jt Comm J Qual Patient Saf*. 2005;31(8):455-462.
269. Huang WC, Wann SR, Lin SL, et al. Catheter-associated urinary tract infections in intensive care units can be reduced by prompting physicians to remove unnecessary catheters. *Infect Control Hosp Epidemiol*. 2004;25(11):974-978.
270. Cornia PB, Amory JK, Fraser S, Saint S, Lipsky BA. Computer-based order entry decreases duration of indwelling urinary catheterization in hospitalized patients. *Am J Med*. 2003;114(5):404-407.
271. Jacobson JA, Burke JP, Kasworm E. Effect of bacteriologic monitoring of urinary catheters on recognition and treatment of hospital-acquired urinary tract infections. *Infect Control*. 1981;2(3):227-232.
272. Fendler EJ, Ali Y, Hammond BS, Lyons MK, Kelley MB, Vowell NA. The impact of alcohol and sanitizer use on infection rates in an extended care facility. *Am J Infect Control*. 2002;30(4):226-233.
273. Fryklund B, Haeggman S, Burman LG. Transmission of urinary bacterial strains between patients with indwelling catheters – nursing in the same room and in separate rooms compared. *J Hosp Infect*. 1997;36(2):147-153.
274. Wyndaele JJ, De Taeye N. Early intermittent self-catheterisation after spinal cord injury. *Paraplegia*. 1990;28(2):76-80.
275. Goetz AM, Kedzuf S, Wagener M, Muder RR. Feedback to nursing staff as an intervention to reduce catheter-associated urinary tract infections. *Am J Infect Control*. 1999;27(5):402-404.
276. Dumigan DG, Kohan CA, Reed CR, Jekel JF, Fikrig MK. Utilizing national nosocomial infection surveillance system data to improve urinary tract infection rates in three intensive-care units. *Clin Perform Qual Health Care*. 1998;6(4):172-178.
277. Mayes J, Bliss J, Griffiths P. Preventing blockage of long-term indwelling catheters in adults: Are citric acid solutions effective? *Br J Community Nurs*. 2003;8(4):172-175.
278. Muncie HL, Jr., Hoopes JM, Damron DJ, Tenney JH, Warren JW. Once-daily irrigation of long-term urethral catheters with normal saline. lack of benefit. *Arch Intern Med*. 1989;149(2):441-443.
279. Kunin CM, Chin QF, Chambers S. Formation of encrustations on indwelling urinary catheters in the elderly: A comparison of different types of catheter materials in "blockers" and "nonblockers". *J Urol*. 1987;138(4):899-902.

280. Burns JR, Gauthier JF. Prevention of urinary catheter encrustations by acetohydroxamic acid. *J Urol*. 1984;132(3):455-456.

281. Ruwaldt MM. Irrigation of indwelling urinary catheters. *Urology*. 1983;21(2):127-129.

READ NEXT

Intravascular Catheter-related Infection (BSI) Prevention Guidelines



TABLE OF CONTENTS

CATHETER-ASSOCIATED URINARY TRACT INFECTIONS (CAUTI) PREVENTION GUIDEL

[Background](#)

[Scope and Purpose](#)

[Methods](#)

[Evidence Review](#)

[Recommendations for Further Research](#)

[Catheter-Associated Urinary Tract Infections \(CAUTI\) Prevention Guideline](#)

▼ SHOW MORE

APRIL 12, 2024

⊕ SOURCES

SHARE

CONTENT SOURCE:

National Center for Emerging and Zoonotic Infectious Diseases (NCEZID)

How helpful was this page?

☆

☆

☆

☆

☆

Not helpfulVery helpful

RELATED PAGES

- Catheter-Associated Urinary Tract Infections (CAUTI) Prevention Guideline
- Recommendations for Further Research
- Background
- Scope and Purpose
- Methods
- Evidence Review