



References

ISOLATION PRECAUTIONS GUIDELINE
PAGE 11 of 19 | [ALL PAGES](#) ↓

Guideline for Isolation Precautions: Preventing Transmission of Infectious Agents in Healthcare Settings (2007)

WHAT TO KNOW

References for Guideline for Isolation Precautions: Preventing Transmission of Infectious Agents in Healthcare Settings.

ON THIS PAGE

References

References

1. Garner JS. Guideline for isolation precautions in hospitals. The Hospital Infection Control Practices Advisory Committee. Infect Control Hosp Epidemiol 1996;17(1):53-80.(s).
2. Harris AD, Bradham DD, Baumgarten M, Zuckerman IH, Fink JC, Perencevich EN. The use and interpretation of quasi-experimental studies in infectious diseases. Clin Infect Dis 2004;38(11):1586-91.
3. Morton V, Torgerson DJ. Effect of regression to the mean on decision making in health care. Bmj 2003;326(7398):1083-4.
4. Pocock SJ, Elbourne DR. Randomized trials or observational tribulations? N Engl J Med 2000;342(25):1907-9.
5. Ioannidis JP, Haidich AB, Pappa M, et al. Comparison of evidence of treatment effects in randomized and nonrandomized studies. Jama 2001;286(7):821-30.
6. Bent S, Shojania KG, Saint S. The use of systematic reviews and meta-analyses in infection control and hospital epidemiology. Am J Infect Control 2004;32(4):246-54.
7. Harris AD, Lautenbach E, Perencevich E. A systematic review of quasi-experimental study designs in the fields of infection control and antibiotic resistance. Clin Infect Dis 2005;41(1):77-82.
8. Evans R, Lloyd JF, Abouzelof RH, Taylor CW, Anderson VR, Samore MH. System-wide Surveillance for Clinical Encounters by Patients Previously Identified with MRSA and VRE. Medinfo 2004;2004:212-6.
9. Srinivasan A, McDonald LC, Jernigan D, et al. Foundations of the severe acute respiratory syndrome preparedness and response plan for healthcare facilities. Infect Control Hosp Epidemiol 2004;25(12):1020-5.
10. [This link is no longer active: www.cdc.gov/flu/avian/professional/infect-control.htm].
11. CDC. [Guidelines for Environmental Infection Control in Health-Care Facilities](#). Recommendations of CDC and the Healthcare Infection Control Practices Advisory Committee (HICPAC). MMWR 2003;52(RR10):1-42.
12. CDC. Guidelines for preventing the transmission of Mycobacterium tuberculosis in health-care settings, 2005. MMWR Recomm Rep 2005;54(17):1-141.
13. AIA. Guidelines for Design and Construction of Hospital and Health Care Facilities. In: American Institute of Architects. Washington, DC: American Institute of Architects Press; 2006.
14. CDC. Guidelines for Preventing Health-Care-Associated Pneumonia, 2003. Recommendations of CDC and the Healthcare Infection Control Practices Advisory Committee. MMWR Recomm Rep 2004;53(RR-3):1-40.

15. CDC. Guidelines for preventing opportunistic infections among hematopoietic stem cell transplant recipients. Recommendations of CDC, the Infectious Disease Society of America, and the American Society of Blood and Marrow Transplantation. MMWR – Morbidity & Mortality Weekly Report 2000;49(RR-10):1-125.
16. Boyce JM, Pittet D. Guideline for Hand Hygiene in Health-Care Settings. Recommendations of the Healthcare Infection Control Practices Advisory Committee and the HICPAC/SHEA/APIC/IDSA Hand Hygiene Task Force. Society for Healthcare Epidemiology of America/Association for Professionals in Infection Control/Infectious Diseases Society of America. MMWR Recomm Rep 2002;51(RR-16):1-45, quiz CE1-4.
17. Bolyard EA, Tablan OC, Williams WW, Pearson ML, Shapiro CN, Deitchmann SD. Guideline for infection control in healthcare personnel, 1998. Hospital Infection Control Practices Advisory Committee. Infect Control Hosp Epidemiol 1998;19(6):407-63.
18. CDC. Recommendations for Preventing Transmission of Infections Among Chronic Hemodialysis Patients. MMWR 2001;50(RR05):1-43.
19. Kohn WG, Collins AS, Cleveland JL, Harte JA, Eklund KJ, Malvitz DM. Guidelines for infection control in dental health-care settings–2003. MMWR Recomm Rep 2003;52(RR-17):1-61.
20. Saiman L, Siegel J. Infection control recommendations for patients with cystic fibrosis: microbiology, important pathogens, and infection control practices to prevent patient-to-patient transmission. Infect Control Hosp Epidemiol 2003;24(5 Suppl):S6-52.
21. Varia M, Wilson S, Sarwal S, et al. Investigation of a nosocomial outbreak of severe acute respiratory syndrome (SARS) in Toronto, Canada. Cmaj 2003;169(4):285-92.
22. Haley RW, Cushion NB, Tenover FC, et al. Eradication of endemic methicillin-resistant *Staphylococcus aureus* infections from a neonatal intensive care unit. J Infect Dis 1995;171(3):614-24.
23. Bridges CB, Kuehnert MJ, Hall CB. Transmission of influenza: implications for control in health care settings. Clin Infect Dis 2003;37(8):1094-101.
24. Hall CB. Nosocomial respiratory syncytial virus infections: the "Cold War" has not ended. Clin Infect Dis 2000;31(2):590-6.
25. Campbell JR, Zaccaria E, Mason EO, Jr., Baker CJ. Epidemiological analysis defining concurrent outbreaks of *Serratia marcescens* and methicillin-resistant *Staphylococcus aureus* in a neonatal intensive-care unit. Infect Control Hosp Epidemiol 1998;19(12):924-8.
26. Pena C, Pujol M, Ardanuy C, et al. Epidemiology and successful control of a large outbreak due to *Klebsiella pneumoniae* producing extended-spectrum beta-lactamases. Antimicrob Agents Chemother 1998;42(1):53-8.
27. Bonten MJ, Slaughter S, Ambergen AW, et al. The role of "colonization pressure" in the spread of vancomycin-resistant enterococci: an important infection control variable. Arch Intern Med 1998;158(10):1127-32.
28. Jensenius M, Ringertz SH, Berild D, Bell H, Espinoza R, Grinde B. Prolonged nosocomial outbreak of hepatitis A arising from an alcoholic with pneumonia. Scand J Infect Dis 1998;30(2):119-23.
29. Zawacki A, O'Rourke E, Potter-Bynoe G, Macone A, Harbarth S, Goldmann D. An outbreak of *Pseudomonas aeruginosa* pneumonia and bloodstream infection associated with intermittent otitis externa in a healthcare worker. Infect Control Hosp Epidemiol 2004;25(12):1083-9.
30. Foca M, Jakob K, Whittier S, et al. Endemic *Pseudomonas aeruginosa* infection in a neonatal intensive care unit. N Engl J Med 2000;343(10):695-700.
31. Gupta A, Della-Latta P, Todd B, et al. Outbreak of extended-spectrum beta-lactamase-producing *Klebsiella pneumoniae* in a neonatal intensive care unit linked to artificial nails. Infect Control Hosp Epidemiol 2004;25(3):210-5.
32. Boyce JM, Opal SM, Potter-Bynoe G, Medeiros AA. Spread of methicillin-resistant *Staphylococcus aureus* in a hospital after exposure to a health care worker with chronic sinusitis. Clin Infect Dis 1993;17(3):496-504.
33. Fliegel PE, Weinstein WM. Rubella outbreak in a prenatal clinic: management and prevention. Am J Infect Control 1982;10(1):29-33.
34. Atkinson WL, Markowitz LE, Adams NC, Seastrom GR. Transmission of measles in medical settings–United States, 1985-1989. Am J Med 1991;91(3B):320S-4S.
35. Carman WF, Elder AG, Wallace LA, et al. Effects of influenza vaccination of health-care workers on mortality of elderly people in long-term care: a randomised controlled trial. Lancet 2000;355(9198):93-7.

36. CDC. Outbreaks of pertussis associated with hospitals—Kentucky, Pennsylvania, and Oregon, 2003. *MMWR Morb Mortal Wkly Rep* 2005;54(3):67-71.
37. Mermel LA, McKay M, Dempsey J, Parenteau S. *Pseudomonas* surgical-site infections linked to a healthcare worker with onychomycosis. *Infect Control Hosp Epidemiol* 2003;24(10):749-52.
38. Barnes GL, Callaghan SL, Kirkwood CD, Bogdanovic-Sakran N, Johnston LJ, Bishop RF. Excretion of serotype G1 rotavirus strains by asymptomatic staff: a possible source of nosocomial infection. *J Pediatr* 2003;142(6):722-5.
39. Wang JT, Chang SC, Ko WJ, et al. A hospital-acquired outbreak of methicillin-resistant *Staphylococcus aureus* infection initiated by a surgeon carrier. *J Hosp Infect* 2001;47(2):104-9.
40. Valenti WM, Pincus PH, Messner MK. Nosocomial pertussis: possible spread by a hospital visitor. *Am J Dis Child* 1980;134(5):520-1.
41. Christie CD, Glover AM, Willke MJ, Marx ML, Reising SF, Hutchinson NM. Containment of pertussis in the regional pediatric hospital during the Greater Cincinnati epidemic of 1993. *Infect Control Hosp Epidemiol* 1995;16(10):556-63.
42. Munoz FM, Ong LT, Seavy D, Medina D, Correa A, Starke JR. Tuberculosis among adult visitors of children with suspected tuberculosis and employees at a children's hospital. *Infect Control Hosp Epidemiol* 2002;23(10):568-72.
43. Garcia R, Raad I, Abi-Said D, et al. Nosocomial respiratory syncytial virus infections: prevention and control in bone marrow transplant patients. *Infect Control Hosp Epidemiol* 1997;18(6):412-6.
44. Whimbey E, Champlin RE, Couch RB, et al. Community respiratory virus infections among hospitalized adult bone marrow transplant recipients. *Clin Infect Dis* 1996;22(5):778-82.
45. Saiman L, O'keefe M, Graham PL, et al. Hospital transmission of community-acquired methicillin-resistant *Staphylococcus aureus* among postpartum women. *Clin Infect Dis* 2003;37(10):1313-9.
46. Bonten MJ, Slaughter S, Hayden MK, Nathan C, van Voorhis J, Weinstein RA. External sources of vancomycin-resistant enterococci for intensive care units. *Crit Care Med* 1998;26(12):2001-4.
47. Flynn DM, Weinstein RA, Nathan C, Gaston MA, Kabins SA. Patients' endogenous flora as the source of "nosocomial" *Enterobacter* in cardiac surgery. *J Infect Dis* 1987;156(2):363-8.
48. Olson B, Weinstein RA, Nathan C, Chamberlin W, Kabins SA. Epidemiology of endemic *Pseudomonas aeruginosa*: why infection control efforts have failed. *J Infect Dis* 1984;150(6):808-16.
49. Perl TM, Cullen JJ, Wenzel RP, et al. Intranasal mupirocin to prevent postoperative *Staphylococcus aureus* infections. *N Engl J Med* 2002;346(24):1871-7.
50. Toltzis P, Hoyer C, et al. Factors that predict preexisting colonization with antibiotic-resistant gram-negative bacilli in patients admitted to a pediatric intensive care unit. *Pediatrics* 1999;103 (4 Pt1):719-23.
51. Sarginson RE, Taylor N, Reilly N, Baines PB, Van Saene HK. Infection in prolonged pediatric critical illness: A prospective four-year study based on knowledge of the carrier state. *Crit Care Med* 2004;32(3):839-47.
52. Silvestri L, Monti Bragadin C, Milanese M, et al. Are most ICU infections really nosocomial? A prospective observational cohort study in mechanically ventilated patients. *J Hosp Infect* 1999;42(2):125-33.
53. Heggors JP, Phillips LG, Boertman JA, et al. The epidemiology of methicillin-resistant *Staphylococcus aureus* in a burn center. *J Burn Care Rehabil* 1988;9(6):610-2.
54. Donskey CJ. The role of the intestinal tract as a reservoir and source for transmission of nosocomial pathogens. *Clin Infect Dis* 2004;39(2):219-26.
55. Osterholm MT, Hedberg CW, Moore KA. The epidemiology of infectious diseases. . In: G.L. M, Jr DRG, J.E. B, eds. *Principles and Practice of Infectious Diseases*. 5th ed ed. Philadelphia: Churchill Livingstone; 2000:161-3.
56. Thomsen RW, Hundborg HH, Lervang HH, Johnsen SP, Schonheyder HC, Sorensen HT. Risk of community-acquired pneumococcal bacteremia in patients with diabetes: a population-based case-control study. *Diabetes Care* 2004;27(5):1143-7.

57. Carton JA, Maradona JA, Nuno FJ, Fernandez-Alvarez R, Perez-Gonzalez F, Asensi V. Diabetes mellitus and bacteraemia: a comparative study between diabetic and non-diabetic patients. *Eur J Med* 1992;1(5):281-7.
58. Hirschtick RE, Glassroth J, Jordan MC, et al. Bacterial pneumonia in persons infected with the human immunodeficiency virus. Pulmonary Complications of HIV Infection Study Group. *N Engl J Med* 1995;333(13):845-51.
59. Rosenberg AL, Seneff MG, Atiyeh L, Wagner R, Bojanowski L, Zimmerman JE. The importance of bacterial sepsis in intensive care unit patients with acquired immunodeficiency syndrome: implications for future care in the age of increasing antiretroviral resistance. *Crit Care Med* 2001;29(3):548-56.
60. Malone JL, Ijaz K, Lambert L, et al. Investigation of healthcare-associated transmission of *Mycobacterium tuberculosis* among patients with malignancies at three hospitals and at a residential facility. *Cancer* 2004;101(12):2713-21.
61. Fishman JA, Rubin RH. Infection in organ-transplant recipients. *N Engl J Med* 1998;338(24):1741-51.
62. Safdar N, Kluger DM, Maki DG. A review of risk factors for catheter-related bloodstream infection caused by percutaneously inserted, noncuffed central venous catheters: implications for preventive strategies. *Medicine (Baltimore)* 2002;81(6):466-79.
63. Jarvis WR, Robles B. Nosocomial infections in pediatric patients. *Adv Pediatr Infect Dis* 1996;12:243-959(js).
64. Yogaraj JS, Elward AM, Fraser VJ. Rate, risk factors, and outcomes of nosocomial primary bloodstream infection in pediatric intensive care unit patients. *Pediatrics* 2002;110(3):481-5.
65. Donlan RM. Biofilms: microbial life on surfaces. *Emerg Infect Dis* 2002;8(9):881-90.
66. Rosen HR. Acquisition of hepatitis C by a conjunctival splash. *Am J Infect Control* 1997;25(3):242-7.
67. Beltrami EM, Kozak A, Williams IT, et al. Transmission of HIV and hepatitis C virus from a nursing home patient to a health care worker. *Am J Infect Control* 2003;31(3):168-75.
68. Obasanjo OO, Wu P, Conlon M, et al. An outbreak of scabies in a teaching hospital: lessons learned. *Infect Control Hosp Epidemiol* 2001;22(1):13-8.
69. Andersen BM, Haugen H, Rasch M, Heldal Haugen A, Tageson A. Outbreak of scabies in Norwegian nursing homes and home care patients: control and prevention. *J Hosp Infect* 2000;45(2):160-4.
70. Avitzur Y, Amir J. Herpetic whitlow infection in a general pediatrician—an occupational hazard. *Infection* 2002;30(4):234-6.
71. Adams G, Stover BH, Keenlyside RA, et al. Nosocomial herpetic infections in a pediatric intensive care unit. *Am J Epidemiol* 1981;113(2):126-32.
72. Bhalla A, Pultz NJ, Gries DM, et al. Acquisition of nosocomial pathogens on hands after contact with environmental surfaces near hospitalized patients. *Infect Control Hosp Epidemiol* 2004;25(2):164-7.
73. Duckro AN, Blom DW, Lyle EA, Weinstein RA, Hayden MK. Transfer of vancomycin-resistant enterococci via health care worker hands. *Arch Intern Med* 2005;165(3):302-7.
74. Brooks SE, Veal RO, Kramer M, Dore L, Schupf N, Adachi M. Reduction in the incidence of *Clostridium difficile*-associated diarrhea in an acute care hospital and a skilled nursing facility following replacement of electronic thermometers with single-use disposables. *Infect Control Hosp Epidemiol* 1992;13(2):98-103.
75. CDC. Nosocomial hepatitis B virus infection associated with reusable fingerstick blood sampling devices—Ohio and New York City, 1996. *MMWR Morb Mortal Wkly Rep* 1997;46 (10):217-21.
76. Desenclos JC, Bourdiol-Razes M, Rolin B, et al. Hepatitis C in a ward for cystic fibrosis and diabetic patients: possible transmission by spring-loaded finger-stick devices for self-monitoring of capillary blood glucose. *Infect Control Hosp Epidemiol* 2001;22(11):701-7.
77. CDC. Transmission of hepatitis B virus among persons undergoing blood glucose monitoring in long-term-care facilities—Mississippi, North Carolina, and Los Angeles County, California, 2003-2004. *MMWR Morb Mortal Wkly Rep* 2005;54(9):220-3.
78. Hall CB, Douglas RG, Jr. Modes of transmission of respiratory syncytial virus. *J Pediatr* 1981;99(1):100-3.
79. Hall CB, Douglas RG, Jr., Geiman JM. Possible transmission by fomites of respiratory syncytial virus. *J Infect Dis* 1980;141(1):98-102.

80. Buttery JP, Alabaster SJ, Heine RG, et al. Multiresistant *Pseudomonas aeruginosa* outbreak in a pediatric oncology ward related to bath toys. *Pediatr Infect Dis J* 1998;17(6):509-13.
81. Agerton T, Valway S, Gore B, et al. Transmission of a highly drug-resistant strain (strain W1) of *Mycobacterium tuberculosis*. Community outbreak and nosocomial transmission via a contaminated bronchoscope. *JAMA* 1997;278(13):1073-7.
82. Bronowicki JP, Venard V, Botte C, et al. Patient-to-patient transmission of hepatitis C virus during colonoscopy. *N Engl J Med* 1997;337(4):237-40.
83. Michele TM, Cronin WA, Graham NM, et al. Transmission of *Mycobacterium tuberculosis* by a fiberoptic bronchoscope. Identification by DNA fingerprinting. *JAMA* 1997;278(13):1093-5.
84. Schelenz S, French G. An outbreak of multidrug-resistant *Pseudomonas aeruginosa* infection associated with contamination of bronchoscopes and an endoscope washer-disinfector. *J Hosp Infect* 2000;46(1):23-30.
85. Weber DJ, Rutala WA. Lessons from outbreaks associated with bronchoscopy. *Infect Control Hosp Epidemiol* 2001;22(7):403-8.
86. Kirschke DL, Jones TF, Craig AS, et al. *Pseudomonas aeruginosa* and *Serratia marcescens* contamination associated with a manufacturing defect in bronchoscopes. *N Engl J Med* 2003;348(3):214-20.
87. Srinivasan A, Wolfenden LL, Song X, et al. An outbreak of *Pseudomonas aeruginosa* infections associated with flexible bronchoscopes. *N Engl J Med* 2003;348(3):221-7.
88. Boyce JM, Potter-Bynoe G, Chenevert C, King T. Environmental contamination due to methicillin-resistant *Staphylococcus aureus*: possible infection control implications. *Infect Control Hosp Epidemiol* 1997;18(9):622-7.(mj).
89. Zachary KC, Bayne PS, Morrison VJ, Ford DS, Silver LC, Hooper DC. Contamination of gowns, gloves, and stethoscopes with vancomycin-resistant enterococci. *Infect Control Hosp Epidemiol* 2001;22(9):560-4.
90. Perry C, Marshall R, Jones E. Bacterial contamination of uniforms. *J Hosp Infect* 2001;48(3):238-41.
91. Papineni RS, Rosenthal FS. The size distribution of droplets in the exhaled breath of healthy human subjects. *J Aerosol Med* 1997;10(2):105-16.
92. Wells WF. On airborne infection: Study II. Droplets and droplet nuclei. . *Am J Hygiene* 1934;20:611-18.
93. Loeb M, McGeer A, Henry B, et al. SARS among critical care nurses, Toronto. *Emerg Infect Dis* 2004;10(2):251-5.
94. Fowler RA, Guest CB, Lapinsky SE, et al. Transmission of severe acute respiratory syndrome during intubation and mechanical ventilation. *Am J Respir Crit Care Med* 2004;169(11):1198-202.
95. Gehanno JF, Kohen-Couderc L, Lemeland JF, Leroy J. Nosocomial meningococemia in a physician. *Infect Control Hosp Epidemiol* 1999;20(8):564-5.
96. Scales D, et al. Illness in intensive-care staff after brief exposure to severe acute respiratory syndrome. *Emerg Infect Dis* 2003;9(10):1205-10.
97. Ensor E, Humphreys H, Peckham D, Webster C, Knox AJ. Is *Burkholderia* (*Pseudomonas*) *cepacia* disseminated from cystic fibrosis patients during physiotherapy? *J Hosp Infect* 1996;32(1):9-15.
98. Christian MD, Loutfy M, McDonald LC, et al. Possible SARS coronavirus transmission during cardiopulmonary resuscitation. *Emerg Infect Dis* 2004;10(2):287-93.
99. Valenzuela TD, Hooton TM, Kaplan EL, Schlievert P. Transmission of 'toxic strep' syndrome from an infected child to a firefighter during CPR. *Ann Emerg Med* 1991;20(1):90-2.
100. Bassinet L, Matrat M, Njamkepo E, Abergane S, Housset B, Guiso N. Nosocomial pertussis outbreak among adult patients and healthcare workers. *Infect Control Hosp Epidemiol* 2004;25(11):995-7.
101. Wong TW, Lee CK, Tam W, et al. Cluster of SARS among medical students exposed to single patient, Hong Kong. *Emerg Infect Dis* 2004;10(2):269-76.
102. Pachucki CT, Pappas SA, Fuller GF, Krause SL, Lentino JR, Schaaff DM. Influenza A among hospital personnel and patients. Implications for recognition, prevention, and control. *Arch Intern Med* 1989;149(1):77-80.

- L03. Feigin RD, Baker CJ, Herwaldt LA, Lampe RM, Mason EO, Whitney SE. Epidemic meningococcal disease in an elementary-school classroom. *N Engl J Med* 1982;307(20):1255-7.
- L04. Dick EC, Jennings LC, Mink KA, Wartgow CD, Inhorn SL. Aerosol transmission of rhinovirus colds. *J Infect Dis* 1987;156(3):442-8.
- L05. Duguid JP. The size and duration of air-carriage of respiratory droplets and droplet nuclei. *J Hyg (Lond)* 1946;44:471-9.
- L06. Hall CB, Douglas RG, Jr., Schnabel KC, Geiman JM. Infectivity of respiratory syncytial virus by various routes of inoculation. *Infect Immun* 1981;33(3):779-83.
- L07. Downie AW, Meiklejohn M, St Vincent L, Rao AR, Sundara Babu BV, Kempe CH. The recovery of smallpox virus from patients and their environment in a smallpox hospital. *Bull World Health Organ* 1965;33(5):615-22.
- L08. Fenner F, Henderson DA, Arita I, Jezek Z, Ladnyi ID. The epidemiology of smallpox. In: *Smallpox and its eradication*. Switzerland: World Health Organization; 1988.
- L09. Cole EC, Cook CE. Characterization of infectious aerosols in health care facilities: an aid to effective engineering controls and preventive strategies. *Am J Infect Control* 1998;26(4):453-64.
- L10. Christie C, Mazon D, Hierholzer W, Jr., Patterson JE. Molecular heterogeneity of *Acinetobacter baumannii* isolates during seasonal increase in prevalence. *Infect Control Hosp Epidemiol* 1995;16(10):590-4.
- L11. Musher DM. How contagious are common respiratory tract infections? *N Engl J Med* 2003;348(13):1256-66.
- L12. Steinberg P, White RJ, Fuld SL, Gutekunst RR, Chanock RM, Senterfit LB. Ecology of *Mycoplasma pneumoniae* infections in marine recruits at Parris Island, South Carolina. *Am J Epidemiol* 1969;89(1):62-73.
- L13. Seto WH, Tsang D, Yung RW, et al. Effectiveness of precautions against droplets and contact in prevention of nosocomial transmission of severe acute respiratory syndrome (SARS). *Lancet* 2003;361(9368):1519-20.
- L14. Hamburger M, Robertson OH. Expulsion of group A haemolytic streptococci in droplets and droplet nuclei by sneezing, coughing and talking. *Am J Med* 1948;4:690.
- L15. CDC. Nosocomial meningococemia. *MMWR Morb Mortal Wkly Rep* 1978;27:358.
- L16. LeClair JM, Freeman J, Sullivan BF, Crowley CM, Goldmann DA. Prevention of nosocomial respiratory syncytial virus infections through compliance with glove and gown isolation precautions. *N Engl J Med* 1987;317(6):329-34.
- L17. Madge P, Paton JY, McColl JH, Mackie PL. Prospective controlled study of four infection-control procedures to prevent nosocomial infection with respiratory syncytial virus. *Lancet* 1992;340(8827):1079-83.
- L18. Bassetti S, Bischoff WE, Walter M, et al. Dispersal of *Staphylococcus aureus* into the air associated with a rhinovirus infection. *Infect Control Hosp Epidemiol* 2005;26(2):196-203.
- L19. Eichenwald HF, Kotsevalov O, Fasso LA. The "cloud baby": an example of bacterial-viral interaction. *Am J Dis Child* 1960;100:161-73.
- L20. Sheretz RJ, Reagan DR, Hampton KD, et al. A cloud adult: the *Staphylococcus aureus*-virus interaction revisited. *Ann Intern Med* 1996;124(6):539-47.
- L21. Coronado VG, Beck-Sague CM, Hutton MD, et al. Transmission of multidrug-resistant *Mycobacterium tuberculosis* among persons with human immunodeficiency virus infection in an urban hospital: epidemiologic and restriction fragment length polymorphism analysis. *J Infect Dis* 1993;168(4):1052-5.
- L22. Bloch AB, Orenstein WA, Ewing WM, et al. Measles outbreak in a pediatric practice: airborne transmission in an office setting. *Pediatrics* 1985;75(4):676-83.
- L23. LeClair JM, Zaia JA, Levin MJ, Congdon RG, Goldmann DA. Airborne transmission of chickenpox in a hospital. *N Engl J Med* 1980;302(8):450-3.
- L24. Riley RL, Mills CC, Nyka W, et al. Aerial dissemination of pulmonary tuberculosis. A two-year study of contagion in a tuberculosis ward. 1959. *Am J Hyg* 1959;70:185-96.
- L25. Beck-Sague C, Dooley SW, Hutton MD, et al. Hospital outbreak of multidrug-resistant *Mycobacterium tuberculosis* infections. Factors in transmission to staff and HIV-infected patients. *JAMA* 1992;268(10):1280-6.

- [L26.](#) CDC. Guidelines for preventing the transmission of Mycobacterium tuberculosis in health-care facilities, 1994. Centers for Disease Control and Prevention. MMWR Recomm Rep 1994;43(RR-13):1-132.
- [L27.](#) Haley CE, McDonald RC, Rossi L, Jones WD, Jr., Haley RW, Luby JP. Tuberculosis epidemic among hospital personnel. Infect Control Hosp Epidemiol 1989;10(5):204-10.
- [L28.](#) Wehrle PF, Posch J, Richter KH, Henderson DA. An airborne outbreak of smallpox in a German hospital and its significance with respect to other recent outbreaks in Europe. Bull World Health Organ 1970;43(5):669-79.
- [L29.](#) Gelfand HM, Posch J. The recent outbreak of smallpox in Meschede, West Germany. Am J Epidemiol 1971;93(4):234-7.
- [L30.](#) Moser MR, Bender TR, Margolis HS, Noble GR, Kendal AP, Ritter DG. An outbreak of influenza aboard a commercial airliner. Am J Epidemiol 1979;110(1):1-6.
- [L31.](#) Alford RH, Kasel JA, Gerone PJ, Knight V. Human influenza resulting from aerosol inhalation. Proc Soc Exp Biol Med 1966;122(3):800-4.
- [L32.](#) Chadwick PR, McCann R. Transmission of a small round structured virus by vomiting during a hospital outbreak of gastroenteritis. J Hosp Infect 1994;26(4):251-9.
- [L33.](#) Prince DS, Astry C, Vonderfecht S, Jakab G, Shen FM, Yolken RH. Aerosol transmission of experimental rotavirus infection. Pediatr Infect Dis 1986;5(2):218-22.
- [L34.](#) [This link is no longer active: www.cdc.gov/ncidod/sars.]
- [L35.](#) Peiris JS, Yuen KY, Osterhaus AD, Stohr K. The severe acute respiratory syndrome. N Engl J Med 2003;349(25):2431-41.
- [L36.](#) Olsen SJ, Chang HL, Cheung TY, et al. Transmission of the severe acute respiratory syndrome on aircraft. N Engl J Med 2003;349(25):2416-22.
- [L37.](#) Wilder-Smith A, Leong HN, Villacian JS. In-flight transmission of Severe Acute Respiratory Syndrome (SARS): A Case Report. J Travel Med 2003;10(5):299-300.
- [L38.](#) Booth TF, Kournikakis B, Bastien N, et al. Detection of airborne severe acute respiratory syndrome (SARS) coronavirus and environmental contamination in SARS outbreak units. J Infect Dis 2005;191(9):1472-7.
- [L39.](#) Yu IT, Li Y, Wong TW, et al. Evidence of airborne transmission of the severe acute respiratory syndrome virus. N Engl J Med 2004;350(17):1731-9.
- [L40.](#) CDC. Update: Outbreak of severe acute respiratory syndrome—worldwide. MMWR Morb Mortal Wkly Rep 2003;52 (12):241-6, 8.
- [L41.](#) CDC. Cluster of severe acute respiratory syndrome cases among protected health-care workers—Toronto, Canada, April 2003. MMWR Morb Mortal Wkly Rep 2003;52(19):433-6.
- [L42.](#) Sawyer LA, Murphy JJ, Kaplan JE, et al. 25- to 30-nm virus particle associated with a hospital outbreak of acute gastroenteritis with evidence for airborne transmission. Am J Epidemiol 1988;127(6):1261-71.
- [L43.](#) Marks PJ, Vipond IB, Carlisle D, Deakin D, Fey RE, Caul EO. Evidence for airborne transmission of Norwalk-like virus (NLV) in a hotel restaurant. Epidemiol Infect 2000;124(3):481-7.
- [L44.](#) Salgado CD, Farr BM, Hall KK, Hayden FG. Influenza in the acute hospital setting. Lancet Infect Dis 2002;2(3):145-55.
- [L45.](#) Riley RL. Airborne infection. Am J Med 1974;57(3):466-75.
- [L46.](#) McLean R. General discussion. . Am Rev Respir Dis 1961;83 36–8.
- [L47.](#) Cheesbrough JS, Green J, Gallimore CI, Wright PA, Brown DW. Widespread environmental contamination with Norwalk-like viruses (NLV) detected in a prolonged hotel outbreak of gastroenteritis. Epidemiol Infect 2000;125(1):93-8.
- [L48.](#) Marks PJ, Vipond IB, Regan FM, Wedgwood K, Fey RE, Caul EO. A school outbreak of Norwalk-like virus: evidence for airborne transmission. Epidemiol Infect 2003;131(1):727-36.
- [L49.](#) Roy CJ, Milton DK. Airborne transmission of communicable infection—the elusive pathway. N Engl J Med 2004;350(17):1710-2.
- [L50.](#) Dull PM, Wilson KE, Kournikakis B, et al. Bacillus anthracis aerosolization associated with a contaminated mail sorting machine. Emerg Infect Dis 2002;8(10):1044-7.

- L51. Weis CP, Intrepido AJ, Miller AK, et al. Secondary aerosolization of viable *Bacillus anthracis* spores in a contaminated US Senate Office. *JAMA* 2002;288(22):2853-8.
- L52. Patterson JE, Zidouh A, Minitier P, Andriole VT, Patterson TF. Hospital epidemiologic surveillance for invasive aspergillosis: patient demographics and the utility of antigen detection. *Infect Control Hosp Epidemiol* 1997;18(2):104-8.
- L53. Arnow PM, Andersen RL, Mainous PD, Smith EJ. Pulmonary aspergillosis during hospital renovation. *Am Rev Respir Dis* 1978;118(1):49-53.
- L54. Pegues DA, Lasker BA, McNeil MM, Hamm PM, Lundal JL, Kubak BM. Cluster of cases of invasive aspergillosis in a transplant intensive care unit: evidence of person-to-person airborne transmission. *Clin Infect Dis* 2002;34(3):412-6.
- L55. Buffington J, Reporter R, Lasker BA, et al. Investigation of an epidemic of invasive aspergillosis: utility of molecular typing with the use of random amplified polymorphic DNA probes. *Pediatr Infect Dis J* 1994;13(5):386-93.
- L56. Krasinski K, Holzman RS, Hanna B, Greco MA, Graff M, Bhogal M. Nosocomial fungal infection during hospital renovation. *Infect Control* 1985;6(7):278-82.
- L57. Humphreys H. Positive-pressure isolation and the prevention of invasive aspergillosis. What is the evidence? *J Hosp Infect* 2004;56(2):93-100.
- L58. Thio CL, Smith D, Merz WG, et al. Refinements of environmental assessment during an outbreak investigation of invasive aspergillosis in a leukemia and bone marrow transplant unit. *Infect Control Hosp Epidemiol* 2000;21(1):18-23.
- L59. Anaissie EJ, Stratton SL, Dignani MC, et al. Pathogenic *Aspergillus* species recovered from a hospital water system: a 3-year prospective study. *Clin Infect Dis* 2002;34(6):780-9.
- L60. CDC. Prevention of invasive group A streptococcal disease among household contacts of case patients and among postpartum and postsurgical patients: recommendations from the Centers for Disease Control and Prevention. *Clin Infect Dis* 2002;35 (8):950-9.
- L61. Gruteke P, van Belkum A, Schouls LM, et al. Outbreak of group A streptococci in a burn center: use of pheno- and genotypic procedures for strain tracking. *J Clin Microbiol* 1996;34(1):114-8.
- L62. Greene CM, Van Beneden CA, Javadi M, et al. Cluster of deaths from group A streptococcus in a long-term care facility—Georgia, 2001. *Am J Infect Control* 2005;33(2):108-13.
- L63. Sabria M, Campins M. Legionnaires' disease: update on epidemiology and management options. *Am J Respir Med* 2003;2(3):235-43.
- L64. Bille J, Marchetti O, Calandra T. Changing face of health-care associated fungal infections. *Curr Opin Infect Dis* 2005;18(4):314-9.
- L65. Hall IC, O'Toole E. Intestinal flora in newborn infants with a description of a new pathogenic anaerobe, *Bacillus difficilis*. *Am J Dis Child* 1935;49:390-402.
- L66. George WL, Sutter VL, Finegold SM. Antimicrobial agent-induced diarrhea—a bacterial disease. *J Infect Dis* 1977;136(6):822-8.
- L67. McFarland LV, Mulligan ME, Kwok RY, Stamm WE. Nosocomial acquisition of *Clostridium difficile* infection. *N Engl J Med* 1989;320(4):204-10.
- L68. Pepin J, Valiquette L, Alary ME, et al. *Clostridium difficile*-associated diarrhea in a region of Quebec from 1991 to 2003: a changing pattern of disease severity. *Cmaj* 2004;171(5):466-72.
- L69. Agency HP. Outbreak of *Clostridium difficile* infection in a hospital in south east England. *Communicable Disease Report Weekly* 2005;31(24).
- L70. Koopmans M, Wilbrink B, Conyn M, et al. Transmission of H7N7 avian influenza A virus to human beings during a large outbreak in commercial poultry farms in the Netherlands. *Lancet* 2004;363(9409):587-93.
- L71. McDonald LC, Killgore GE, Thompson A, et al. An epidemic, toxin gene-variant strain of *Clostridium difficile*. *N Engl J Med* 2005;353(23):2433-41.
- L72. Loo VG, Poirier L, Miller MA, et al. A predominantly clonal multi-institutional outbreak of *Clostridium difficile*-associated diarrhea with high morbidity and mortality. *N Engl J Med* 2005;353(23):2442-9.
- L73. Warny M, Pepin J, Fang A, et al. Toxin production by an emerging strain of *Clostridium difficile* associated with outbreaks of severe disease in North America and Europe. *Lancet* 2005;366(9491):1079-84.

- L74. Layton BA ML, Gerding DN, Liedtke LA, Strausbaugh LJ. Perceived increases in the incidence and severity of *Clostridium difficile* disease: an emerging threat that continues to unfold. In: 15th Annual Scientific Meeting of the Society for Healthcare Epidemiology of America;. Los Angeles, CA.; 2005.
- L75. Sohn S, Climo M, Diekema D, et al. Varying rates of *Clostridium difficile*-associated diarrhea at prevention epicenter hospitals. Infect Control Hosp Epidemiol 2005;26(8):676-9.
- L76. IOM. Antimicrobial Resistance: Issues and Options. Workshop report. In: Harrison PF, Lederberg J, eds. Washington, DC: National Academy Press; 1998:8-74.
- L77. Shlaes DM, Gerding DN, John JF, Jr., et al. Society for Healthcare Epidemiology of America and Infectious Diseases Society of America Joint Committee on the Prevention of Antimicrobial Resistance: guidelines for the prevention of antimicrobial resistance in hospitals. Infect Control Hosp Epidemiol 1997;18(4):275-91.
- L78. Whitener CJ, Park SY, Browne FA, et al. Vancomycin-resistant *Staphylococcus aureus* in the absence of vancomycin exposure. Clin Infect Dis 2004;38(8):1049-55.
- L79. CDC. *Staphylococcus aureus* with reduced susceptibility to vancomycin—United States. MMWR Morb Mortal Wkly Rep 1997;46 (33):765-6.
- L80. CDC. *Staphylococcus aureus* resistant to vancomycin—United States, 2002. MMWR Morb Mortal Wkly Rep 2002;51 (26):565-7.
- L81. CDC. Public Health Dispatch: Vancomycin-Resistant *Staphylococcus aureus* — Pennsylvania, 2002. MMWR – Morbidity & Mortality Weekly Report 2002;51(40):902.
- L82. CDC. Vancomycin-resistant *Staphylococcus aureus*—New York, 2004. MMWR Morb Mortal Wkly Rep 2004;53(15):322-3.
- L83. Chang S, Sievert DM, Hageman JC, et al. Infection with vancomycin-resistant *Staphylococcus aureus* containing the vanA resistance gene. N Engl J Med 2003;348(14):1342-7.
- L84. Fridkin SK, Hageman J, McDougal LK, et al. Epidemiological and microbiological characterization of infections caused by *Staphylococcus aureus* with reduced susceptibility to vancomycin, United States, 1997-2001. Clin Infect Dis 2003;36(4):429-39.
- L85. Gold HS, Moellering RC, Jr. Antimicrobial-drug resistance. N Engl J Med 1996;335(19):1445-53.
- L86. Hageman JC, Pegues DA, Jepson C, et al. Vancomycin-intermediate *Staphylococcus aureus* in a home health-care patient. Emerg Infect Dis 2001;7(6):1023-5.
- L87. Harwell JI, Brown RB. The drug-resistant pneumococcus: clinical relevance, therapy, and prevention. Chest 2000;117(2):530-41.
- L88. Jones RN. Resistance patterns among nosocomial pathogens: trends over the past few years. Chest 2001;119(2 Suppl):397S-404S.
- L89. Murray BE. Vancomycin-resistant enterococcal infections. N Engl J Med 2000;342(10):710-21.
- L90. Neuhauser MM, Weinstein RA, Rydman R, Danziger LH, Karam G, Quinn JP. Antibiotic resistance among gram-negative bacilli in US intensive care units: implications for fluoroquinolone use. JAMA 2003;289(7):885-8.
- L91. Pitout JD, Sanders CC, Sanders WE, Jr. Antimicrobial resistance with focus on beta-lactam resistance in gram- negative bacilli. Am J Med 1997;103(1):51-9.
- L92. Rotun SS, McMath V, Schoonmaker DJ, et al. *Staphylococcus aureus* with reduced susceptibility to vancomycin isolated from a patient with fatal bacteremia. Emerg Infect Dis 1999;5(1):147-9.
- L93. Smith TL, Pearson ML, Wilcox KR, et al. Emergence of vancomycin resistance in *Staphylococcus aureus*. Glycopeptide-Intermediate *Staphylococcus aureus* Working Group. N Engl J Med 1999;340(7):493-501.
- L94. Srinivasan A, Dick JD, Perl TM. Vancomycin resistance in staphylococci. Clin Microbiol Rev 2002;15(3):430-8.
- L95. Hyle EP, Lipworth AD, Zaoutis TE, et al. Risk Factors for Increasing Multidrug Resistance among Extended-Spectrum β -lactamase-Lactamase-Producing *Escheria coli* and *Klebsiella* species Clin Infect Dis 2005;40(9):1317-24.
- L96. Gleich S, Morad Y, Echague R, et al. *Streptococcus pneumoniae* serotype 4 outbreak in a home for the aged: report and review of recent outbreaks. Infect Control Hosp Epidemiol 2000;21:711.

197. Fry AM, Udeagu CC, Soriano-Gabarro M, et al. Persistence of fluoroquinolone-resistant, multidrug-resistant *Streptococcus pneumoniae* in a long-term-care facility: efforts to reduce intrafacility transmission. *Infect Control Hosp Epidemiol* 2005;26(3):239-47.
198. Carter RJ, Sorenson G, Heffernan R, et al. Failure to control an outbreak of multidrug-resistant *Streptococcus pneumoniae* in a long-term-care facility: emergence and ongoing transmission of a fluoroquinolone-resistant strain. *Infect Control Hosp Epidemiol* 2005;26(3):248-55.
199. Blok HE, Troelstra A, Kamp-Hopmans TE, et al. Role of healthcare workers in outbreaks of methicillin-resistant *Staphylococcus aureus*: a 10-year evaluation from a Dutch university hospital. *Infect Control Hosp Epidemiol* 2003;24(9):679-85.
200. Muto CA, Jernigan JA, Ostrowsky BE, et al. SHEA guideline for preventing nosocomial transmission of multidrug-resistant strains of *Staphylococcus aureus* and enterococcus. *Infect Control Hosp Epidemiol* 2003;24(5):362-86.
201. Tammelin A, Klotz F, Hambraeus A, Stahle E, Ransjo U. Nasal and hand carriage of *Staphylococcus aureus* in staff at a Department for Thoracic and Cardiovascular Surgery: endogenous or exogenous source? *Infect Control Hosp Epidemiol* 2003;24(9):686-9.
202. CDC. Biological and chemical terrorism: strategic plan for preparedness and response. Recommendations of the CDC Strategic Planning Workgroup. *MMWR Recomm Rep* 2000;49(RR-4):1-14.
203. Inglesby TV, O'Toole T, Henderson DA, et al. Anthrax as a biological weapon, 2002: updated recommendations for management. *JAMA* 2002;287(17):2236-52.
204. Henderson DA, Inglesby TV, Bartlett JG, et al. Smallpox as a biological weapon: medical and public health management. Working Group on Civilian Biodefense. *JAMA* 1999;281(22):2127-37.
205. CDC. [This link is no longer active: www.bt.cdc.gov/agent/smallpox/]
206. WHO. [Emergencies preparedness, response: SmallpoxExternal](#) [↗](#) [Current version of this document may differ from original.]
207. Kool JL. Risk of person-to-person transmission of pneumonic plague. *Clin Infect Dis* 2005;40(8):1166-72.
208. Inglesby TV, Dennis DT, Henderson DA, et al. Plague as a biological weapon: medical and public health management. Working Group on Civilian Biodefense. *JAMA* 2000;283(17):2281-90.
209. Arnon SS, Schechter R, Inglesby TV, et al. Botulinum toxin as a biological weapon: medical and public health management. *JAMA* 2001;285(8):1059-70.
210. Dennis DT, Inglesby TV, Henderson DA, et al. Tularemia as a biological weapon: medical and public health management. *JAMA* 2001;285(21):2763-73.
211. CDC. Notice to Readers Update: Management of Patients with Suspected Viral Hemorrhagic Fever — United States. *MMWR Recomm Rep* 1995;44(25):475-9.
212. Borio L, Inglesby T, Peters CJ, et al. Hemorrhagic fever viruses as biological weapons: medical and public health management. *JAMA* 2002;287(18):2391-405.
213. Neff JM, Lane JM, Fulginiti VA, Henderson DA. Contact vaccinia—transmission of vaccinia from smallpox vaccination. *JAMA* 2002;288(15):1901-5.
214. Sepkowitz KA. How contagious is vaccinia? *N Engl J Med* 2003;348(5):439-46.
215. Lane JM, Fulginiti VA. Transmission of vaccinia virus and rationale for measures for prevention. *Clin Infect Dis* 2003;37(2):281-4.
216. CDC. Smallpox Vaccination and Adverse Reactions: Guidance for Clinicians. *MMWR – Morbidity & Mortality Weekly Report* 2003;52(RR04):1-28.
217. Fulginiti VA, Papier A, Lane JM, Neff JM, Henderson DA. Smallpox vaccination: a review, part II. Adverse events. *Clin Infect Dis* 2003;37(2):251-71.
218. [This link is no longer active: www.smallpox.mil./event/SPSafetySum.asp].
219. CDC. Update: adverse events following civilian smallpox vaccination—United States, 2003. *MMWR Morb Mortal Wkly Rep* 2003;52(18):419-20.

220. CDC. Secondary and tertiary transfer of vaccinia virus among U.U. military personnel—United States and worldwide, 2002–2004. *MMWR Morb Mortal Wkly Rep* 2004;53(5):103–5.
221. Talbot TR, Ziel E, Doersam JK, LaFleur B, Tollefson S, Edwards KM. Risk of vaccinia transfer to the hands of vaccinated persons after smallpox immunization. *Clin Infect Dis* 2004;38(4):536–41.
222. Hepburn MJ, Dooley DP, Murray CK, et al. Frequency of vaccinia virus isolation on semipermeable versus nonocclusive dressings covering smallpox vaccination sites in hospital personnel. *Am J Infect Control* 2004;32(3):126–30.
223. Waibel KH, Ager EP, Topolski RL, Walsh DS. Randomized trial comparing vaccinia on the external surfaces of 3 conventional bandages applied to smallpox vaccination sites in primary vaccinees. *Clin Infect Dis* 2004;39(7):1004–7.
224. Tenorio AR, Peebles M, Patri M, et al. Quantitative Vaccinia Cultures and Evolution of Vaccinia-Specific CD8+ Cytotoxic T-lymphocytes (CTL) Responses in Revaccinees. Abstract #823, 41st Annual Meeting IDSA, October 2003, San Diego 2003.
225. Wharton M, Strikas RA, Harpaz R, et al. Recommendations for using smallpox vaccine in a pre-event vaccination program. Supplemental recommendations of the Advisory Committee on Immunization Practices (ACIP) and the Healthcare Infection Control Practices Advisory Committee (HICPAC). *MMWR Recomm Rep* 2003;52(RR-7):1–16.
226. CDC. Surveillance for Creutzfeldt-Jakob Disease — United States. *MMWR* 1996;45(31):665–8.
227. Johnson RT, Gibbs CJ, Jr. Creutzfeldt-Jakob disease and related transmissible spongiform encephalopathies. *N Engl J Med* 1998;339(27):1994–2004.
228. Brown P, Gajdusek DC, Gibbs CJ, Jr., Asher DM. Potential epidemic of Creutzfeldt-Jakob disease from human growth hormone therapy. *N Engl J Med* 1985;313(12):728–31.
229. Frasier SD, Foley TP, Jr. Clinical review 58: Creutzfeldt-Jakob disease in recipients of pituitary hormones. *J Clin Endocrinol Metab* 1994;78(6):1277–9.
230. CDC. Update: Creutzfeldt-Jakob disease associated with cadaveric dura mater grafts—Japan, 1979–2003. *MMWR Morb Mortal Wkly Rep* 2003;52(48):1179–81.
231. Lang CJ, Heckmann JG, Neundorfer B. Creutzfeldt-Jakob disease via dural and corneal transplants. *J Neurol Sci* 1998;160(2):128–39.
232. el Hachimi KH, Chaunu MP, Cervenakova L, Brown P, Foncin JF. Putative neurosurgical transmission of Creutzfeldt-Jakob disease with analysis of donor and recipient: agent strains. *C R Acad Sci III* 1997;320(4):319–28.
233. Will RG, Matthews WB. Evidence for case-to-case transmission of Creutzfeldt-Jakob disease. *J Neurol Neurosurg Psychiatry* 1982;45(3):235–8.
234. Bernoulli C, Siegfried J, Baumgartner G, et al. Danger of accidental person-to-person transmission of Creutzfeldt-Jakob disease by surgery. *Lancet* 1977;1(8009):478–9.
235. Rutala WA, Weber DJ. Creutzfeldt-Jakob disease: recommendations for disinfection and sterilization. *Clin Infect Dis* 2001;32(9):1348–56.
236. Belay ED, Maddox RA, Williams ES, Miller MW, Gambetti P, Schonberger LB. Chronic wasting disease and potential transmission to humans. *Emerg Infect Dis* 2004;10(6):977–84.
237. Collinge J, Sidle KC, Meads J, Ironside J, Hill AF. Molecular analysis of prion strain variation and the aetiology of 'new variant' CJD. *Nature* 1996;383(6602):685–90.
238. Belay ED, Schonberger LB. The public health impact of prion diseases. *Annu Rev Public Health* 2005;26:191–212.
239. Belay ED, Schonberger LB. Variant Creutzfeldt-Jakob disease and bovine spongiform encephalopathy. *Clin Lab Med* 2002;22(4):849–62, v–vi.
240. Hill AF, Butterworth RJ, Joiner S, et al. Investigation of variant Creutzfeldt-Jakob disease and other human prion diseases with tonsil biopsy samples. *Lancet* 1999;353(9148):183–9.
241. Evatt B. Creutzfeldt-Jakob disease and haemophilia: assessment of risk. *Haemophilia* 2000;6 Suppl 1:94–9.
242. Chamberland ME. Emerging infectious agents: do they pose a risk to the safety of transfused blood and blood products? *Clin Infect Dis* 2002;34(6):797–805.

243. [This link is no longer active: www.fda.gov/cber/gdlns/cjdvcjd.htm].
244. Llewelyn CA, Hewitt PE, Knight RS, et al. Possible transmission of variant Creutzfeldt-Jakob disease by blood transfusion. *Lancet* 2004;363(9407):417-21.
245. Peden AH, Head MW, Ritchie DL, Bell JE, Ironside JW. Preclinical vCJD after blood transfusion in a PRNP codon 129 heterozygous patient. *Lancet* 2004;364(9433):527-9.
246. Brown P. Guidelines for high risk autopsy cases: special precautions for Creutzfeldt-Jakob Disease. In: Hutchins G, ed. *Autopsy Performance and Reporting*, Northfield, Ill.: College of American Pathologists 1990:68-74.
247. Drosten C, Gunther S, Preiser W, et al. Identification of a novel coronavirus in patients with severe acute respiratory syndrome. *N Engl J Med* 2003;348(20):1967-76.
248. Ksiazek TG, Erdman D, Goldsmith CS, et al. A novel coronavirus associated with severe acute respiratory syndrome. *N Engl J Med* 2003;348(20):1953-66.
249. Chan WM, Kwan YW, Wan HS, Leung CW, Chiu MC. Epidemiologic linkage and public health implication of a cluster of severe acute respiratory syndrome in an extended family. *Pediatr Infect Dis J* 2004;23(12):1156-9.
250. Leung CW, Kwan YW, Ko PW, et al. Severe acute respiratory syndrome among children. *Pediatrics* 2004;113(6):e535-43.
251. Bitnun A, Allen U, Heurter H, et al. Children hospitalized with severe acute respiratory syndrome-related illness in Toronto. *Pediatrics* 2003;112(4):e261.
252. Chow KY, Lee CE, Ling ML, Heng DM, Yap SG. Outbreak of severe acute respiratory syndrome in a tertiary hospital in Singapore, linked to an index patient with atypical presentation: epidemiological study. *Bmj* 2004;328(7433):195.
253. Shen Z, Ning F, Zhou W, et al. Superspreading SARS events, Beijing, 2003. *Emerg Infect Dis* 2004;10(2):256-60.
254. Chen Y-C, Huang L-M, Chan C-C, et al. SARS in Hospital Emergency Room. *Emerg Infect Dis* 2004;10:782-8.
255. Chung Y-C, Huang L-M, Chan C-C, et al. SARS in Hospital Emergency Room. *Emerg Infect Dis* 2004;10:782-8.
256. Gamage B, Moore D, Copes R, Yassi A, Bryce E. Protecting health care workers from SARS and other respiratory pathogens: a review of the infection control literature. *Am J Infect Control* 2005;33(2):114-21.
257. Moore D, Gamage B, Bryce E, Copes R, Yassi A. Protecting health care workers from SARS and other respiratory pathogens: organizational and individual factors that affect adherence to infection control guidelines. *Am J Infect Control* 2005;33(2):88-96.
258. Dowell SF, Simmerman JM, Erdman DD, et al. Severe acute respiratory syndrome coronavirus on hospital surfaces. *Clin Infect Dis* 2004;39(5):652-7.
259. CDC. Public Health Guidance for Community-Level Preparedness and Response to Severe Acute Respiratory Syndrome (SARS). 2004. (Accessed at [This link is no longer active: <https://www.cdc.gov/ncidod/sars/guidance/l/occupational.htm>].)
260. Le DH, Bloom SA, Nguyen QH, et al. Lack of SARS transmission among public hospital workers, Vietnam. *Emerg Infect Dis* 2004;10(2):265-8.
261. Lim PL, Kurup A, Gopalakrishna G, et al. Laboratory-acquired severe acute respiratory syndrome. *N Engl J Med* 2004;350(17):1740-5.
262. CDC. [This link is no longer active: www.cdc.gov/ncidod/sars.] 2003.
263. Reed KD, Melski JW, Graham MB, et al. The detection of monkeypox in humans in the Western Hemisphere. *N Engl J Med* 2004;350(4):342-50.
264. Anderson MG, Frenkel LD, Homann S, Guffey J. A case of severe monkeypox virus disease in an American child: emerging infections and changing professional values. *Pediatr Infect Dis J* 2003;22:1093-6.
265. Jezek Z, Fenner F. Human monkey pox. In: Melnick JL ed. *Monographs in virology*. Vol. 17. Basel, Switzerland: S Karger AG. 1988:81-102.
266. Marennikova SS, Jezek Z, Szczeniowski M, Mbudi PM, Vernet M. [Contagiousness of monkey pox for humans: results of an investigation of 2 outbreaks of the infection in Zaire]. *Zh Mikrobiol Epidemiol Immunobiol* 1985(8):38-43.

267. Jezek Z, Arita I, Mutombo M, Dunn C, Nakano JH, Szczeniowski M. Four generations of probable person-to-person transmission of human monkeypox. *Am J Epidemiol* 1986;123(6):1004-12.
268. Learned LA, Reynolds MG, Wassa DW, et al. Extended interhuman transmission of monkeypox in a hospital community in the Republic of the Congo, 2003. *Am J Trop Med Hyg* 2005;73(2):428-34.
269. Fleischauer AT, Kile JC, Davidson M, et al. Evaluation of human-to-human transmission of monkeypox from infected patients to health care workers. *Clin Infect Dis* 2005;40(5):689-94.
270. Likos AM, Sammons SA, Olson VA, et al. A tale of two clades: monkeypox viruses. *J Gen Virol* 2005;86(Pt 10):2661-72.
271. Fine PE, Jezek Z, Grab B, Dixon H. The transmission potential of monkeypox virus in human populations. *Int J Epidemiol* 1988;17(3):643-50.
272. Jezek Z, Grab B, Paluku KM, Szczeniowski MV. Human monkeypox: disease pattern, incidence and attack rates in a rural area of northern Zaire. *Trop Geogr Med* 1988;40(2):73-83.
273. CDC. "Norwalk-Like Viruses":Public Health Consequences and Outbreak Management. *MMWR – Morbidity & Mortality Weekly Report* 2001;50 (RR-09)(June):1-18.
274. Evans MR, Meldrum R, Lane W, et al. An outbreak of viral gastroenteritis following environmental contamination at a concert hall. *Epidemiol Infect* 2002;129(2):355-60.
275. Wu HM, Fornek M, Kellogg JS, et al. A Norovirus Outbreak at a Long-Term-Care Facility: The Role of Environmental Surface Contamination. *Infect Control Hosp Epidemiol* 2005;26(10):802-10.
276. Duizer E, Schwab KJ, Neill FH, Atmar RL, Koopmans MP, Estes MK. Laboratory efforts to cultivate noroviruses. *J Gen Virol* 2004;85(Pt 1):79-87.
277. Zingg W, Colombo C, Jucker T, Bossart W, Ruef C. Impact of an outbreak of norovirus infection on hospital resources. *Infect Control Hosp Epidemiol* 2005;26:263-7.
278. Calderon-Margalit R, Sheffer R, Halperin T, Orr N, Cohen D, Shohat T. A large-scale gastroenteritis outbreak associated with Norovirus in nursing homes. *Epidemiol Infect* 2005;133(1):35-40.
279. Marx A, Shay DK, Noel JS, et al. An outbreak of acute gastroenteritis in a geriatric long-term-care facility: combined application of epidemiological and molecular diagnostic methods. *Infect Control Hosp Epidemiol* 1999;20(5):306-11.
280. Gellert GA, Waterman SH, Ewert D, et al. An outbreak of acute gastroenteritis caused by a small round structured virus in a geriatric convalescent facility. *Infect Control Hosp Epidemiol* 1990;11(9):459-64.
281. Cooper E, Blamey S. A Norovirus Gastroenteritis Epidemic in a Long-Term-Care Facility. *Infect Control Hosp Epidemiol* 2005;26(3):256.
282. Navarro G, Sala RM, Segura F, et al. An Outbreak of Norovirus Infection in a Long-Term-Care. *Infect Control Hosp Epidemiol* 2005;26(3):259.
283. Green KY, Belliot G, Taylor JL, et al. A predominant role for Norwalk-like viruses as agents of epidemic gastroenteritis in Maryland nursing homes for the elderly. *J Infect Dis* 2002;185(2):133-46.
284. Widdowson MA, Cramer EH, Hadley L, et al. Outbreaks of acute gastroenteritis on cruise ships and on land: identification of a predominant circulating strain of norovirus–United States, 2002. *J Infect Dis* 2004;190(1):27-36.
285. CDC. Outbreaks of gastroenteritis associated with noroviruses on cruise ships–United States, 2002. *MMWR Morb Mortal Wkly Rep* 2002;51(49):1112-5.
286. CDC. Norovirus outbreak among evacuees from hurricane Katrina–Houston, Texas, September 2005. *MMWR Morb Mortal Wkly Rep* 2005;54(40):1016-8.
287. Mattner F, Mattner L, Borck HU, Gastmeier P. Evaluation of the Impact of the Source (Patient Versus Staff) on Nosocomial Norovirus Outbreak Severity. *Infect Control Hosp Epidemiol* 2005;26(3):268-72.
288. Isakbaeva ET, Bulens SN, Beard RS, et al. Norovirus and child care: challenges in outbreak control. *Pediatr Infect Dis J* 2005;24(6):561-3.
289. Kapikian AZ, Estes MK, Chanock RM. Norwalk group of viruses. In: Fields BN, Knipe DM, Howley PM, eds. *Fields virology*. 3rd ed. Philadelphia, PA: Lippincott-Raven. 1996:783-810.

290. Duizer E, Bijkerk P, Rockx B, De Groot A, Twisk F, Koopmans M. Inactivation of caliciviruses. *Appl Environ Microbiol* 2004;70(8):4538-43.
291. Doultree JC, Druce JD, Birch CJ, Bowden DS, Marshall JA. Inactivation of feline calicivirus, a Norwalk virus surrogate. *J Hosp Infect* 1999;41(1):51-7.
292. Barker J, Vipond IB, Bloomfield SF. Effects of cleaning and disinfection in reducing the spread of Norovirus contamination via environmental surfaces. *J Hosp Infect* 2004;58(1):42-9.
293. Gulati BR, Allwood PB, Hedberg CW, Goyal SM. Efficacy of commonly used disinfectants for the inactivation of calicivirus on strawberry, lettuce, and a food-contact surface. *J Food Prot* 2001;64(9):1430-4.
294. Gehrke C, Steinmann J, Goroncy-Bermes P. Inactivation of feline calicivirus, a surrogate of norovirus (formerly Norwalk-like viruses), by different types of alcohol in vitro and in vivo. *J Hosp Infect* 2004;56(1):49-55.
295. Hutson AM, Atmar RL, Graham DY, Estes MK. Norwalk virus infection and disease is associated with ABO histo-blood group type. *J Infect Dis* 2002;185(9):1335-7.
296. National Center for Infectious Diseases – Division of Viral and Rickettsial Diseases. [This link is no longer active: www.cdc.gov/ncidod/dvrd/index.htm.]
297. LeDuc JW. Epidemiology of hemorrhagic fever viruses. *Rev Infect Dis* 1989;11 Suppl 4:S730-5.
298. Roels TH, Bloom AS, Buffington J, et al. Ebola hemorrhagic fever, Kikwit, Democratic Republic of the Congo, 1995: risk factors for patients without a reported exposure. *J Infect Dis* 1999 Feb;179 Suppl 1:S92-7.
299. Suleiman MN, Muscat-Baron JM, Harries JR, et al. Congo/Crimean haemorrhagic fever in Dubai. An outbreak at the Rashid Hospital. *Lancet* 1980;2(8201):939-41.
300. Monath TP, Mertens PE, Patton R, et al. A hospital epidemic of Lassa fever in Zorzor, Liberia, March-April 1972. *Am J Trop Med Hyg* 1973;22(6):773-9.
301. Dowell SF, Mukunu R, Ksiazek TG, Khan AS, Rollin PE, Peters CJ. Transmission of Ebola hemorrhagic fever: a study of risk factors in family members, Kikwit, Democratic Republic of the Congo, 1995. *J Infect Dis* 1999 Feb;179 Suppl 1:S87-91.
302. Peters CJ. Marburg and Ebola—arming ourselves against the deadly filoviruses. *N Engl J Med* 2005;352(25):2571-3.
303. Ebola haemorrhagic fever in Zaire, 1976. *Bull World Health Organ* 1978;56(2):271-93.
304. Emond RT, Evans B, Bowen ET, Lloyd G. A case of Ebola virus infection. *Br Med J* 1977;2(6086):541-4.
305. Zaki SR, Shieh WJ, Greer PW, et al. A novel immunohistochemical assay for the detection of Ebola virus in skin: implications for diagnosis, spread, and surveillance of Ebola hemorrhagic fever. Commission de Lutte contre les Epidemies a Kikwit. *J Infect Dis* 1999;179 Suppl 1:S36-47.
306. Khan AS, Tshioko FK, Heymann DL, et al. The reemergence of Ebola hemorrhagic fever, Democratic Republic of the Congo, 1995. Commission de Lutte contre les Epidemies a Kikwit. *J Infect Dis* 1999;179 Suppl 1:S76-86.
307. Muyembe-Tamfum JJ, Kipasa M, Kiyungu C, Colebunders R. Ebola outbreak in Kikwit, Democratic Republic of the Congo: discovery and control measures. *J Infect Dis* 1999;179 Suppl 1:S259-62.
308. Haas WH, Breuer T, Pfaff G, et al. Imported Lassa fever in Germany: surveillance and management of contact persons. *Clin Infect Dis* 2003;36(10):1254-8.
309. Simpson DI. Marburg agent disease: in monkeys. *Trans R Soc Trop Med Hyg* 1969;63(3):303-9.
310. Jaax NK, Davis KJ, Geisbert TJ, et al. Lethal experimental infection of rhesus monkeys with Ebola-Zaire (Mayinga) virus by the oral and conjunctival route of exposure. *Arch Pathol Lab Med* 1996;120(2):140-55.
311. Stephenson EH, Larson EW, Dominik JW. Effect of environmental factors on aerosol-induced Lassa virus infection. *J Med Virol* 1984;14(4):295-303.
312. Johnson E, Jaax N, White J, Jahrling P. Lethal experimental infections of rhesus monkeys by aerosolized Ebola virus. *Int J Exp Pathol* 1995;76(4):227-36.

313. Jaax N, Jahrling P, Geisbert T, et al. Transmission of Ebola virus (Zaire strain) to uninfected control monkeys in a biocontainment laboratory. *Lancet* 1995;346(8991-8992):1669-71.
314. [This link is no longer active: www.bt.cdc.gov/agent/vhf/]
315. Nguyen GT, Proctor SE, Sinkowitz-Cochran RL, Garrett DO, Jarvis WR. Status of infection surveillance and control programs in the United States, 1992-1996. Association for Professionals in Infection Control and Epidemiology, Inc. *Am J Infect Control* 2000;28(6):392-400.
316. Richards C, Emori TG, Edwards J, Fridkin S, Tolson J, Gaynes R. Characteristics of hospitals and infection control professionals participating in the National Nosocomial Infections Surveillance System 1999. *Am J Infect Control* 2001;29(6):400-3.
317. Wenzel RP, Thompson RL, Landry SM, et al. Hospital-acquired infections in intensive care unit patients: an overview with emphasis on epidemics. *Infect Control* 1983;4(5):371-5.
318. Wenzel RP, Gennings C. Bloodstream infections due to *Candida* species in the intensive care unit: identifying especially high-risk patients to determine prevention strategies. *Clin Infect Dis* 2005;41 Suppl 6:S389-93.
319. San Miguel LG, Cobo J, Otheo E, Sanchez-Sousa A, Abaira V, Moreno S. Secular trends of candidemia in a large tertiary-care hospital from 1988 to 2000: emergence of *Candida parapsilosis*. *Infect Control Hosp Epidemiol* 2005;26(6):548-52.
320. NNIS. National Nosocomial Infections Surveillance (NNIS) System Report, data summary from January 1992 through June 2004, issued October 2004. *Am J Infect Control* 2004;32(8):470-85.
321. Richards MJ, Edwards JR, Culver DH, Gaynes RP. Nosocomial infections in medical intensive care units in the United States. National Nosocomial Infections Surveillance System. *Crit Care Med* 1999;27(5):887-92.
322. Richards MJ, Edwards JR, Culver DH, Gaynes RP. Nosocomial infections in combined medical-surgical intensive care units in the United States. *Infect Control Hosp Epidemiol* 2000;21(8):510-5.
323. Hugonnet S, Eggimann P, Borst F, Maricot P, Chevrolet JC, Pittet D. Impact of ventilator-associated pneumonia on resource utilization and patient outcome. *Infect Control Hosp Epidemiol* 2004;25(12):1090-6.
324. O'Neill JM, Schutze GE, Heulitt MJ, Simpson PM, Taylor BJ. Nosocomial infections during extracorporeal membrane oxygenation. *Intensive Care Med* 2001;27(8):1247-53.
325. Villegas MV, Hartstein AI. *Acinetobacter* Outbreaks, 1977–2000. *Infect Control Hosp Epidemiol* 2003;24(4):284-95.
326. Gordon SM, Schmitt SK, Jacobs M, et al. Nosocomial bloodstream infections in patients with implantable left ventricular assist devices. *Ann Thorac Surg* 2001;72(3):725-30.
327. Giamarellou H. Nosocomial cardiac infections. *J Hosp Infect* 2002;50(2):91-105.
328. Fridkin SK. Increasing prevalence of antimicrobial resistance in intensive care units. *Crit Care Med* 2001;29(4 Suppl):N64-8.
329. Kollef MH, Fraser VJ. Antibiotic resistance in the intensive care unit. *Ann Intern Med* 2001;134(4):298-314.
330. Fridkin SK, Edwards JR, Courval JM, et al. The effect of vancomycin and third-generation cephalosporins on prevalence of vancomycin-resistant enterococci in 126 U.S. adult intensive care units. *Ann Intern Med* 2001;135(3):175-83.
331. Crnich CJ, Safdar N, Maki DG. The role of the intensive care unit environment in the pathogenesis and prevention of ventilator-associated pneumonia. *Respir Care* 2005;50(6):813-36; discussion 36-8.
332. Knaus WA, Wagner DP, Zimmerman JE, Draper EA. Variations in mortality and length of stay in intensive care units. *Ann Intern Med* 1993;118(10):753-61.
333. Villarino ME, Stevens LE, Schable B, et al. Risk factors for epidemic *Xanthomonas maltophilia* infection/colonization in intensive care unit patients. *Infect Control Hosp Epidemiol* 1992;13(4):201-6.
334. Sanchez V, Vazquez JA, Barth-Jones D, Dembry L, Sobel JD, Zervos MJ. Nosocomial acquisition of *Candida parapsilosis*: an epidemiologic study. *Am J Med* 1993;94(6):577-82.
335. Husni RN, Goldstein LS, Arroliga AC, et al. Risk factors for an outbreak of multi-drug-resistant *Acinetobacter* nosocomial pneumonia among intubated patients. *Chest* 1999;115(5):1378-82.

336. McDonald LC, Walker M, Carson L, et al. Outbreak of *Acinetobacter* spp. bloodstream infections in a nursery associated with contaminated aerosols and air conditioners. *Pediatr Infect Dis J* 1998;17(8):716-22.
337. Trick WE, Kioski CM, Howard KM, et al. Outbreak of *Pseudomonas aeruginosa* ventriculitis among patients in a neurosurgical intensive care unit. *Infect Control Hosp Epidemiol* 2000;21(3):204-8.
338. Guidry GG, Black-Payne CA, Payne DK, Jamison RM, George RB, Bocchini JA, Jr. Respiratory syncytial virus infection among intubated adults in a university medical intensive care unit. *Chest* 1991;100(5):1377-84.
339. Wurtz R, Karajovic M, Dacumos E, Jovanovic B, Hanumadass M. Nosocomial infections in a burn intensive care unit. *Burns* 1995;21(3):181-4.
340. Rodgers GL, Mortensen J, Fisher MC, Lo A, Cresswell A, Long SS. Predictors of infectious complications after burn injuries in children. *Pediatr Infect Dis J* 2000;19(10):990-5.
341. Pruitt BA, Jr., McManus AT, Kim SH, Goodwin CW. Burn wound infections: current status. *World J Surg* 1998;22(2):135-45.
342. Weber J, ed. *Epidemiology of Infections and Strategies for Control in Burn Care and Therapy*. St. Louis: Mosby, Inc.; 1998.
343. Heggors JP, McCoy L, Reisner B, Smith M, Edgar P, Ramirez RJ. Alternate antimicrobial therapy for vancomycin-resistant enterococci burn wound infections. *J Burn Care Rehabil* 1998;19(5):399-403.
344. Sheridan RL, Weber J, Benjamin J, Pasternack MS, Tompkins RG. Control of methicillin-resistant *Staphylococcus aureus* in a pediatric burn unit. *Am J Infect Control* 1994;22(6):340-5.
345. Matsumura H, Yoshizawa N, Narumi A, Harunari N, Sugamata A, Watanabe K. Effective control of methicillin-resistant *Staphylococcus aureus* in a burn unit. *Burns* 1996;22(4):283-6.
346. McGregor JC. Profile of the first four years of the Regional Burn Unit based at St. John's Hospital, West Lothian (1992-1996). *J R Coll Surg Edinb* 1998;43(1):45-8.
347. Desai MH, Rutan RL, Heggors JP, Herndon DN. *Candida* infection with and without nystatin prophylaxis. A 11-year experience with patients with burn injury. *Arch Surg* 1992;127(2):159-62.
348. Ekenna O, Sherertz RJ, Bingham H. Natural history of bloodstream infections in a burn patient population: the importance of candidemia. *Am J Infect Control* 1993;21(4):189-95.
349. Bowser-Wallace BH, Graves DB, Caldwell FT. An epidemiological profile and trend analysis of wound flora in burned children: 7 years' experience. *Burns Incl Therm Inj* 1984;11(1):16-25.
350. Tredget EE, Shankowsky HA, Rennie R, Burrell RE, Logsetty S. *Pseudomonas* infections in the thermally injured patient. *Burns* 2004;30(1):3-26.
351. Edgar P, Mlcak R, Desai M, Linares HA, Phillips LG, Heggors JP. Containment of a multiresistant *Serratia marcescens* outbreak. *Burns* 1997;23(1):15-8.
352. Embil JM, McLeod JA, Al-Barrak AM, et al. An outbreak of methicillin resistant *Staphylococcus aureus* on a burn unit: potential role of contaminated hydrotherapy equipment. *Burns* 2001;27(7):681-8.
353. Meier PA, Carter CD, Wallace SE, Hollis RJ, Pfaller MA, Herwaldt LA. A prolonged outbreak of methicillin-resistant *Staphylococcus aureus* in the burn unit of a tertiary medical center. *Infect Control Hosp Epidemiol* 1996;17(12):798-802.
354. Snyder LL, Wiebelhaus P, Boon SE, Morin RA, Goering R. Methicillin-resistant *Staphylococcus aureus* eradication in a burn center. *J Burn Care Rehabil* 1993;14(2 Pt 1):164-8.
355. May AK, Melton SM, McGwin G, Cross JM, Moser SA, Rue LW. Reduction of vancomycin-resistant enterococcal infections by limitation of broad-spectrum cephalosporin use in a trauma and burn intensive care unit. *Shock* 2000;14(3):259-64.
356. Sheridan RL, Weber JM, Budkevich LG, Tompkins RG. Candidemia in the pediatric patient with burns. *J Burn Care Rehabil* 1995;16(4):440-3.
357. Mayhall CG. The epidemiology of burn wound infections: then and now. *Clin Infect Dis* 2003;37(4):543-50.
358. McManus AT, Mason AD, Jr., McManus WF, Pruitt BA, Jr. A decade of reduced gram-negative infections and mortality associated with improved isolation of burned patients. *Arch Surg* 1994;129(12):1306-9.

359. Bryce EA, Walker M, Scharf S, et al. An outbreak of cutaneous aspergillosis in a tertiary-care hospital. *Infect Control Hosp Epidemiol* 1996;17(3):170-2.
360. Levenson C, Wohlford P, Djou J, Evans S, Zawacki B. Preventing postoperative burn wound aspergillosis. *J Burn Care Rehabil* 1991;12(2):132-5.
361. Tredget EE, Shankowsky HA, Joffe AM, et al. Epidemiology of infections with *Pseudomonas aeruginosa* in burn patients: the role of hydrotherapy. *Clin Infect Dis* 1992;15(6):941-9.
362. Wisplinghoff H, Perbix W, Seifert H. Risk factors for nosocomial bloodstream infections due to *Acinetobacter baumannii*: a case-control study of adult burn patients. *Clin Infect Dis* 1999;28(1):59-66.
363. Weber JM, Sheridan RL, Schulz JT, Tompkins RG, Ryan CM. Effectiveness of bacteria-controlled nursing units in preventing cross-colonization with resistant bacteria in severely burned children. *Infect Control Hosp Epidemiol* 2002;23(9):549-51.
364. Bayat A, Shaaban H, Dodgson A, Dunn KW. Implications for Burns Unit design following outbreak of multi-resistant *Acinetobacter* infection in ICU and Burns Unit. *Burns* 2003;29(4):303-6.
365. Lee JJ, Marvin JA, Heimbach DM, Grube BJ, Engrav LH. Infection control in a burn center. *J Burn Care Rehabil* 1990;11(6):575-80.
366. Raymond J, Aujard Y. Nosocomial infections in pediatric patients: a European, multicenter prospective study. European Study Group. *Infect Control Hosp Epidemiol* 2000;21(4):260-3.
367. Campins M, Vaque J, Rossello J, et al. Nosocomial infections in pediatric patients: a prevalence study in Spanish hospitals. EPINE Working Group. *Am J Infect Control* 1993;21(2):58-63.
368. Allen U, Ford-Jones EL. Nosocomial infections in the pediatric patient: an update. *Am J Infect Control* 1990;18(3):176-93.
369. Grohskopf LA, Sinkowitz-Cochran RL, Garrett DO, et al. A national point-prevalence survey of pediatric intensive care unit-acquired infections in the United States. *J Pediatr* 2002;140(4):432-8.
370. Sohn AH, Garrett DO, Sinkowitz-Cochran RL, et al. Prevalence of nosocomial infections in neonatal intensive care unit patients: Results from the first national point-prevalence survey. *J Pediatr* 2001;139(6):821-7.
371. Gaynes RP, Edwards JR, Jarvis WR, Culver DH, Tolson JS, Martone WJ. Nosocomial infections among neonates in high-risk nurseries in the United States. National Nosocomial Infections Surveillance System. *Pediatrics* 1996;98(3 Pt 1):357-61.
372. Richards MJ, Edwards JR, Culver DH, Gaynes RP. Nosocomial infections in pediatric intensive care units in the United States. National Nosocomial Infections Surveillance System. *Pediatrics* 1999;103(4):e39.
373. Maltezou HC, Drancourt M. Nosocomial influenza in children. *J Hosp Infect* 2003;55(2):83-91.
374. Moisiuk SE, Robson D, Klass L, et al. Outbreak of parainfluenza virus type 3 in an intermediate care neonatal nursery. *Pediatr Infect Dis J* 1998;17(1):49-53.(mj).
375. Mullins JA, Erdman DD, Weinberg GA, et al. Human metapneumovirus infection among children hospitalized with acute respiratory illness. *Emerg Infect Dis* 2004;10(4):700-5.
376. Hatherill M, Levin M, Lawrenson J, Hsiao NY, Reynolds L, Argent A. Evolution of an adenovirus outbreak in a multidisciplinary children's hospital. *J Paediatr Child Health* 2004;40(8):449-54.
377. Langley JM, Hanakowski M. Variation in risk for nosocomial chickenpox after inadvertent exposure. *J Hosp Infect* 2000;44(3):224-6.
378. Ratner AJ, Neu N, Jakob K, et al. Nosocomial rotavirus in a pediatric hospital. *Infect Control Hosp Epidemiol* 2001;22(5):299-301.
379. Avila-Aguero ML, German G, Paris MM, Herrera JF. Toys in a pediatric hospital: are they a bacterial source? *Am J Infect Control* 2004;32(5):287-90.
380. Nyqvist KH, Lutes LM. Co-bedding twins: a developmentally supportive care strategy. *J Obstet Gynecol Neonatal Nurs* 1998;27(4):450-6.
381. Feldman R, Eidelman AI, Sirota L, Weller A. Comparison of skin-to-skin (kangaroo) and traditional care: parenting outcomes and preterm infant development. *Pediatrics* 2002;110(1 Pt 1):16-26.

382. Conde-Agudelo A, Diaz-Rossello JL, Belizan JM. Kangaroo mother care to reduce morbidity and mortality in low birthweight infants. *Cochrane Database Syst Rev* 2003(2):CD002771.
383. Adcock PM, Pastor P, Medley F, Patterson JE, Murphy TV. Methicillin-resistant *Staphylococcus aureus* in two child care centers. *J Infect Dis* 1998;178(2):577-80.
384. Shahin R, Johnson IL, Jamieson F, McGeer A, Tolkin J, Ford-Jones EL. Methicillin-resistant *Staphylococcus aureus* carriage in a child care center following a case of disease. Toronto Child Care Center Study Group. *Arch Pediatr Adolesc Med* 1999;153(8):864-8.
385. Stover BH, Duff A, Adams G, Buck G, Hancock G, Rabalais G. Emergence and control of methicillin-resistant *Staphylococcus aureus* in a children's hospital and pediatric long-term care facility. *Am J Infect Control* 1992;20(5):248-55.
386. Herold BC, Immergluck LC, Maranan MC, et al. Community-acquired methicillin-resistant *Staphylococcus aureus* in children with no identified predisposing risk. *JAMA* 1998;279(8):593-8.
387. CDC. Four pediatric deaths from community-acquired methicillin-resistant *Staphylococcus aureus*—Minnesota and North Dakota, 1997-1999. *MMWR – Morbidity & Mortality Weekly Report* 1999;48:707-10.
388. Abi-Hanna P, Frank AL, Quinn JP, et al. Clonal features of community-acquired methicillin-resistant *Staphylococcus aureus* in children. *Clin Infect Dis* 2000;30(3):630-1.
389. Fergie JE, Purcell K. Community-acquired methicillin-resistant *Staphylococcus aureus* infections in south Texas children. *Pediatr Infect Dis J* 2001;20(9):860-3.
390. Sattler CA, Mason EO, Jr., Kaplan SL. Prospective comparison of risk factors and demographic and clinical characteristics of community-acquired, methicillin-resistant versus methicillin-susceptible *Staphylococcus aureus* infection in children. *Pediatr Infect Dis J* 2002;21(10):910-7.
391. Kaplan SL, Hulten KG, Gonzalez BE, et al. Three-year surveillance of community-acquired *Staphylococcus aureus* infections in children. *Clin Infect Dis* 2005;40(12):1785-91.
392. Jarvis WR. Infection control and changing health-care delivery systems. *Emerg Infect Dis* 2001;7(2):170-3.
393. Garibaldi RA. Residential care and the elderly: the burden of infection. *J Hosp Infect* 1999;43 Suppl:S9-18.
394. Hsu K, Harris JA. Control of infections in nonacute care pediatric settings. *Seminars Pedi Infect Dis* 2001;12(2):92-9.
395. Strausbaugh LJ, Joseph CL. The burden of infection in long-term care. *Infect Control Hosp Epidemiol* 2000;21(10):674-9.
396. Centers for Medicare and Medicaid Services. Healthcare Industry Market Update. [This link is no longer active: http://www.cms.hhs.gov/reports/hcimu/hcimu_05202003pdf.] May 2003.
397. Lee YL, Thrupp LD, Friis RH, Fine M, Maleki P, Cesario TC. Nosocomial infection and antibiotic utilization in geriatric patients: a pilot prospective surveillance program in skilled nursing facilities. *Gerontology* 1992;38(4):223-32.
398. Stevenson KB. Regional data set of infection rates for long-term care facilities: description of a valuable benchmarking tool. *Am J Infect Control* 1999;27(1):20-6.
399. Jackson MM, Fierer J, Barrett-Connor E, et al. Intensive surveillance for infections in a three-year study of nursing home patients. *Am J Epidemiol* 1992;135(6):685-96.
400. Darnowski SB, Gordon M, Simor AE. Two years of infection surveillance in a geriatric long-term care facility. *Am J Infect Control* 1991;19(4):185-90.
401. Hoffman N, Jenkins R, Putney K. Nosocomial infection rates during a one-year period in a nursing home care unit of a Veterans Administration hospital. *Am J Infect Control* 1990;18(2):55-63.
402. Tsan L, Hojlo C, Kearns MA, et al. Infection surveillance and control programs in the Department of Veterans Affairs nursing home care units: a preliminary assessment. *Am J Infect Control* 2006;34(2):80-3.
403. Kane RA, Caplan AL, Urv-Wong EK, Freeman IC, Aroskar MA, Finch M. Everyday matters in the lives of nursing home residents: wish for and perception of choice and control. *J Am Geriatr Soc* 1997;45:1086-93.
404. Libow LS, Starer P. Care of the nursing home patient. *N Engl J Med* 1989;321(2):93-6.

405. Perls TT, Herget M. Higher respiratory infection rates on an Alzheimer's special care unit and successful intervention. *J Am Geriatr Soc* 1995;43(12):1341-4.
406. Bradley SF. Issues in the management of resistant bacteria in long-term-care facilities. *Infect Control Hosp Epidemiol* 1999;20(5):362-6.
407. Crossley K. Vancomycin-resistant enterococci in long-term-care facilities. *Infect Control Hosp Epidemiol* 1998;19(7):521-5.
408. Strausbaugh LJ, Crossley KB, Nurse BA, Thrupp LD. Antimicrobial resistance in long-term-care facilities. *Infect Control Hosp Epidemiol* 1996;17(2):129-40.
409. Richards CL. Infections in Long-Term-Care Facilities: Screen or Clean? *Infect Control Hosp Epidemiol* 2005;26(10):800-01.
410. Drinka PJ, Krause P, Nest L, Goodman BM, Gravenstein S. Risk of acquiring influenza A in a nursing home from a culture-positive roommate. *Infect Control Hosp Epidemiol* 2003;24(11):872-4.
411. Falsey AR, Treanor JJ, Betts RF, Walsh EE. Viral respiratory infections in the institutionalized elderly: clinical and epidemiologic findings. *J Am Geriatr Soc* 1992;40(2):115-9.
412. Ellis SE, Coffey CS, Mitchel EF, Jr., Dittus RS, Griffin MR. Influenza- and respiratory syncytial virus-associated morbidity and mortality in the nursing home population. *J Am Geriatr Soc* 2003;51(6):761-7.
413. Louie JK, Yagi S, Nelson FA, et al. Rhinovirus outbreak in a long term care facility for elderly persons associated with unusually high mortality. *Clin Infect Dis* 2005;41(2):262-5.
414. Piednoir E, Bureau-Chalot F, Merle C, Gotzamanis A, Wuibout J, Bajolet O. Direct costs associated with a nosocomial outbreak of adenoviral conjunctivitis infection in a long-term care institution. *Am J Infect Control* 2002;30(7):407-10.
415. Addiss DG, Davis JP, Meade BD, et al. A pertussis outbreak in a Wisconsin nursing home. *J Infect Dis* 1991;164(4):704-10.
416. Gaynes R, Rimland D, Killum E, et al. Outbreak of *Clostridium difficile* infection in a long-term care facility: association with gatifloxacin use. *Clin Infect Dis* 2004;38(5):640-5.
417. High KP, Bradley S, Loeb M, Palmer R, Quagliarello V, Yoshikawa T. A new paradigm for clinical investigation of infectious syndromes in older adults: assessment of functional status as a risk factor and outcome measure. *Clin Infect Dis* 2005;40(1):114-22.
418. Loeb MB, Craven S, McGeer AJ, et al. Risk factors for resistance to antimicrobial agents among nursing home residents. *Am J Epidemiol* 2003;157(1):40-7.
419. Vergis EN, Brennen C, Wagener M, Muder RR. Pneumonia in long-term care: a prospective case-control study of risk factors and impact on survival. *Arch Intern Med* 2001;161(19):2378-81.
420. Loeb M, McGeer A, McArthur M, Walter S, Simor AE. Risk factors for pneumonia and other lower respiratory tract infections in elderly residents of long-term care facilities. *Arch Intern Med* 1999;159(17):2058-64.
421. Brandeis GH, Ooi WL, Hossain M, Morris JN, Lipsitz LA. A longitudinal study of risk factors associated with the formation of pressure ulcers in nursing homes. *J Am Geriatr Soc* 1994;42(4):388-93.
422. Allard JP, Aghdassi E, McArthur M, et al. Nutrition risk factors for survival in the elderly living in Canadian long-term care facilities. *J Am Geriatr Soc* 2004;52(1):59-65.
423. Pick N, McDonald A, Bennett N, et al. Pulmonary aspiration in a long-term care setting: clinical and laboratory observations and an analysis of risk factors. *J Am Geriatr Soc* 1996;44(7):763-8.
424. Nicolle LE. The chronic indwelling catheter and urinary infection in long-term-care facility residents. *Infect Control Hosp Epidemiol* 2001;22(5):316-21.
425. Pien EC, Hume KE, Pien FD. Gastrostomy tube infections in a community hospital. *Am J Infect Control* 1996;24(5):353-8.
426. Gomes GF, Pisani JC, Macedo ED, Campos AC. The nasogastric feeding tube as a risk factor for aspiration and aspiration pneumonia. *Curr Opin Clin Nutr Metab Care* 2003;6(3):327-33.
427. Bula CJ, Ghilardi G, Wietlisbach V, Petignat C, Francioli P. Infections and functional impairment in nursing home residents: a reciprocal relationship. *J Am Geriatr Soc* 2004;52(5):700-6.

128. Bradley SF, Terpenning MS, Ramsey MA, et al. Methicillin-resistant *Staphylococcus aureus*: colonization and infection in a long-term care facility. *Ann Intern Med* 1991;115(6):417-22.
129. Washio M, Nishisaka S, Kishikawa K, et al. Incidence of methicillin-resistant *Staphylococcus aureus* (MRSA) isolation in a skilled nursing home: a third report on the risk factors for the occurrence of MRSA infection in the elderly. *J Epidemiol* 1996;6(2):69-73.
130. Trick WE, Weinstein RA, DeMarais PL, et al. Colonization of skilled-care facility residents with antimicrobial-resistant pathogens. *J Am Geriatr Soc* 2001;49(3):270-6.
131. Nicolle LE, Garibaldi RA. Infection control in long-term-care facilities. *Infect Control Hosp Epidemiol* 1995;16(6):348-53.(s).
132. Crossley K. Long-term care facilities as sources of antibiotic-resistant nosocomial pathogens. *Curr Opin Infect Dis* 2001;14(4):455-9.
133. Smith PW, Rusnak PG. Infection prevention and control in the long-term-care facility. SHEA Long-Term-Care Committee and APIC Guidelines Committee. *Infect Control Hosp Epidemiol* 1997;18(12):831-49.(s).
134. Friedman C, Barnette M, Buck AS, et al. Requirements for infrastructure and essential activities of infection control and epidemiology in out-of-hospital settings: a consensus panel report. Association for Professionals in Infection Control and Epidemiology and Society for Healthcare Epidemiology of America. *Infect Control Hosp Epidemiol* 1999;20(10):695-705.
135. Nicolle LE. Infection control in long-term care facilities. *Clin Infect Dis* 2000;31(3):752-6.
136. Bradley SF. Methicillin-resistant *Staphylococcus aureus*: long-term care concerns. *Am J Med* 1999;106(5A):2S-10S; discussion 48S-52S.
137. Centers for Medicare and Medicaid Services. [State Operations Manual: Appendix PP – Guidance to Surveyors for Long Term Care FacilitiesCdc-pdfExternal](#) [PDF](#) [↗](#) [Current version of this document may differ from original.]
138. Mylotte JM, Goodnough S, Tayara A. Antibiotic-resistant organisms among long-term care facility residents on admission to an inpatient geriatrics unit: Retrospective and prospective surveillance. *Am J Infect Control* 2001;29(3):139-44.
139. Strausbaugh LJ, Jacobson C, Yost T. Methicillin-resistant *Staphylococcus aureus* in a nursing home and affiliated hospital: a four-year perspective. *Infect Control Hosp Epidemiol* 1993;14(6):331-6.
140. Wiener J, Quinn JP, Bradford PA, et al. Multiple antibiotic-resistant *Klebsiella* and *Escherichia coli* in nursing homes. *Jama* 1999;281(6):517-23.
141. Pop-Vicas AE, D'Agata EM. The rising influx of multidrug-resistant gram-negative bacilli into a tertiary care hospital. *Clin Infect Dis* 2005;40(12):1792-8.
142. Ly N, McCaig LF. National Hospital Ambulatory Medical Care Survey: 2000 outpatient department summary. *Adv Data* 2002(327):1-27.
143. Cherry DK, Woodwell DA. National Ambulatory Medical Care Survey: 2000 summary. *Adv Data* 2002(328):1-32.
144. Finelli L, Miller JT, Tokars JJ, Alter MJ, Arduino MJ. National surveillance of dialysis-associated diseases in the United States, 2002. *Semin Dial* 2005;18(1):52-61.
145. D'Agata EM. Antimicrobial-resistant, Gram-positive bacteria among patients undergoing chronic hemodialysis. *Clin Infect Dis* 2002;35(10):1212-8.
146. Goodman RA, Solomon SL. Transmission of infectious diseases in outpatient health care settings. *JAMA* 1991;265(18):2377-81.
147. Nafziger DA, Lundstrom T, Chandra S, Massanari RM. Infection control in ambulatory care. *Infect Dis Clin North Am* 1997;11(2):279-96.
148. Herwaldt LA, Smith SD, Carter CD. Infection control in the outpatient setting. *Infect Control Hosp Epidemiol* 1998;19(1):41-74.
149. Hlady WG, Hopkins RS, Ogilby TE, Allen ST. Patient-to-patient transmission of hepatitis B in a dermatology practice. *Am J Public Health* 1993;83(12):1689-93.
150. Birnie GG, Quigley EM, Clements GB, Follet EA, Watkinson G. Endoscopic transmission of hepatitis B virus. *Gut* 1983;24(2):171-4.
151. Chant K, Lowe D, Rubin G, et al. Patient-to-patient transmission of HIV in private surgical consulting rooms. *Lancet* 1993;342(8886-8887):1548-9.
152. Chant K, Kociuba K, Munro R, et al. Investigation of Possible Patient-to-Patient Transmission of Hepatitis C in a Hospital. *NSW Public Health Bull* 1994;5(5):47-51.

153. CDC. Transmission of hepatitis B and C viruses in outpatient settings—New York, Oklahoma, and Nebraska, 2000-2002. *MMWR Morb Mortal Wkly Rep* 2003;52(38):901-6.
154. Williams IT, Perz JF, Bell BP. Viral hepatitis transmission in ambulatory health care settings. *Clin Infect Dis* 2004;38(11):1592-8.
155. Couldwell DL, Dore GJ, Harkness JL, et al. Nosocomial outbreak of tuberculosis in an outpatient HIV treatment room. *Aids* 1996;10(5):521-5.
156. CDC. *Mycobacterium tuberculosis* Transmission in a Health Clinic — Florida. *MMWR* 1989;38(15):256-8; 63-64.
157. Calder RA, Duclos P, Wilder MH, Pryor VL, Scheel WJ. *Mycobacterium tuberculosis* transmission in a health clinic. *Bull Int Union Tuberc Lung Dis* 1991;66(2-3):103-6.
158. Istre GR, McKee PA, West GR, et al. Measles spread in medical settings: an important focus of disease transmission? *Pediatrics* 1987;79(3):356-8.
159. Dawson C, Darrell R. Infections due to adenovirus type 8 in the United States. I. An outbreak of epidemic keratoconjunctivitis originating in a physician's office. *N Engl J Med* 1963;268:1031-4.
160. Montessori V, Scharf S, Holland S, Werker DH, Roberts FJ, Bryce E. Epidemic keratoconjunctivitis outbreak at a tertiary referral eye care clinic. *Am J Infect Control* 1998;26(4):399-405.
161. Jernigan JA, Lowry BS, Hayden FG, et al. Adenovirus type 8 epidemic keratoconjunctivitis in an eye clinic: risk factors and control. *J Infect Dis* 1993;167(6):1307-13.
162. Buehler JW, Finton RJ, Goodman RA, et al. Epidemic keratoconjunctivitis: report of an outbreak in an ophthalmology practice and recommendations for prevention. *Infect Control* 1984;5(8):390-4.
163. Johnston CP, Cooper L, Ruby W, Teeter T, al. E. Community-associated methicillin resistant *Staphylococcus aureus* skin infections among outpatient healthcare workers and its isolation in the clinic environment. Presented at the 15th Annual Scientific Meeting of the Society for Healthcare Epidemiology of America (SHEA), Los Angeles, California, 4/10/05. Abstract #132 2005.
164. Biddick R, Spilker T, Martin A, LiPuma JJ. Evidence of transmission of *Burkholderia cepacia*, *Burkholderia multivorans* and *Burkholderia dolosa* among persons with cystic fibrosis. *FEMS Microbiol Lett* 2003;228(1):57-62.
165. Griffiths AL, Jamsen K, Carlin JB, et al. Effects of segregation on an epidemic *Pseudomonas aeruginosa* strain in a cystic fibrosis clinic. *Am J Respir Crit Care Med* 2005;171(9):1020-5.
166. Danzig LE, Short LJ, Collins K, et al. Bloodstream infections associated with a needleless intravenous infusion system in patients receiving home infusion therapy. *JAMA* 1995;273(23):1862-4.
167. Kellerman S, Shay DK, Howard J, et al. Bloodstream infections in home infusion patients: the influence of race and needleless intravascular access devices. *J Pediatr* 1996;129(5):711-7.
168. Do AN, Ray BJ, Banerjee SN, et al. Bloodstream infection associated with needleless device use and the importance of infection-control practices in the home health care setting. *J Infect Dis* 1999;179(2):442-8.
169. Tokars JL, Cookson ST, McArthur MA, Boyer CL, McGeer AJ, Jarvis WR. Prospective evaluation of risk factors for bloodstream infection in patients receiving home infusion therapy. *Ann Intern Med* 1999;131(5):340-7.
170. Manangan LP, Pearson ML, Tokars JL, Miller E, Jarvis WR. Feasibility of national surveillance of health-care-associated infections in home-care settings. *Emerg Infect Dis* 2002;8(3):233-6.
171. Shah SS, Manning ML, Leahy E, Magnusson M, Rheingold SR, Bell LM. Central venous catheter-associated bloodstream infections in pediatric oncology home care. *Infect Control Hosp Epidemiol* 2002;23(2):99-101.
172. Gorski LA. Central venous access device outcomes in a homecare agency: a 7-year study. *J Infus Nurs* 2004;27(2):104-11.
173. Rosenheimer L, Embry FC, Sanford J, Silver SR. Infection surveillance in home care: device-related incidence rates. *Am J Infect Control* 1998;26(3):359-63.
174. White MC, Ragland KE. Surveillance of intravenous catheter-related infections among home care clients. *Am J Infect Control* 1994;22(4):231-5.

175. Beltrami EM, McArthur MA, McGeer A, et al. The nature and frequency of blood contacts among home healthcare workers. *Infect Control Hosp Epidemiol* 2000;21(12):765-70.
176. Embry FC, Chinnes LF. Draft definitions for surveillance of infections in home health care. *Am J Infect Control* 2000;28(6):449-53.
177. Fraser TG, Stosor V, Wang Q, Allen A, Zembower TR. Vancomycin and home health care. *Emerg Infect Dis* 2005;11(10):1558-64.
178. Carrico RM, Niner S. Multidrug resistant organisms—VRE and MRSA: practical home care tips. *Home Healthc Nurse* 2002;20(1):23-8; quiz 8-9.
179. Friedman MM, Rhinehart E. Improving infection control in home care: from ritual to science-based practice. *Home Healthc Nurse* 2000;18(2):99-105; quiz 6.
180. Friedman MM, Rhinehart E. Putting infection control principles into practice in home care. *Nurs Clin North Am* 1999;34(2):463-82.
181. Davis PL, Madigan EA. Evidence-based practice and the home care nurse's bag. *Home Healthc Nurse* 1999;17(5):295-9.
182. Sitzman KL, Pett MA, Boswick DS. An exploratory study of nurse bag use by home visiting nurses. *Home Healthc Nurse* 2002;20(4):237-43.
183. Anderson MA, Madigan EA, Helms LB. Nursing research in home health care: endangered species? *Home Care Provid* 2001;6(6):200-4.
184. White MC. Identifying infectious diseases in prisons: surveillance, protection, and intervention. *West J Med* 1999;170(3):177.
185. Puisis M. Update on public health in correctional facilities. *West J Med* 1998;169(6):374.
186. Levy MH, Lerwitworapong J. Issues facing TB control (3.1). Tuberculosis in prisons. *Scott Med J* 2000;45(5 Suppl):30-2; discussion 3.
187. Parece MS, Herrera GA, Voigt RF, Middlekauff SL, Irwin KL. STD testing policies and practices in U.S. city and county jails. *Sex Transm Dis* 1999;26(8):431-7.
188. Cieslak PR, Curtis MB, Coulombier DM, Hathcock AL, Bean NH, Tauxe RV. Preventable disease in correctional facilities. Desmotic foodborne outbreaks in the United States, 1974-1991. *Arch Intern Med* 1996;156(16):1883-8.
189. CDC. Public health dispatch: tuberculosis outbreak in a homeless population—Portland, Maine, 2002-2003. *MMWR Morb Mortal Wkly Rep* 2003;52(48):1184.
190. CDC. Public health dispatch: tuberculosis outbreak among homeless persons—King County, Washington, 2002-2003. *MMWR Morb Mortal Wkly Rep* 2003;52(49):1209-10.
191. CDC. Tuberculosis transmission in a homeless shelter population—New York, 2000-2003. *MMWR Morb Mortal Wkly Rep* 2005;54(6):149-52.
192. Baillargeon J, Kelley MF, Leach CT, Baillargeon G, Pollock BH. Methicillin-resistant *Staphylococcus aureus* infection in the Texas prison system. *Clin Infect Dis* 2004;38(9):e92-5.
193. Young DM, Harris HW, Charlebois ED, et al. An epidemic of methicillin-resistant *Staphylococcus aureus* soft tissue infections among medically underserved patients. *Arch Surg* 2004;139(9):947-51; discussion 51-3.
194. Pan ES, Diep BA, Carleton HA, et al. Increasing prevalence of methicillin-resistant *Staphylococcus aureus* infection in California jails. *Clin Infect Dis* 2003;37(10):1384-8.
195. CDC. Drug-susceptible tuberculosis outbreak in a state correctional facility housing HIV-infected inmates—South Carolina, 1999-2000. *MMWR Morb Mortal Wkly Rep* 2000;49(46):1041-4.
196. CDC. Methicillin-resistant *Staphylococcus aureus* skin or soft tissue infections in a state prison—Mississippi, 2000. *MMWR Morb Mortal Wkly Rep* 2001;50(42):919-22.
197. Mohle-Boetani JC, Miguelino V, Dewsnup DH, et al. Tuberculosis outbreak in a housing unit for human immunodeficiency virus-infected patients in a correctional facility: transmission risk factors and effective outbreak control. *Clin Infect Dis* 2002;34(5):668-76.
198. CDC. Prevention and Control of Tuberculosis in Correctional Facilities. Recommendations of the Advisory Council for the Elimination of Tuberculosis. *MMWR Recomm Rep* 1996;45(RR-8):1-37.
199. Whimbey E, Englund JA, Couch RB. Community respiratory virus infections in immunocompromised patients with cancer. *Am J Med* 1997;102(3A):10-8; discussion 25-6.



TABLE OF CONTENTS
ISOLATION PRECAUTIONS GUIDELINE

Isolation Precautions Guideline

▼ SHOW MORE

NOVEMBER 21, 2023

⊕ SOURCES

SHARE

CONTENT SOURCE:
National Center for Emerging and Zoonotic Infectious Diseases (NCEZID)

How helpful was this page?

☆

☆

☆

☆

☆

Not helpful

Very helpful

RELATED PAGES

- Isolation Precautions Guideline
- Part IV: Recommendations
- Glossary
- Appendix A
- Type and Duration of Precautions