

|->

Title 22@ Social Security

|->

Division 4.5@ Environmental Health Standards for the Management of Hazardous Waste

|->

Chapter 14@ Standards for Owners and Operators of Hazardous Waste Transfer, Treatment, Storage, and Disposal Facilities

|->

Article 11@ Surface Impoundments

|->

Section 66264.229@ Special Requirements for Ignitable or Reactive Waste

66264.229 Special Requirements for Ignitable or Reactive Waste

Ignitable or reactive waste shall not be placed in a surface impoundment unless the waste and impoundment satisfy all applicable requirements of chapter 18 of this division, and:

(a)

the waste is treated, rendered, or mixed before or immediately after placement in the impoundment so that: (1) the resulting waste, mixture, or dissolution of material no longer meets the definition of ignitable or reactive waste under sections 66261.21 or 66261.23 of this chapter; and (2) section 66264.17(b) is complied with; or

(1)

the resulting waste, mixture, or dissolution of material no longer meets the definition of ignitable or reactive waste under sections 66261.21 or 66261.23 of this chapter; and

(2)

section 66264.17(b) is complied with; or

(b)

the waste is managed in such a way that it is protected from any material or conditions which may cause it to ignite or react; or

(c)

the surface impoundment is used solely for emergencies.