

|->

Title 22@ Social Security

|->

Division 4.5@ Environmental Health Standards for the Management of Hazardous Waste

|->

Chapter 14@ Standards for Owners and Operators of Hazardous Waste Transfer, Treatment, Storage, and Disposal Facilities

|->

Article 28@ Air Emission Standards for Equipment Leaks

|->

Section 66264.1055@ Standards: Sampling Connecting Systems

66264.1055 Standards: Sampling Connecting Systems

(a)

Each sampling connection system shall be equipped with a closed-purge, closed-loop, or closed-vent system. This system shall collect the sample purge for return to the process or for routing to the appropriate treatment system. Gases displaced during filling of the sample container are not required to be collected or captured.

(b)

Each closed-purge, closed-loop, or closed-vent system as required in subsection (a) of this section shall meet one of the following requirements: (1) return the purged process fluid directly to the process line; (2) collect and recycle the purged process fluid; or (3) be designed and operated to capture and transport all the purged process fluid to a waste management unit that complies with the applicable requirements of sections 66264.1084 through 66264.1086 or a control device that complies with the requirements of section 66264.1060.

(1)

return the purged process fluid directly to the process line;

(2)

collect and recycle the purged process fluid; or

(3)

be designed and operated to capture and transport all the purged process fluid to a

waste management unit that complies with the applicable requirements of sections 66264.1084 through 66264.1086 or a control device that complies with the requirements of section 66264.1060.

(c)

In-situ sampling systems and sampling systems without purges are exempt from the requirements of subsections (a) and (b) of this section.