

|->

Title 22@ Social Security

|->

Division 4.5@ Environmental Health Standards for the Management of Hazardous Waste

|->

Chapter 15@ Interim Status Standards for Owners and Operators of Hazardous Waste Transfer, Treatment, Storage, and Disposal Facilities

|->

Article 17.5@ Drip Pads

|->

Section 66265.445@ Closure

66265.445 Closure

(a)

At closure, the owner or operator shall remove or decontaminate all waste residues, contaminated containment system components (pad, liners, etc.), contaminated subsoils, and structures and equipment contaminated with waste and leakage, and manage them as hazardous waste.

(b)

If, after removing or decontaminating all residues and making reasonable efforts to effect removal or decontamination of contaminated components, subsoils, structures, and equipment as required in subsection (a) of this section, the owner or operator finds that not all contaminated subsoils can be practically removed or decontaminated, the owner or operator shall close the facility and perform post-closure care in accordance with closure and post-closure care requirements that apply to landfills (section 66265.310). For permitted units, the requirement to have a permit continues throughout the post-closure period.

(c)

(1) The owner or operator of an existing drip pad, as defined in section 66265.440, that does not comply with the liner requirements of section 66265.443(b)(1) shall: (A) include in the closure plan for the drip pad under section 66265.112 both a plan for complying with subsection (a) of this section and a contingent plan for complying with subsection (b) of this section in case not

all contaminated subsoils can be practicably removed at closure; and (B) prepare a contingent post-closure plan under section 66265.118 for complying with subsection (b) of this section in case not all contaminated subsoils can be practicably removed at closure; (2) the cost estimates calculated under sections 66265.112 and 66265.144 for closure and post-closure care of a drip pad subject to this subsection shall include the cost of complying with the contingent closure plan and the contingent post-closure plan, but are not required to include the cost of expected closure under subsection (a) of this section.

(1)

The owner or operator of an existing drip pad, as defined in section 66265.440, that does not comply with the liner requirements of section 66265.443(b)(1) shall: (A) include in the closure plan for the drip pad under section 66265.112 both a plan for complying with subsection (a) of this section and a contingent plan for complying with subsection (b) of this section in case not all contaminated subsoils can be practicably removed at closure; and (B) prepare a contingent post-closure plan under section 66265.118 for complying with subsection (b) of this section in case not all contaminated subsoils can be practicably removed at closure;

(A)

include in the closure plan for the drip pad under section 66265.112 both a plan for complying with subsection (a) of this section and a contingent plan for complying with subsection (b) of this section in case not all contaminated subsoils can be practicably removed at closure; and

(B)

prepare a contingent post-closure plan under section 66265.118 for complying with subsection (b) of this section in case not all contaminated subsoils can be practicably removed at closure;

(2)

the cost estimates calculated under sections 66265.112 and 66265.144 for closure and post-closure care of a drip pad subject to this subsection shall include the cost of complying with the contingent closure plan and the contingent post-closure plan, but are not required to include the cost of expected closure under subsection (a) of this section.