California Code Of Regulations
|->
Title 22@ Social Security
|->
Division 4.5@ Environmental Health Standards for the Management of Hazardous Waste
|->
Chapter 15@ Interim Status Standards for Owners and Operators of Hazardous Waste Transfer, Treatment, Storage, and Disposal Facilities
|->
Article 27@ Air Emission Standards for Process Vents
|->

66265.1032 Standards: Process Vents

(a)

Section 66265.1032@ Standards: Process Vents

The owner or operator of a facility with process vents associated with distillation, fractionation, thin-film evaporation, solvent extraction or air or steam stripping operations managing hazardous wastes with organic concentrations at least 10 ppmw shall either: (1) reduce total organic emissions from all affected process vents at the facility below 1.4 kg/h (3 1b/h) and 2.8 Mg/yr (3.1 tons/yr); or (2) reduce, by use of a control device, total organic emissions from all affected process vents at the facility by 95 weight percent.

(1)

reduce total organic emissions from all affected process vents at the facility below 1.4 kg/h (3 1b/h) and 2.8 Mg/yr (3.1 tons/yr); or

(2)

reduce, by use of a control device, total organic emissions from all affected process vents at the facility by 95 weight percent.

(b)

If the owner or operator installs a closed-vent system and control device to comply with the provisions of Subsection (a) of this section, the closed-vent system and control device shall meet the requirements of Section 66265.1033.

(c)

Determinations of vent emissions and emission reductions or total organic

compound concentrations achieved by add-on control devices may be based on engineering calculations or performance tests. If performance tests are used to determine vent emissions, emission reductions, or total organic compound concentrations achieved by add-on control devices, the performance tests shall conform with the requirements of Section 66265.1034(c).

(d)

When an owner or operator and the Department do not agree on determinations of vent emissions and/or emission reductions or total organic compound concentrations achieved by add-on control devices based on engineering calculations, the test methods in Section 66265.1034(c) shall be used to resolve the disagreement.