```
California Code Of Regulations
|->
Title 22@ Social Security
|->
Division 4.5@ Environmental Health Standards for the Management of Hazardous Waste
|->
Chapter 15@ Interim Status Standards for Owners and Operators of Hazardous Waste Transfer, Treatment, Storage, and Disposal Facilities
|->
Article 28@ Air Emissions Standards for Equipment Leaks
|->
```

# 66265.1050 Applicability

#### (a)

Section 66265.1050@ Applicability

The regulations in this article apply to owners and operators of facilities that treat, store, or dispose of RCRA hazardous wastes (except as provided in section 66265.1).

## (b)

Except as provided in section 66265.1064(k), this article applies to equipment that contains or contacts RCRA hazardous wastes with organic concentrations of at least ten percent by weight that are managed in:(1) a unit that is subject to the permitting requirements of chapter 20; or (2) a unit (including a hazardous waste recycling unit) that is not exempt from permitting under the provisions of section 66262.17 (i.e., a hazardous waste recycling unit that is not a "90-day" tank or container) and that is located at a hazardous waste management facility otherwise subject to the permitting requirements of chapter 20; or (3) a unit that is exempt from permitting under the provisions of 66262.17 (i.e., a "90-day" tank or container) and is not a recycling unit under the provisions of section 66261.6.

(1)

a unit that is subject to the permitting requirements of chapter 20; or

(2)

a unit (including a hazardous waste recycling unit) that is not exempt from permitting under the provisions of section 66262.17 (i.e., a hazardous waste recycling unit that is

not a "90-day" tank or container) and that is located at a hazardous waste management facility otherwise subject to the permitting requirements of chapter 20; or (3)

a unit that is exempt from permitting under the provisions of 66262.17 (i.e., a "90-day" tank or container) and is not a recycling unit under the provisions of section 66261.6.

## (c)

Each piece of equipment to which this article applies shall be marked in such a manner that it can be distinguished readily from other pieces of equipment.

### (d)

Equipment that is in vacuum service is excluded from the requirements of Section 66265.1052 through Section 66265.1060 if it is identified as required in Section 66265.1064(g)(5).

# (e)

Equipment that contains or contacts hazardous waste with an organic concentration of at least 10 percent by weight for less than 300 hours per calendar year is excluded from the requirements of sections 66265.1052 through 66265.1060 if it is identified, as required in section 66265.1064(g)(6).