

70439 Cardiovascular Surgery Service Space

(a)

Catheterization laboratory space shall include: (1) A minimum floor area of 40 square meters (450 square feet) for the procedure room. (2) A minimum floor area of 9 square meters (100 square feet) for each of the following: (A) Control, monitoring and recording equipment. (B) X-ray power and controls. (C) Work room. (D) Dressing rooms for doctors and nurses.

(1)

A minimum floor area of 40 square meters (450 square feet) for the procedure room.

(2)

A minimum floor area of 9 square meters (100 square feet) for each of the following:

(A) Control, monitoring and recording equipment. (B) X-ray power and controls. (C) Work room. (D) Dressing rooms for doctors and nurses.

(A)

Control, monitoring and recording equipment.

(B)

X-ray power and controls.

(C)

Work room.

(D)

Dressing rooms for doctors and nurses.

(b)

Cardiovascular surgery space shall include: (1) Operating rooms that comfortably accommodate 12 persons and all necessary equipment with a minimum floor area of 60 square meters (650 square feet). (2) Work room. (3) Pump work room. (4) Adequate storeroom.

(1)

Operating rooms that comfortably accommodate 12 persons and all necessary equipment with a minimum floor area of 60 square meters (650 square feet).

(2)

Work room.

(3)

Pump work room.

(4)

Adequate storeroom.