## 79719 Radiology Service Space

## (a)

There shall be sufficient space maintained to provide radiological services. This shall include but not be limited to the following: (1) A separate X-ray room large enough to accommodate the necessary radiographic equipment and to allow easy maneuverability of stretchers and wheelchairs. (2) Toilet facilities located in the radiology service space or in the immediate vicinity. (3) Dressing rooms for patients if not otherwise provided by toilet facilities. (4) Film processing area. (5) Sufficient storage space for all the necessary X-ray equipment, supplies, and for exposed X-ray film, and copies of reports. (6) Suitable area for viewing and reporting of radiographic examinations.

**(1)** 

A separate X-ray room large enough to accommodate the necessary radiographic equipment and to allow easy maneuverability of stretchers and wheelchairs.

(2)

Toilet facilities located in the radiology service space or in the immediate vicinity.

(3)

Dressing rooms for patients if not otherwise provided by toilet facilities.

(4)

Film processing area.

**(5)** 

CA

Sufficient storage space for all the necessary X-ray equipment, supplies, and for exposed X-ray film, and copies of reports.

(6)

Suitable area for viewing and reporting of radiographic examinations.

## (b)

If X-ray examinations are to be performed on outpatients, outpatient access to the radiological spaces shall not traverse a nursing unit.